

July 18, 2012

MEMORANDUM TO: Bruce A. Watson, Chief
Reactor Decommissioning Branch
Division of Waste Management
and Environmental Protection
Office of Federal and State Materials
and Environmental Management Programs

FROM: James Shepherd, Project Engineer **/RA/**
Reactor Decommissioning Branch
Division of Waste Management
and Environmental Protection
Office of Federal and State Materials
and Environmental Management Programs

SUBJECT: July 12, 2012, PUBLIC MEETING SUMMARY – DG-4014

PLACE: 11545 Rockville Pike
T8 A01
Rockville, MD 20852

Staff conducted a Category 2 meeting and “webinar” to present recent revisions to DG-4014 and solicit public comments. A dozen members of the public attended and another 20 participated on the webinar. There were a number of callers to the bridge line, but no count is available.

The comments were in two general categories where the participants believed additional guidance was needed:

- ◆ How does a licensee demonstrate compliance with the sampling requirements?
- ◆ How does the triennial update to financial assurance fit with the December effective date of the rule if the last submittal was less than three years ago?

Staff will address these questions in additional revisions to the guidance.

Enclosure: Staff Presentation
Attendance list

CONTACT: James Shepherd, FSME/DWMEP
(301) 415-6712

MEMORANDUM TO: Bruce A. Watson, Chief
Reactor Decommissioning Branch
Division of Waste Management
and Environmental Protection
Office of Federal and State Materials
and Environmental Management Programs

FROM: James Shepherd, Project Engineer
Reactor Decommissioning Branch
Division of Waste Management
and Environmental Protection
Office of Federal and State Materials
and Environmental Management Programs

SUBJECT: July 12, 2012, PUBLIC MEETING SUMMARY – DG-4014

PLACE: 11545 Rockville Pike
T8 A01
Rockville, MD 20852

Staff conducted a Category 2 meeting and “webinar” to present recent revisions to DG-4014 and solicit public comments. A dozen members of the public attended and another 20 participated on the webinar. There were a number of callers to the bridge line, but no count is available.

The comments were in two general categories where the participants believed additional guidance was needed:

- ◆ How does a licensee demonstrate compliance with the sampling requirements?
- ◆ How does the triennial update to financial assurance fit with the December effective date of the rule if the last submittal was less than three years ago?

Staff will address these questions in additional revisions to the guidance.

Enclosure: Staff Presentation
Attendance list

CONTACT: James Shepherd, FSME/DWMEP
(301) 415-6712

DISTRIBUTION:
KMcConnell

ML12198A364

OFFICE	DWMEP/PM	DWMEP/LA	DWMEP/BC	DWMEP/PM
NAME	JShepherd	CHolston	BWatson	JShepherd
DATE	7/17/12	7/17/12	7/18/12	7/18/12

OFFICIAL RECORD COPY

LIST OF PARTICIPANTS

Draft Guidance for the Decommissioning Planning Rule (DG-4014)

July 12, 2012

[illegible]