

From: [Simmons, Michelle](#)
To: zworrell@colaska.com
Subject: Colaska dba Secon Southeast Alaska
Date: Thursday, July 19, 2012 10:47:00 AM

License No.: 50-29231-01
Docket No: 03037206
Control No: 577646 and 577589

This is in reference to your letters dated May 23, 2012, and May 29, 2012, requesting to additional storage locations and remove one storage location your Nuclear Regulatory Commission License No. 50-29231-01. In order to continue our review, we need the following additional information:

1. Please submit the latest leak test results for the portable gauges that you are requesting to move to the new storage locations listed in your requests.
2. Please confirm that are you requesting to remove the storage location at 5737 Glacier Highway, Juneau, Alaska, from your license.
3. Please indicate whether the new storage location at 1836 Anka St., Juneau, Alaska, is a residence or place of business.

Please submit this information by July 26, 2012. If you are unable to respond by this due date, please don't hesitate to contact me so we can discuss an extension to the date. Our fax number is (817) 200-1263. You may also email your response as a pdf attachment. If you have any questions regarding this email, please call me at 817-200-1590. When responding to this email, please include the license, docket and control numbers located at the top of this page.

Thanking you in advance for your cooperation, assistance, and prompt response in this matter.

Michelle Simmons | Health Physicist | U.S. Nuclear Regulatory Commission
☎ (817) 200-1590 | ✉ michelle.simmons@nrc.gov