

**NEI 05-10 [Revision 3]**

# **Security Frequently Asked Questions Process**

**July 2012**

[THIS PAGE IS LEFT BLANK INTENTIONALLY]

**NEI 05-10 [Revision 3]**

**Nuclear Energy Institute**

**Security Frequently  
Asked Questions Process**

**July 2012**

## **ACKNOWLEDGMENTS**

NEI wishes to acknowledge the efforts of the NEI Security Frequently Asked Questions Task Force members as well as industry and U.S. Nuclear Regulatory Commission contributors involved in developing this document.

## **NOTICE**

Neither NEI, nor any of its employees, members, supporting organizations, contractors, or consultants make any warranty, expressed or implied, or assume any legal responsibility for the accuracy or completeness of, or assume any liability for damages resulting from any use of, any information apparatus, methods, or process disclosed in this report or that such may not infringe privately owned rights.

**TABLE OF CONTENTS**

**1 INTRODUCTION..... 1**

**2 SFAQ CRITERIA ..... 2**

**3 MAKEUP OF SECURITY QUESTION PANELS ..... 3**

**4 REGULATORY PROCESS INTERFACE..... 4**

**5 SFAQ DOCUMENTATION AND SAFEGUARDS CONSIDERATIONS..... 5**

**6 SFAQ LOG AND STATUS TRACKING ..... 6**

**7 APPROVAL AND APPEALS..... 7**

**8 WITHDRAWAL, TRANSMITTAL, AND MODIFICATION..... 8**

**9 SFAQ IMPLEMENTATION ..... 9**

**10 PROCESS OUTLINE..... 10**

**11 PROCESS FLOWCHART ..... 12**

**12 SFAQ FORM ..... 13**

[THIS PAGE IS LEFT BLANK INTENTIONALLY]

## **SECURITY FREQUENTLY ASKED QUESTIONS PROCESS**

### **1 INTRODUCTION**

The purpose of the Security Frequently Asked Questions (SFAQ) Process is to provide an organized forum for licensees and the NRC to resolve generic questions concerning the implementation of security requirements in a collaborative and coordinated context. This process is intended to support the resolution of licensees' questions in a timely and effective manner and support the NRC's exercising of its regulatory responsibility in the most efficient and direct manner possible.

The SFAQ process cannot be used to change any regulatory requirements promulgated through rules or orders. The intent of this process is to clarify existing guidance and to assist in addressing implementation questions related to security programs under 10 CFR Part 73.

## **2 SFAQ CRITERIA**

For a question to be considered under the SFAQ process, the question must be generic (i.e., have the potential to affect more than one plant without consideration or evaluation of site specific information). Potential SFAQs include questions where licensees or the NRC believe there would be a benefit for providing additional clarification of a requirement. In order to determine whether a question should be considered under the SFAQ process, the initiating panel (industry or NRC) shall apply the following criteria:

- The question must be sufficiently generic. (Does it affect more than one plant without consideration or evaluation of site specific information?)
- The question does not involve unresolved inspection issues, enforcement actions, allegations, or other situations covered by existing regulatory processes. The SFAQ process may be used to disseminate information regarding resolved inspection issues, enforcement actions, allegations, or other situations covered by existing regulatory processes.
- The resolution of the question should facilitate consistent implementation of industry or NRC security guidance.

If all the criteria are met, then a question may be appropriate for resolution utilizing the SFAQ process.

- In those cases where it is not clear that a question meets all of the above criteria, the initiating panel should include the question in the SFAQ process for independent screening by each panel (industry and NRC).



### **3 MAKEUP OF SECURITY QUESTION PANELS**

The Industry Panel will consist of representatives from the commercial nuclear power industry and at least one NEI representative. The Industry Panel members shall consist of management personnel experienced in security matters and represent the commercial nuclear industry.

NEI senior management shall designate an NEI representative who will function as the Industry Panel Chair. The Industry Panel Chair will also arrange meetings and provide administrative support for the communication and transmittal of SFAQ status and resolution.

The licensee originating an SFAQ may be invited to provide a representative to present and describe the SFAQ at the meetings where the SFAQ is discussed.

NRC management will designate a corresponding review panel (hereafter referred to as the NRC Panel) and the NRC Panel Chairman.

## **4 REGULATORY PROCESS INTERFACE**

The SFAQ process is intended to provide clear answers to generic questions that could affect industry implementation of security requirements. Frequently, generic questions are identified through the NRC Inspection and Enforcement process. It is important that the respective roles of each process be maintained. For the specific licensee(s) for which unresolved inspection issues or violations are involved, the inspection and enforcement process (including the licensee's option to appeal the NRC's decision) will take precedence and should proceed independently of the resolution of any related SFAQ. The SFAQ process must focus on a generic question and avoid site-specific factors that might distort the understanding of the resolution.

## **5 SFAQ DOCUMENTATION AND SAFEGUARDS CONSIDERATIONS**

Many of the questions dealing with nuclear power plant security may involve Safeguards Information (SGI). Any person allowed access to SFAQs containing SGI must have an established “need to know” for the information and meet the requirements of 10 CFR 73.21. Any SGI material associated with the SFAQ must be stored, transmitted and distributed in accordance with the requirements of 10 CFR 73.21 and other applicable NRC requirements.

Non-SGI questions and related material will be handled in accordance with NRC Regulatory Issue Summary 2005-26, “Control Of Sensitive Unclassified Non-Safeguards Information Related To Nuclear Power Reactors,” and with 10 CFR 2.390 – “Public Inspections, Exemptions, Requests for Withholding,” as applicable.

## **6 SFAQ LOG AND STATUS TRACKING**

In order to facilitate efficient tracking, review, and closure of SFAQs, the Industry Panel Chair will maintain a non-Safeguards log of all SFAQs (SGI and non-SGI). SFAQs generated by the NRC Panel will be provided to the Industry Panel Chairman to be logged and tracked. The non-SGI log will show basic information such as unique tracking number, date initiated, initiator, and current status. This log will be available to each Panel and updated on a periodic basis.

Both Panel Chairs will maintain a file of in-process and completed SFAQs.

## **7 APPROVAL AND APPEALS**

Separately, each panel will meet and examine the questions (SFAQs) that have been accepted for consideration, developing a response that is documented on the form. Then, the two panels will meet, on an as needed base. The objective of the meeting is to share and/or present each panel's views of SFAQs submitted. When the panels agree on an SFAQ, it is provided to the NRC Deputy Director – Division of Security Policy (DSP) for final approval. Where the panels do not agree, each panel may submit alternative answers and comments regarding other options under consideration with written rationale for final approval. This information shall be provided to the NRC Director - DSP with copies provided to both panels. Upon reaching a decision between alternate proposed SFAQ responses, the NRC Director - DSP will provide a response back to both panels setting forth the rationale for the chosen option.

If the industry disagrees with the decision of the NRC-Director-DSP, the industry has the right to appeal the decision as outlined in Section 10, Step 5.

## **8 WITHDRAWAL, TRANSMITTAL, AND MODIFICATION**

An SFAQ may be withdrawn by the initiating Panel at any time prior to final disposition.

Once an SFAQ response/solution has been approved by NRC it is distributed by NEI and the NRC using approved means. In addition, the NEI representative will update the SFAQ Log.

In the event that any approved SFAQ resolution is subsequently determined to require revision, the revised SFAQ must be reprocessed.

## **9 SFAQ IMPLEMENTATION**

SFAQs that involve changes to the NEI 03-12 template language should be revised immediately through the licensee's security plans if required to demonstrate compliance with NRC regulations. SFAQs that affect the site specific information provided as bracketed text within NEI 03-12 should be changed through the licensee's security plans as necessary. Utilities should make any necessary changes to their Security Plan (PSP), Training and Qualification Plan (T&Q), Contingency Plan (SCP), and Cyber Security Plan (CSP) consistent with the implementation date agreed upon by the industry and NRC. The NRC will be notified of the changes in accordance with the requirements of 10 CFR 50.54(p).

The following statement should be considered in the accepted SFAQs that affect NEI 03-12 black text: "Licensees submitting their security plans using the NRC endorsed NEI 03-12 revision [#] template should revise the endorsed text in section [...] of the [PSP, T&Q, SCP as appropriate] by [provide direction on text to be revised, replaced, inserted, and when it should be revised]".

The change to the NRC endorsed NEI 03-12 revision [#] language should be listed on the "Table of Deviations from NEI 03-12 revision [#] Text" which has been provided by NEI to accompany each plan submittal. The justification that should be provided on the table is "Language revised in accordance with SFAQ # [##-##]".

## **10 PROCESS OUTLINE**

In addition to the following SFAQ process description, a flow chart of this process is provided as Attachment 1.

### **Identification and Question Development (Step 1)**

Industry or NRC personnel will send potential SFAQs arising from internal reviews, industry operating experience, NRC inspections, or other sources, to the Industry Panel Chair. Use of the SFAQ form (Attachment 2) is encouraged. The proposed SFAQ should provide appropriate references from regulatory or industry documents. The history, operating conditions and description of security features may be relevant and should be included as supporting documentation. The submittal should include a proposed answer where possible. The NRC will establish a similar process governed by their internal procedures. Initiators should check the SFAQ log to prevent redundancy with existing questions. It is imperative that facts and supporting documentation are complete and accurate in all material respects.

### **Panel Screening (Step 2)**

Both panels separately shall conduct an initial screening of proposed SFAQs to determine whether they meet the criteria of Section 2. In the event that a question does not meet those criteria, or where it duplicates questions addressed in existing SFAQs or other questions undergoing screening, the appropriate Panel Chair shall notify the originator that the question will not be resolved through the SFAQ process. For cases which are screened as meeting criteria for an SFAQ, a brief description shall be provided to the Industry Panel Chairman who shall assign an SFAQ number and enter it in the SFAQ Log.

### **Internally Develop a Proposed Response (Step 3)**

Once a question is accepted by each panel as an SFAQ, an individual from the initiating Panel will be assigned to further develop the proposed final response if necessary. This will include consideration of proposals by the initiator. The proposed final response should be internally discussed within the initiating Panel. After this internal consideration, the SFAQ, including the proposed final response will be submitted via the appropriate Panel Chair to the counterpart Panel. This effort should be done two weeks prior to the meeting unless the frequency of meetings requires compression of that interval.

### **Panel Interaction and Review (Step 4)**

The Panel(s) will meet periodically to discuss SFAQs. Items for the agenda will be agreed upon by the Panel Chairs and should include as many pending SFAQs as can be accommodated.

New SFAQs on the agenda should be presented by the initiating Panel. While the draft should already have been distributed, this presentation provides an opportunity to ask



clarifying questions. Candid exchange is encouraged to facilitate consideration of all pertinent aspects by all parties.

In cases involving a question that is in need of prompt resolution, the Panel(s) may accelerate the processing of the SFAQ. This must be identified to both Chairs sufficiently in advance to permit appropriate internal review.

After internal review subsequent to this initial presentation, written revisions or alternative resolutions should be developed with rationale provided. These should be provided to both panels via their Chairs at least one week in advance of the subsequent Joint Panel meeting.

At the second meeting regarding a specific SFAQ, the Panel(s) should present the proposed final resolution(s). If mutual understanding is not reached, both Panels should attain outstanding points of agreement and disagreement in order to modify or clarify their panel's proposed resolution for subsequent review. One or both panels should agree to take action to provide a revised proposed final resolution at the next meeting.

#### **Appeal (if necessary) (Step 5)**

If the panels do not agree at the second meeting, each panel shall send its proposed resolution of the SFAQ to the NRC Director - DSP for a decision. Each panel (industry and NRC) has the opportunity to comment on the others proposed resolution before presentation to the Director.


After the decision by the NRC Director - DSP a copy of the approved SFAQ response shall be returned to the Panel(s). The Panels separately will review the SFAQ response to check that its content is consistent with their understanding of the SFAQ's final resolution.

The industry, as represented by the NEI Chief Nuclear Officer, may appeal decisions of the Director - DSP to NRC management (Director of the Office of Nuclear Security and Incident Response) within one month. The decision of the Director of the Office of Nuclear Security and Incident Response is the NRC's final resolution and position of the SFAQ. The NRC should attempt to resolve the industry's appeal within one month of its receipt. The SFAQ will not be issued until the appeal has been resolved.

#### **Dissemination (Step 6)**

Once an SFAQ response/solution has been approved by the NRC, it is distributed by NEI using approved means. In addition, the NEI representative will update the SFAQ Log. SFAQ responses can be effective immediately. If implementation timing guidance is appropriate, those should be arranged between the Panel Chairs and communicated concurrently with dissemination of the SFAQ answer. Prior to issuance, the proposed solution text of the SFAQ worksheet will be deleted to assure a clear understanding of the final response.

## 11 PROCESS FLOWCHART



EXEMPT FROM PUBLIC DISCLOSURE IN ACCORDANCE WITH 10 CFR  
§2.390

**12 SFAQ FORM**

SFAQ YY-XX Title

Security Frequently Asked Questions (SFAQ) Request Form

SFAQ Number: \_\_\_\_\_ (Industry Panel Chair to Complete)

(Requestor to Complete)		
Licensee:		Date Submitted:
Licensee Contact:	Phone:	E-mail:
NRC Contact:	Phone:	E-mail:

Potentially Relevant Existing SFAQ Numbers:	
This Question Involves: (Check All That Apply)	Design Basis <input type="checkbox"/> , Force-on-Force <input type="checkbox"/> , Training <input type="checkbox"/> , Access <input type="checkbox"/> , Security Plan <input type="checkbox"/> , Cyber <input type="checkbox"/> , Other <input type="checkbox"/> :

**Question, Including Background Description and Applicable Reference(s):**

--

**Proposed Solution:**

--

Additional Pages Attached: Yes <input type="checkbox"/> No <input type="checkbox"/>
---

(NEI to Complete) Request #:	Date Entered:	By:
---------------------------------	---------------	-----

EXEMPT FROM PUBLIC DISCLOSURE IN ACCORDANCE WITH 10 CFR  
§2.390

EXEMPT FROM PUBLIC DISCLOSURE IN ACCORDANCE WITH 10 CFR  
§2.390

SFAQ Evaluation and Resolution Section

Issue Presented at Joint NRC/NEI Security Question Panel on:

SFAQ Number: \_\_\_\_\_ (Industry Panel Chair to Complete)

**Resolution of SFAQ**

Resolution Requires a Document(s) Revision: Yes ☐ No ☐ Document(s):

(NRC Security Question Panel Chairman) Approved By:	Date:
(Industry Security Question Panel Chairman) Approved By:	Date:

SFAQ Closed in Tracking System and SFAQ Database Updated: Date:  
Form Revision 3, 07/12

EXEMPT FROM PUBLIC DISCLOSURE IN ACCORDANCE WITH 10 CFR  
§2.390