

To: Leeds, NRR
Ref. G20120172

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

Cys: EDO
DEDMRT
DEDR
DEDCM
AO
RI
OGC

Mensah, NRR
Baric, NRR
Russell, NRR
Scott, OGC
Mercke, OEDO

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Stephen Goldberg Signature [Signature]
Date 6/17/12 Email: goldberg@adelphia.net
Address: 2nd Carrollwood Dr. Tarrytown, NY 10591

Name (print): MICHAEL ARBINSKY Signature [Signature]
Date 6/17/12 Email: ARBINSKY@gmail.com
Address: Beacon NY 12508

Name (print): Helena Miele Signature [Signature]
Date 6/17/12 Email: lightkoney@gmail.com
Address: _____

Name (print): Laura Elias Signature [Signature]
Date 6/17/12 Email: laura7@verizon.net
Address: 3401 Victoria Dr. Mt Kisco NY 10549

Template: EDO-001

E-RIDS: EDO-01

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Pamela Drake Signature: [Signature]
Date: 6/17/12 Email: pdm2159@gmail.com
Address: 820 E. 16 St. Apt. 3B Brooklyn NY 11238

Name (print): John C. Parker Signature: [Signature]
Date: 6/17/12 Email: _____
Address: _____

Name (print): ROBERT RACHLIS Signature: [Signature]
Date: JUNE 17 2012 Email: ROBERACHL@AOL.COM
Address: 1016 E LAS ANIMAS LOS CO 80903

Name (print): James E. Murphy Signature: [Signature]
Date: 6/17/12 Email: IVETSFOR@GMAIL.COM
Address: 100 Hancock St Ithaca, NY 14850

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Joel Furst Signature Joel Furst
Date June 17, 2012 Email: FURST1553@gmail.com
Address: _____

Name (print): Allison Barlow Signature Allison Barlow
Date 6/17/12 Email: allybarlow@gmail.com
Address: 267 Lincoln Pl Apt 1B Brooklyn, NY 11238

Name (print): Hamy Katz Signature Hamy Katz
Date 6/17/12 Email: hamykatz3@gmail.com
Address: 60 Knolls Crescent #9D Bronx, NY 10463

Name (print): Miriam Oppenheimer Signature Miriam Oppenheimer
Date 6/17/12 Email: peace.mir@temple.edu
Address: 4820 Osage ave Phila. PA 19143

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Ari Abbott Signature: 
Date: 6/17/12 Email: Aribump@hotmail.com
Address: 4820 Sage ave phila-pa 19143

Name (print): Elaine Okin Signature: Elaine Okin
Date: 6/17/12 Email: erobbi570@gmail.com
Address: 570 Scarborough Rd, Branchburg NY 10510

Name (print): Meg Hertz Signature: Meg Hertz
Date: 6/17/12 Email: mchertz@aol.com
Address: 123 Haviland Lane White Plains, NY 10605

Name (print): Alex van Inwegen Signature: Alex van Inwegen
Date: 6/17/12 Email: avaninwegen@verizon.net
Address: 175 Lorraine Avenue, Monticello NJ

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Joanna Price Signature: [Signature]
Date: 06.17.12 Email: joanna.price@hotmail.com
Address: _____

Name (print): Kwame Madden Signature: Kwame Madden
Date: 6/17/12 Email: barakabooks@yahoo.com
Address: 1107 Brewster Peekskill, NY 10566

Name (print): Al Peterson Signature: [Signature]
Date: 6/17/12 Email: BaaBasutya@aol.com
Address: 52 N Broadway WP NY 9 WESPAC

Name (print): Sarah Sheffer Signature: [Signature]
Date: 6.17.12 Email: Sarah@docu10.com
Address: 300 E. Evans #P174 West Chester PA 19380

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Shadac Martinez Signature Shadac Martinez

Date 6/17/12 Email: Shadac1994@yahoo.com

Address: 6 Aug St Brooklyn

Name (print): MARTIN KOTKIN Signature M Kotkin

Date 6/17/12 Email: _____

Address: 10598

Name (print): Polly Pitts-Garvin Signature Polly Pitts-Garvin

Date 6-17-12 Email: _____

Address: 54 RRAVE AMERICA N.Y. 12501

Name (print): Joe Van Gelder Signature Joe Van Gelder

Date 6/17/12 Email: _____

Address: 252 Miner Rd. Porter Corners, N.Y. 12859

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print):

Julie Norton

Signature



Date

6/18/12

Email:

julian@nrc.gov


Address:

300 E Evans St. West Chester PA 19380

Name (print):

Kealey Vighelino

Signature



Date

6/17/12

Email:

Address:

Name (print):

Suzanna Sellinger

Signature



Date

6/17/12

Email:


Address:

Woodstock, NY

Name (print):

Katelyn Jones

Signature



Date

6/17/12

Email:

Address:

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Poy Jensen Signature: [Signature]
Date: 6/17/12 Email: _____
Address: 1336 Lake Shore Dr. Massapequa Park New York 11762

Name (print): Mary Diebold Signature: Mary Diebold
Date: 6/17/12 Email: _____
Address: 366 Woodstock Ave. Glen Ellyn IL 60137

Name (print): Ralph Sicignano Signature: Ralph Sicignano
Date: 6-18-2012 Email: Sattva21@mac.com
Address: 122 Phyllis Dr. Lindenhurst, N.Y. 11752

Name (print): FRANK PASQUALE Signature: [Signature]
Date: 6/17/12 Email: _____
Address: 2137 45 St Astoria NY 11105

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Mary Ellen Simmons Signature Mary Ellen Simmons

Date 6/17/12 Email: gotcats@ptd.net

Address: 33 Dawn Ave Akron, PA 17501

Name (print): Scott Livingstone Signature Scott Ryt

Date 6-17-2012 Email: sal10075@gmail

Address: _____

Name (print): Keith Getz Signature Keith Getz

Date 6/17/2012 Email: gokidgo1@yahoo.com

Address: _____

Name (print): Valerie DeMarasse Signature Valerie DeMarasse

Date June 17/2012 Email: _____

Address: 96 Rose Hill Rd Accord NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York


Dear Mr. Borchardt:


We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.


- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.


Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): JOHN FRENCH Signature 
Date 6-17-12 Email: _____
Address: 224 ROLLING ST. MALVERNE N.Y. 11565

Name (print): SUZY HAMME Signature 
Date 6/17/12 Email: SUZSDREAMS@comcast.net
Address: 1804 RIDGEVIEW AVE. LANCASTER, PA 17603

Name (print): JAMES LUCKWITZ Signature 
Date 6/17/12 Email: JIMLUCKW@REVIEWS
Address: PO BOX 414 HIGH FALLS, NY

Name (print): Schuyler Forsythe Signature 
Date 6/17/12 Email: SchuylerForsythe@yahoo.com
Address: 18 church lane high falls Ny

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Sky Stern-Carney Signature: [Signature]

Date: 6-17-12 Email: Sky.Carney@fcho.com

Address: P.O. Box 1333 OS851 Lyndonville VT

Name (print): John & Nicole Franklin Signature: [Signature]

Date: 6/17/12 Email: Franklinhomestead@aol.net

Address: Sandy Hook Ct. 06462
61 Tomahawk Tr.

Name (print): Alec Gitz Signature: [Signature]

Date: 6/17/12 Email: Alec@wig.com

Address: 225 E 85th St MC NY 10018

Name (print): Jonathan Krull Signature: [Signature]

Date: June 17 2012 Email: jonathankrull@gmail.com

Address: 24 Mtnview Dr. COLO SPRING, NY 10516

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): MAXINE SMITH Signature: Maxine Smith
Date: 6/17/12 Email: econosmith@att.net
Address: P.O. Box 439 Provincetown, MA 02657

Name (print): Cindy Joao Signature: Cindy Joao
Date: 6/17/12 Email: homebees@yahoo
Address: P.O. Box 23 New Paltz NY 12561

Name (print): Martha Cont'e Signature: Martha Cont'e
Date: 6/17/12 Email: marthafg@verizon.net
Address: 5 Stafford Pl W.P. NY 10604

Name (print): HARRY GETTNER Signature: Harry Gettner
Date: 6/17/12 Email: Harls.gettner@gmail.com
Address: 201 E 16th St. #4D 10003 NY, NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhattachandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Douglas V. Winkler Signature *Douglas V. Winkler*

Date 6/17/12 Email: dvwinkler@yahoo.com

Address: 19 Plymouth Dr. S., Glen Head, NY 11545

Name (print): Barbara Anderson Signature *Barbara Anderson*

Date 6/17/12 Email: _____

Address: 10 Mead Pond Lane Rye NY 10580

Name (print): Rebecca Larsen Signature *Rebecca Larsen*

Date 6/12/12 Email: beckalarsen@gmail.com

Address: 10 Maple Ave, Waterford NY 12218

Name (print): Gerardo Galbo Signature *Gerardo Galbo*

Date 6/17/12 Email: galbo55@aol.com

Address: 59th Arlington Ave 18x Bronx NY 10471

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Melissa Rodgers Signature Melissa Rodgers

Date 6/17/12 Email: medoro88@yahoo.com

Address: 18 Valley Place, H-O-H, NY 10706

Name (print): Aubrey Smith Signature Aubrey Smith

Date 6/17/12 Email:

Address: 51 Maple Ave 3 B, H-O-H, NY 10706

Name (print): Violetta Spinazzola Signature Violetta Spinazzola

Date 6/17/12 Email: vvspin@yahoo.com

Address: 18 Valley Place, Hastings-on-Hudson NY 10706

Name (print): Tom Morrison Signature Tom Morrison

Date 6/17/12 Email: morrisonatomas1@gmail.com

Address: 1215 Midland Ave Nyack NY 10960

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azuly at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Steven Pastoriza Signature: [Signature]
Date: 6.17.12 Email: S.m.pastoriza@hotmail.com
Address: 126 Scrutoga Ave. Watford NY 12188

Name (print): Joanne Steele Signature: [Signature]
Date: 6/17/12 Email: joannesteele5@gmail.com
Address: Town of Schoharie, NY

Name (print): Ryan Peter Signature: [Signature]
Date: _____ Email: Nuc@Sung Radio.org
Address: 7 Shorthill Road Adaley 10522

Name (print): Calvin Friedman Signature: [Signature]
Date: 6/17/12 Email: calvin.friedman@gmail.com
Address: 17. Sands St. Cortland N.Y. 13045

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Richard Kaffen Signature [Signature]

Date June 17, 2012 Email: richard.kaffen@verizon.net

Address: 414 Fort Washington Ave #66, NY NY 10033

Name (print): Paul Treadwell Signature [Signature]

Date 6-17-2012 Email: paul.treadwell@quant.com

Address: 17 SANDS ST CORH NY 13045

Name (print): Nanna Savitt Signature [Signature]

Date 6-17-12 Email: noonsline109@verizon.net

Address: _____

Name (print): Kathleen McCarthy Signature [Signature]

Date 6/17/2012 Email: Katiemccarthy22@yahoo.com

Address: 134 Corson Ave SI, NY 10301

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Adam Green Signature Adam Green
Date 6/17/12 Email: adam@rockynorthbox.org
Address: 176 W. 94th St NYC 10025

Name (print): CHRIS KNOEPFEL Signature Chris Knopf
Date 6/17/12 Email: KNIP80@HOTMAIL.COM
Address: _____

Name (print): Elizabeth Robinson Signature Elizabeth Robinson
Date 6/17/12 Email: robin74@hotmail.com
Address: 63 Broadway HI NY 12533

Name (print): Debbie Bultman Signature Debbie Bultman
Date 6/17/12 Email: debbie@knowyourroots.com
Address: 3336 Bodenk Rd T-burg, NY 14886

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): MIKE BILTONEN Signature Mike Biltonen

Date 6/17/12 Email: mike@knowyourroots.com

Address: 3336 Rodunk Rd, Tiptonville TN 37170

Name (print): Ginger Hendler Signature Ginger Hendler

Date 6/17/12 Email:

Address: 12 Beechwood Dr. Glen Head, NY

Name (print): Jessica Hendler Signature Jessica Hendler

Date 6/17/12 Email: hendler62@gmail.com

Address: 12 Beechwood Dr. Glen Head, NY 11545

Name (print): Donald King Signature Donald King

Date 6/17/2012 Email:

Address: 1001 Old Tavern Rd Farmingdale NJ 07727

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Terri Suess Signature: Terri Suess
Date: 6/17/2012 Email: TSuess05@yahoo.com
Address: 100 Alexander St. Newark, NJ 07106

Name (print): Jim Tallon Signature: J. Tallon
Date: 6/17/2012 Email: _____
Address: P.O. Box 502 Bristol, CT 06010

Name (print): Anita Louis Signature: Anita Louis
Date: 6-17-2012 Email: A9Astrid@yahoo.com
Address: 92 James St Morris town, NJ 07960

Name (print): Ned Okonsky Signature: Ned Okonsky
Date: 6/17/12 Email: NedOkonsky@hotmail.com
Address: 3 Whitcomb Rd P.V. NY 10579

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhaichandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Joel Landy Signature: [Signature]
Date: June 17, 2012 Email: joellandy@yahoo.com
Address: _____
Name (print): M. Strouse Signature: [Signature]
Date: 6/13/12 Email: _____
Address: 1 Dug Rd, New Paltz, NY 12561
Name (print): Eric Newman Signature: [Signature]
Date: June 17, 2012 Email: enewman555@hotmail.com
Address: 140 Darrow Pl., Bronx, N.Y. 10475
Name (print): Miral Krah Signature: [Signature]
Date: 6/17/12 Email: 1miral@hotmail.com
Address: 51 Clinton Ossining NY 10562

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Sarah Armour Signature [Signature]
Date 6/17/12 Email: srhcm@aol.com
Address: 158 Narabae Rd Gardiner NY
Name (print): Teressa DeRico Signature Teressa DeRico
Date 6/17/12 Email: _____
Address: 112 Cardinal Lane Slip NY 11751
Name (print): Kevin Schor Signature [Signature]
Date 6-20-12 Email: _____
Address: 219 6th St Yorktown NY 10598
Name (print): Sally Piliay Signature [Signature]
Date 6/17/12 Email: PILAYSAALLY@GMAIL.COM
Address: 421 TAYLOR AVE, S. HACKENSACK, NJ, 07606

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Antonia Weidenbacher Signature: Antonia Weidenbacher

Date: June 17-12 Email: _____

Address: 297 Meads Mt. Rd. Woodsburgh, NY 12498

Name (print): Eileen Amy Signature: Eileen Amy

Date: 6/17/12 Email: _____

Address: 114 Chestnut St #2 Providence MA 02445

Name (print): Alex Hyland Signature: Alex H

Date: 6/17/12 Email: _____

Address: PO Box 51 Hector NY 14841

Name (print): LINDSAY SPEER Signature: Lindsay Speer

Date: 6/17/12 Email: linzaye@earthlink.net

Address: 1012 Euclid Ave Syracuse NY 13210

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Zachary Veloff Signature Zachary Veloff
Date June 17, 2012 Email: zveloff@gmail.com
Address: 347 Riskey Hall

Name (print): CHRISTIAN SCHREIB Signature Christian Schreib
Date 6/18/2012 Email: C.SCHREIB@PERKINSEASTMAN.COM
Address: 657 FOREST AVE., Rye, NY, 10580

Name (print): P Bender Signature P Bender
Date 6/17/2012 Email: _____
Address: 659 Rte 965 W 7th St Plainfield NJ 07063

Name (print): Samuel Signature Samuel
Date 6/17/12 Email: MyCivic@yaho.com
Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Brita Belli Signature Brita Belli
Date 6/17/12 Email: bnta@emagazine.com
Address: 8 Garden Dr. Fairfield, CT 06825
Name (print): Susie Altier Signature S. Altier
Date 6/17/12 Email: _____
Address: PO Box 572 Glen Rock, NJ 07452
Name (print): _____ Signature _____
Date _____ Email: _____
Address: _____
Name (print): _____ Signature _____
Date _____ Email: _____
Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Robert MacFarlane Signature Robert MacFarlane

Date 6/16/12 Email: _____

Address: 410 Feller Newmark Rd Red Hook, NY 12571

Name (print): Kristen Kure Signature Kristen Kure

Date 6/16/12 Email: _____

Address: Tarrytown, NY 10591

Name (print): Monica Griffin Signature Monica Griffin

Date 6/16/12 Email: _____

Address: Tarrytown, NY 10591

Name (print): Lisa Woodhams Signature Lisa Woodhams

Date 6-15-12 Email: _____

Address: Conesus, New York 14435

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): TOM HECKMAN Signature Thomas J Heckman

Date 6/16/12 Email: heck0845@aol.com

Address: PO Box 207 EAST SCHODACK NY 12063

Name (print): HOLLY PECHTER-WALTERS Signature Holly Pechter-Walters

Date 6/16/12 Email: hpn@epix.net

Address: 1885 Mt View Dr QUAKERTOWN PA 18951

Name (print): Ken OKin Signature Ken L. Okin

Date 6/16/12 Email: KenOkin570@gmail.com

Address: 570 Scarborough Rd Briarcliff Manor NY 10510-2020

Name (print): ALAN CLAPPER Signature Alan Clapper

Date 6/16/12 Email: ABCLAPPER@YAHOO.COM

Address: PO BOX 301 DALTON MA 01227

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Jayne Martin Signature Jayne Martin

Date 6/16/12 Email: jmartin0102@yahoo.com

Address: 344

Name (print): RICHARD PRANS Signature Richard Prans

Date 06/16/2012 Email: _____

Address: 720 W. SAUGERTIES RD., SAUGERTIES, N.Y. 12477

Name (print): Myles A. Lynch Signature Myles A. Lynch

Date 6/16/12 Email: mlyndh987@gmail.com

Address: Grand Avenue, Rochester, NY 14609

Name (print): LORNA Henkel Signature Lorna H Henkel

Date 6/16/12 Email: lorna.henkel@gmail.com

Address: 105 1st Ave Secaucus, NJ 07094

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Steven Dolce Signature: Steven D. Dolce
Date: 6/16/2012 Email: LightBeingStar@yahoo.com
Address: P.O. Box 2662 North Babylon, N.Y. 11703.

Name (print): Juan Villareal Signature: Juan Villareal
Date: 6/16/12 Email: magie-emotionandke@gmail.com
Address: 368 Brithot Robertsdale PA

Name (print): Mari Donah Signature: Mari Donah
Date: 6/16/12 Email: _____
Address: 363 Walnut St Yonkers NY 10701

Name (print): John Markin Signature: John Markin
Date: 6/16/12 Email: jmarkinbuilder@gmail.com
Address: 329 Kent Cornwell Rd Kent Ct, 06757

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Gene Devita Signature [Signature]
Date 6/15/12 Email: SQUANTINOT@GMAIL.COM
Address: 152 EAST HILL RD. CANTON, CT 06019

Name (print): Karen Glass Signature [Signature]
Date 6/15/2013 Email: karenglasstellers@gmail.com
Address: PO 477 Kara Challen, NY 12943

Name (print): Jay Lustgarten Signature [Signature]
Date 6/16/12 Email: jay@prohands.net
Address: _____

Name (print): LARRY BRINGING GOOD Signature [Signature]
Date 6/16/12 Email: nomadimgood@gmail.com
Address: PO BX 321 TROY, NY 12181

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): John Risickella Signature: [Signature]
Date: 6/16/12 Email: John.risickella@nrc.com
Address: 262 W. Pulaski Rd Huntington Station NY 11746

Name (print): Judy Norrby Signature: [Signature]
Date: 6-16-12 Email: Jubenorb@AOL
Address: 171-01 Courtney Dr Flushing 11358

Name (print): Nafessiah Carr Signature: Nafessiah Carr
Date: June 16 2012 Email: nafessiah.carr@gmail.com
Address: 3702 North Rosser, Alexandria VA

Name (print): Nicole Riche Signature: Nicole Riche
Date: 6/16/12 Email: nriche@yahoo.com
Address: Oss NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Douglas DeFeo Signature 

Date 6/16/12 Email: dougdefeo@optonline.net

Address: 9 West Lane, East Moriches, NY 11946

Name (print): Linda DeFeo Casoli Signature 

Date 6-16-12 Email: sabralld6@optonline.net

Address: 21 School St. Cortlandt Manor NY 10567

Name (print): Rhoda Schlamm Signature 

Date 6/15/12 Email: RLS089@gmail.com

Address: 59-55 47 Ave Woodside NY 11377

Name (print): Christopher E. Cooper Signature 

Date 16 June 2012 Email: Coopce@juno.com

Address: PO Box 118, Str Lk, NY 13690

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhattachandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York.

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Claudia Stoscheck Signature Claudia Stoscheck

Date 6/16/12 Email: claudia.stoscheck@gmail.com

Address: P.O. Box 251, Middlebury VT 05753

Name (print): Robert Reardon Signature Robert Reardon

Date 6/16/2012 Email:

Address: 27-M, Route 100, Otisville, NY 13420

Name (print): Melissa Ortquist Signature Melissa Ortquist

Date 6/16/2012 Email: ortquistm@gmail.com

Address: 20 Louis Valli Rd., West Park, NY 12493

Name (print): Anthony DeFeo Signature Anthony DeFeo

Date 6/16/12 Email: anthonydefeo@optonline.net

Address: 9 West Lane, East Moriches, NY, 11940

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan; since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no-likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Shea Eiholzer Signature Shea Eiholzer

Date 6/14/12 Email: _____

Address: 4178 Poye Rd. Jamesville NY 13098

Name (print): Paul Eiholzer Signature Paul Eiholzer

Date 6-16-12 Email: _____

Address: 4178 Poye Rd Jamesville NY 13098

Name (print): Alison Carb Sussman Signature alison carb sussman

Date 6/16/12 Email: _____

Address: 400 E. 20th St. 4D NYC 10009

Name (print): FLANNERY DENNY Signature FLANNERY DENNY

Date 6/16/12 Email: FLANNERY.DENNY@GMAIL.COM

Address: 633 E. 11th St NY, NY 10009

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): W. Duweleen Signature W. Duweleen

Date 6/16/12 Email: _____

Address: 7123 Vineyard Rd Ceresus NY 14435

Name (print): Ann Gross Signature Ann Gross

Date 6/16/12 Email: _____

Address: 11 Kipp Ave Fishkill NY 12524

Name (print): Simon Ribot Signature Simon Ribot

Date 6/16/12 Email: Simon.Ribot@yahoo.com

Address: _____

Name (print): Elinor Kessler-Ridge Signature Elinor Kessler-Ridge

Date 6/16/12 Email: ekessler120@gmail.com

Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Cliff Stachler Signature Cliff Stachler

Date 6-16-12 Email: CSTAEBLER@NYC.NR.COM

Address: 33-24 Junction Blvd Jackson Hts, NY 11372

Name (print): Susan Conroy Signature Susan Conroy

Date 6/16/12 Email: _____

Address: 10 Cathlamet St NYACK, NY 10960

Name (print): Gail Evans Signature Gail Evans

Date 6/16/12 Email: winddweller@hotmail.com

Address: 14 Spring St Tarrytown, NY 10591

Name (print): Patricia Evans Signature Patricia Evans

Date 6/16/12 Email: emt.pat47@yahoo.com

Address: 14 Spring St, Tarrytown, N.Y. 10591

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): JOE JACOVINO Signature Joe Jacovino

Date 6.16.12 Email: BLUESRIOT@GMAIL.COM

Address: 116 LILYAN ST WARDWICK NY 07467

Name (print): Maurice Agerthy Signature Maurice Agerthy

Date 6/16/12 Email: Agerthy - Maurice @ Yahoo2.com

Address: _____

Name (print): LUCINDA MANNING Signature Lucinda Manning

Date 6-16-12 Email: manning lucinda@yahoo.com

Address: 63 AUDUBON DR NE DEANBURG NY 10562

Name (print): RICHARD BLISS Signature R. Bliss

Date 6/16/12 Email: rbliss@cox.net

Address: 1174 Blossom ST. SUFFIELD CT 06078

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhattachandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Michel Lee Signature Michel Lee

Date June 16 2012 Email: -

Address: 265 Madison Rd Scarsdale NY 10583

Name (print): Jacqueline Kueveron Signature Jacqueline Kueveron

Date 6/16/12 Email: jake999@aol.com

Address: 130 Sawmill Road 12449

Name (print): SHEILA KRSTEVSKI Signature Sheila Krstevski

Date 6/16/12 Email: sheilakrsto@aol.com

Address: 3357 Peter Lane, Yorktown Hts, NY 10598

Name (print): Pix Coarescu Signature Pix Coarescu

Date 6/16/12 Email: Pix@Coarescu.com

Address: Nea Mexico

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Kathy O'Leary Signature: K. O'Leary
Date: 6/16/12 Email:
Address: 255 Morris Ave Summit NJ 07901
Name (print): Reece TOBACK Signature: Reece Tobar
Date: 6/16/12 Email: RTOBACR@verizon.net
Address: 54 FAIRFIELD YORKERS 10705
Name (print): Paul Baumann Signature: Paul Baumann
Date: 6/16/12 Email: paul@handmadeframes.us
Address: 101 Oak Street Brooklyn NY 11222
Name (print): Marilyn Gold Signature: Mary Gold
Date: 6/16/12 Email: marilyn@handmadeframes.us
Address: 101 Oak 11222

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Alan Carroll Signature Alan Carroll

Date 6/17/12 Email: AlanCarrollphoto@gmail.com

Address: 177 Mohr Rd. Beach Lake PA 18405

Name (print): Alan Paul Signature Alan Paul

Date 6/17/12 Email: alanpaul@robox.com

Address: 33 Hendley Pl. Maplewood NJ 07040

Name (print): WAYNE KOCHER Signature Wayne M. Kocher

Date 6/17/12 Email: NONE

Address: PO BOX 29 FORT MONTGOMERY N.Y. 10922

Name (print): DIANE C. BEENY Signature D.C. Beeny

Date 6/17/2012 Email: diane6181@yahoo.com

Address: 181 TUDOR OVAL WESTFIELD NJ 07090

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Steve Miller Signature: [Signature]

Date: June 17/12 Email: _____

Address: 223 Zeeb Ave N° 6A NY NY 10003

Name (print): Elizabeth McCrellin Signature: [Signature]

Date: 6.17.12 Email: _____

Address: 414 W. 42nd St. #41 NYC. 10036

Name (print): Margaret Wood Signature: Margaret Wood

Date: 6/17/2012 Email: mppwr@yahoo.com

Address: 324 Germantown Rd., West Milford, NJ 07480

Name (print): Vitalah Simon Signature: Vitalah Simon

Date: 6/17/2012 Email: _____

Address: 91 Tompkins Ave, Haverhill, NY 10570

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Steven D. Dole Signature Steven D. Dole
Date 6/17/2012 Email: LightBeings Steve@yahoo.com
Address: P.O. Box 2603 W. Babylon, NY 11703

Name (print): Pamela Krinsky Signature Pam Krinsky
Date 6/17/2012 Email: pkrinsky58@gmail.com
Address: 12528

Name (print): Nickolas Bloom Signature Nickolas Bloom
Date 6/17/2012 Email: nbloom3@yahoo.com
Address: 222 Martine Ave. #64, Tarrytown, NY 10591

Name (print): Kyle Neuman Signature Kyle Neuman
Date 6/17/12 Email: kneuman@aol.com
Address: 201 W 105th St NYC 10025

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Allan Goldhammer Signature [Signature]
Date 6/17/12 Email: Mabsw@yahoo.com
Address: 570 Main St 12401

Name (print): Leanne Zende Signature [Signature]
Date 6/17/12 Email: leanne.zende@gmail.com
Address: _____

Name (print): Judith Simek Signature [Signature]
Date 6-17-12 Email: _____
Address: 95 Fenimore Park Rd, Cortland Hudson, NY

Name (print): John Claeys Signature [Signature]
Date 6/17/12 Email: johnclaeys@msn.com
Address: 73 Reidy Place Hewitt NY 14742

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): GREGORY WINNER Signature Gregory Winner

Date 6/16/12 Email: GREGWINNER120@MSN.COM

Address: 103 NESELTON DR., SLATE HILL, NY 10978

Name (print): JOHN FIELD Signature John Field

Date 6/16/12 Email: _____

Address: 644 West Hill Rd Putney VT 05346

Name (print): KEN GALE Signature Ken Gale

Date 6-16-12 Email: NUKESAID@RISEUP.NET

Address: 220 E 85th ST NYC 10028

Name (print): Polly Arman Signature Polly Arman

Date 6/17/2012 Email: _____

Address: 158 Marabac Rd Gardiner NY 12525

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Charlie Weal Signature Charlie Weal
Date 6/17/12 Email: Kael258@gmail.com
Address: _____

Name (print): Sue Swain Signature Sue Swain
Date 6/17/12 Email: _____
Address: Eastport MI 49627

Name (print): Sinnia Sayada Signature Sinnia
Date June 17 '12 Email: Sinnia@gmail.com
Address: NY NY

Name (print): JOHN BEZ Signature John Bez
Date 6/17/12 Email: JBEZ@TRANSITIONWISCONSIN.ORG
Address: Ossining, NY

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): Cindy Folkers Signature 

Date 6.17.2012 Email: Cindy@beyondnuclear.org

Address: 710 Dwyer ST SSARD 20901

Name (print): Alison Koffler-Wood Signature 

Date 6/17/12 Email: _____

Address: _____

Name (print): Emily Smith Signature 

Date 6/17/2012 Email: emily-m-smith@yahoo.com

Address: 60 Pearl St, Kingston NY 12401

Name (print): Jose GARCIA Signature 

Date 6/17/2012 Email: hearttimes@gmail.com

Address: 82-14 31 Ave J. Heights, NY 11370

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Karen Brook Signature: Karen Brook
Date: 6/17/12 Email: Kjlonghill@aol.com
Address: 25 Long Hill Rd Heath MA 01346

Name (print): Ala F Gordon Signature: Ala F Gordon
Date: 6/17/12 Email: _____
Address: 16 Primrose Ln New City, NY 10956

Name (print): Cathy Gordon Signature: Cathy Gordon
Date: 6/17/12 Email: _____
Address: 18 Primrose Ln New City ny 10956

Name (print): Jeffrey Plevan Signature: Jeff Plevan
Date: _____ Email: JeffPlevan@aol.com
Address: 1601 Third Ave Apt 24K NY NY 10128

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to *suspend the operation of the James A. FitzPatrick Nuclear Plant.*

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Bob Bender Signature: Robert I Bender
Date: 6/17/12 Email: _____
Address: 159 Keswick C, Deerfield Beach FL 33442

Name (print): Alex Frimodig Signature: Alex Frimodig
Date: 6/17/12 Email: alexfrimodig@yahoo.com
Address: ~~115 60th Ave~~ 221 Christian Ave Stony Brook NY 11790

Name (print): Shannon Wilkins Signature: Shannon Wilkins
Date: 6/17/12 Email: wilkinsshannon@gmail.com
Address: 1326 Elaine Ave Bay Shore, NY 11706

Name (print): ALAN ARTHUR FRANK Signature: Alan Arthur Frank
Date: 6/17/2012 Email: BIMALFUN@AOL.COM
Address: 1966 LADENBURG DRIVE, WESTBURY NY 11590-5918

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, we request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. We wish the NRC to process our request using the 2.206 process, and we understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is our point of contact for this petition.

Thank you,

Name (print): Lisa Ann Green Signature [Signature]
Date 6/17/12 Email: lisagreen@gmail.com
Address: _____

Name (print): Laura B. Douglas Signature [Signature]
Date 6/17/12 Email: bertolozzidouglas@yahoo.com
Address: _____

Name (print): Josh Gordon Signature [Signature]
Date 6/18/12 Email: joshuagordon@gmail.com
Address: _____

Name (print): Laura Gruberg Signature [Signature]
Date 6/17/12 Email: _____
Address: _____

Mr. James Borchardt
Executive Director for Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Attn: Bhalchandra K. Vaidya, NRC Petition Manager
In the Matter of the James A. FitzPatrick Nuclear Plant in Scriba, New York

Dear Mr. Borchardt:

We wish to co-petition with the Alliance for a Green Economy and Beyond Nuclear's March 9, 2012 emergency enforcement petition to suspend the operation of the James A. FitzPatrick Nuclear Plant.

- The FitzPatrick plant is the only GE Mark I boiling water reactor in the US that did not install a Direct Torus Vent System as requested by the NRC in 1989 and instead, to save money, relies upon a "pre-existing" venting system that is not fully hardened against a severe accident.
- The plan in the event of a severe accident – which is to vent dangerous steam, gases and radiation into the Standby Gas Treatment System building which will blow off the double doors to release a radiological accident to the outside environment at ground level – poses severe risk to workers and the public.
- The hydrogen explosions at the Fukushima reactors show the dangers posed by the current FitzPatrick venting plan, since the plan was approved on the assumptions that venting would prevent containment failure, and that there are "no likely" ignition sources along the vent path. Neither of these assumptions was correct during the Fukushima nuclear catastrophe. Subsequent to the Fukushima accident, the NRC inspected FitzPatrick and identified a "vulnerability, in that current procedures do not address hydrogen considerations" during a severe accident.

Therefore, I request NRC immediately suspend the FitzPatrick operating license until Entergy Nuclear Operations publicly documents a post-Fukushima re-analysis for the reliability and capability of the FitzPatrick containment vent plan, and until the public is afforded hearings to address the unacceptable risks to public health and safety posed by FitzPatrick. I wish the NRC to process my request using the 2.206 process, and I understand that under this process, the contents of this message and my identity will be made public. Jessica Azulay at the Alliance for a Green Economy is my point of contact for this petition.

Thank you,

Name (print): James Armour Signature James Armour

Date 6/16/12 Email: _____

Address: 158 Marabac Rd Gardiner, NY

Name (print): James Bearden Signature James Bearden

Date 6/17/2012 Email: job.bearden@gmail.com

Address: 21 Cobb Ter Rochester NY 14620

Name (print): Carol Sullivan Signature C Sullivan

Date 6/17/12 Email: @satt carol5777@gmail.com

Address: 431 Zuma Rd Kingstn, NY 12401

Name (print): Richard Reid Signature Richard Reid

Date 17 June 2012 Email: _____

Address: 17 Cynthia Rd Cortland Manor, NY 13567

AGREE

2613 E. Genesee St.
Syracuse, NY 13210



Mr. James Borchardt
Executive Director of Operations
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001