



Genapure™

February 29, 2008

Clive Powell
Miami Dade Water & Sewer
8650 SW 232 Street
Miami, FL 33190

Project: Annual Sampling

Log #: L246683

Case Narrative:

These samples were originally received on 02/07/08 from samples collected on 02/07/08. No variances were noted upon receipt. Results for those analysis follow in the analytical report.

Two report formats were submitted with this report. The Genapure Standard report format which include MDL & PQL, and the Florida DW DEP format the includes MCL and MDL.

Observed Discrepancies:

All analysis passed QA/QC protocol. Dilutions were performed on certain analysis due to high levels of target analytes, to get the concentration within the calibration range of the instrument. Some analytes had high concentrations of other non-target analytes, causing a dilution to be performed.

Sample (-1) was qualified with a "V" due to hit in the method blank for the following analysis: Antimony at 0.00101 mg/l, Copper at 0.00517 mg/l, and TDS at 9.0 mg/l.

Respectfully submitted,
Maria Pacheco
Project Manager
Genapure Analytical Services Inc.

3231 NW 7th Ave, Boca Raton, FL 33431

**ANALYTICAL RESULTS**

Printed: 02/29/08 07:38pm

ATTN: CLIVE POWELL
 MIAMI-DADE WATER & SEWER
 SOUTH DISTRICT LABORATORY
 8950 SW 232 ST.
 MIAMI, FL 33170

Project No: 002446, MIAMI-DADE WATER & SEWER
 Job Name: **ANNUAL SAMPLING**

P.O. No: 36724

Inv. No: 207847

Job Id:

Collected by: Customer Sampled

Laboratory	Client
Sample #	Sample #

L246683-1 REUSE EFFLUENT

L246683-2 TRIP BLANK

All analyses were performed using EPA, ASTM, NIOSH, USGS, or Standard Methods and certified to meet NELAC requirements.
 Flags: ND or U-below MDL; IL-meets internal lab limits; MI-matrix interference; NA-not applicable.
 Flags: CFR-Pb/Cu rule; NFL-no free liquids; DRY = dry wt; ASIS = wet wt; C(#) See attached USB code
 FLDEP Flags: J(#) -estimated 1:surr. fail 2:no known QC req. 3:QC fail %R or %RPD; 4:matrix int. 5:improper fld. protocol; L-
 exceeds calibration; Q-holding time exceeded;
 FLDEP Flags: T-value<MDL; V-present in blank; Y-improper preservation; B-colonies exceed range; I-estimated value; between the MDL
 and PQL;
 Lab certification IDs: FLD0H/NELAC E86240; NC 444; SC 96031001; IL/NELAC 200020; VA 00395; KS/NELAC E-10360; TN 02985; GA 917; NJ
 FLO14; PA 68-03756;
 Lab IDs: ADEM 40850; USDA Soil Permit# S-35240; The above results relate only to the samples.
 EPA 18 is a non-NELAC certifiable parameter.

02-29-08 19:37 This report is a revision of report number 666379

Genapure Analytical Services, Inc. 3231 NW 7th Avenue Boca Raton, FL 33431 (888)862-5227

Respectfully submitted,

Maria Pacheco
 Project Manager

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled
 Received Temp 4 C Iced (Y/N): Y

Parameter	Method	Result	DIL	MDL	PQL	Prep Date,Time	Test Date,Time,Analyst
Volatile Organic Compounds							
DICHLORODIFLUOROMETHANE	524.2	U ug/l	1	0.44	2.2	N/A	02/12 09:31 AJ
CHLOROMETHANE	524.2	0.690 ug/l	1	0.44	2.2	N/A	02/12 09:31 AJ
VINYL CHLORIDE	524.2	U ug/l	1	0.34	1.7	N/A	02/12 09:31 AJ
BROMOMETHANE	524.2	U ug/l	1	0.23	1.2	N/A	02/12 09:31 AJ
CHLOROETHANE	524.2	0.360 I ug/l	1	0.30	1.5	N/A	02/12 09:31 AJ
TRICHLOROFLUOROMETHANE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:31 AJ
1,1-DICHLOROETHENE	524.2	U ug/l	1	0.27	1.4	N/A	02/12 09:31 AJ
METHYLENE CHLORIDE	524.2	U ug/l	1	0.40	2.0	N/A	02/12 09:31 AJ
TRANS-1,2-DICHLOROETHENE	524.2	U ug/l	1	0.19	0.95	N/A	02/12 09:31 AJ
METHYL TERTIARY BUTYL ETHER	524.2	U ug/l	1	0.21	1.1	N/A	02/12 09:31 AJ
1,1-DICHLOROETHANE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:31 AJ
CIS-1,2-DICHLOROETHENE	524.2	U ug/l	1	0.17	0.85	N/A	02/12 09:31 AJ
BROMOCHLOROMETHANE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
CHLOROFORM	524.2	13.2 ug/l	1	0.28	1.4	N/A	02/12 09:31 AJ
2,2-DICHLOROPROPANE	524.2	U ug/l	1	0.16	0.80	N/A	02/12 09:31 AJ
1,2-DICHLOROETHANE	524.2	U ug/l	1	0.18	0.90	N/A	02/12 09:31 AJ
1,1,1-TRICHLOROETHANE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
1,1-DICHLOROPROPENE	524.2	U ug/l	1	0.28	1.4	N/A	02/12 09:31 AJ
CARBON TETRACHLORIDE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:31 AJ
BENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
DIBROMOMETHANE	524.2	U ug/l	1	0.41	2.1	N/A	02/12 09:31 AJ
1,2-DICHLOROPROPANE	524.2	U ug/l	1	0.14	0.70	N/A	02/12 09:31 AJ
TRICHLOROETHENE	524.2	U ug/l	1	0.23	1.2	N/A	02/12 09:31 AJ
BROMODICHLOROMETHANE	524.2	4.71 ug/l	1	0.16	0.80	N/A	02/12 09:31 AJ
CIS-1,3-DICHLOROPROPENE	524.2	U ug/l	1	0.13	0.65	N/A	02/12 09:31 AJ

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date, Time	Test Date, Time, Analyst
TRANS-1,3-DICHLOROPROPENE	524.2	U ug/l	1	0.23	1.2	N/A	02/12 09:31 AJ
1,1,2-TRICHLOROETHANE	524.2	U ug/l	1	0.42	2.1	N/A	02/12 09:31 AJ
TOLUENE	524.2	0.140 I ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
1,3-DICHLOROPROPANE	524.2	U ug/l	1	0.20	1.0	N/A	02/12 09:31 AJ
DIBROMOCHLOROMETHANE	524.2	1.49 ug/l	1	0.25	1.3	N/A	02/12 09:31 AJ
1,2-DIBROMOETHANE	524.2	U ug/l	1	0.33	1.7	N/A	02/12 09:31 AJ
TETRACHLOROETHENE	524.2	0.310 I ug/l	1	0.27	1.4	N/A	02/12 09:31 AJ
1,1,1,2-TETRACHLOROETHANE	524.2	U ug/l	1	0.080	0.40	N/A	02/12 09:31 AJ
CHLOROBENZENE	524.2	U ug/l	1	0.30	1.5	N/A	02/12 09:31 AJ
ETHYL BENZENE	524.2	U ug/l	1	0.080	0.40	N/A	02/12 09:31 AJ
M&P-XYLENES	524.2	U ug/l	1	0.31	1.6	N/A	02/12 09:31 AJ
BROMOFORM	524.2	U ug/l	1	0.20	1.0	N/A	02/12 09:31 AJ
TOTAL THM	524.2	19.4 ug/l	1	0.89	4.5	N/A	02/12 09:31 AJ
STYRENE	524.2	U ug/l	1	0.15	0.75	N/A	02/12 09:31 AJ
1,1,2,2-TETRACHLOROETHANE	524.2	U ug/l	1	0.35	1.8	N/A	02/12 09:31 AJ
O-XYLENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
XYLENES (TOTAL)	524.2	U ug/l	1	0.41	2.1	N/A	02/12 09:31 AJ
1,2,3-TRICHLOROPROPANE	524.2	U ug/l	1	0.22	1.1	N/A	02/12 09:31 AJ
ISOPROPYL BENZENE	524.2	U ug/l	1	0.060	0.30	N/A	02/12 09:31 AJ
BROMOBENZENE	524.2	U ug/l	1	0.19	0.95	N/A	02/12 09:31 AJ
N-PROPYLBENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
2-CHLOROTOLUENE	524.2	U ug/l	1	0.15	0.75	N/A	02/12 09:31 AJ
4-CHLOROTOLUENE	524.2	U ug/l	1	0.20	1.0	N/A	02/12 09:31 AJ
1,3,5-TRIMETHYLBENZENE	524.2	U ug/l	1	0.070	0.35	N/A	02/12 09:31 AJ
T-BUTYLBENZENE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:31 AJ
1,2,4-TRIMETHYLBENZENE	524.2	U ug/l	1	0.070	0.35	N/A	02/12 09:31 AJ

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date, Time	Test Date, Time, Analyst
SEC-BUTYLBENZENE	524.2	U ug/l	1	0.090	0.45	N/A	02/12 09:31 AJ
1,3-DICHLOROBENZENE	524.2	U ug/l	1	0.17	0.85	N/A	02/12 09:31 AJ
1,4-DICHLOROBENZENE	524.2	1.65 ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
P-ISOPROPYLTOLUENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
1,2-DICHLOROBENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:31 AJ
N-BUTYLBENZENE	524.2	U ug/l	1	0.12	0.60	N/A	02/12 09:31 AJ
1,2-DIBROMO-3-CHLOROPROPANE	524.2	U ug/l	1	0.38	1.9	N/A	02/12 09:31 AJ
1,2,4-TRICHLOROBENZENE	524.2	U ug/l	1	0.16	0.80	N/A	02/12 09:31 AJ
NAPHTHALENE	524.2	U ug/l	1	0.14	0.70	N/A	02/12 09:31 AJ
HEXACHLOROBUTADIENE	524.2	U ug/l	1	0.36	1.8	N/A	02/12 09:31 AJ
1,2,3-TRICHLOROBENZENE	524.2	U ug/l	1	0.14	0.70	N/A	02/12 09:31 AJ
SURROGATES		% RECOVERY		% Recovery Limits			
BROMOFLUOROBENZENE (SURR)	524.2	106 %	1		70-130		02/12 09:31 AJ
1,2-DICHLOROBENZENE-D4	524.2	98 %	1		70-130		02/12 09:31 AJ
Metals Analysis							
SILVER	200.7	U mg/l	1	0.0010	0.0050	02/08 00:00	02/11 21:41 KO
ALUMINUM	200.7	0.0414 I mg/l	1	0.038	0.19	02/08 00:00	02/11 21:41 KO
ARSENIC	200.8	0.00150 I mg/l	1	0.00090	0.0045	02/08 00:00	02/11 17:16 NR
BARIUM	200.8	0.00670 mg/l	1	0.00090	0.0045	02/08 00:00	02/11 17:16 NR
BERYLLIUM	200.8	U mg/l	1	0.00010	0.00050	02/08 00:00	02/12 14:37 NR
CADMIUM	200.7	U mg/l	1	0.00037	0.0019	02/08 00:00	02/11 21:41 KO
CHROMIUM	200.7	U mg/l	1	0.00099	0.0050	02/08 00:00	02/11 21:41 KO
COPPER	200.7	0.00705 IV mg/l	1	0.0050	0.025	02/08 00:00	02/11 21:41 KO
IRON	200.7	U mg/l	1	0.020	0.10	02/08 00:00	02/11 21:41 KO
MANGANESE	200.8	0.0118 V mg/l	1	0.00040	0.0020	02/08 00:00	02/11 17:16 NR
SODIUM	200.7	78.0 mg/l	1	0.075	0.38	02/08 00:00	02/11 21:41 KO
NICKEL	200.7	0.00206 I mg/l	1	0.0011	0.0055	02/08 00:00	02/11 21:41 KO

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date,Time	Test Date, Time,Analyst
LEAD	200.8	U mg/l	1	0.00010	0.00050	02/08 00:00	02/11 17:16 NR
ANTIMONY	200.8	0.00120 IV mg/l	1	0.00070	0.0035	02/08 00:00	02/12 14:37 NR
SELENIUM	200.8	U mg/l	1	0.00090	0.0045	02/08 00:00	02/11 17:16 NR
THALLIUM	200.8	U mg/l	1	0.00040	0.0020	02/08 00:00	02/11 17:16 NR
ZINC	200.7	0.00967 I mg/l	1	0.0052	0.026	02/08 00:00	02/11 21:41 KO
Mercury Analysis							
MERCURY	245.1	U mg/l	1	0.000065	0.00033	02/09 00:00	02/09 14:35 TB
EDB/DBCP/TCP							
1,2-DIBROMOETHANE	504.1	U ug/l	1	0.0027	0.014	02/12 09:00	02/17 01:58 MR
1,2-DIBROMO-3-CHLOROPROPANE	504.1	U ug/l	1	0.0061	0.031	02/12 09:00	02/17 01:58 MR
1,2,3-TRICHLOROPROPANE	504.1	U ug/l	1	0.0067	0.034	02/12 09:00	02/17 01:58 MR
BROMOFLUOROBENZENE (SURR)	504.1	92.0 %	1			02/12 09:00	02/17 01:58 MR
Asbestos							
ASBESTOS WATER (E86772)	100.2	U MFL	1	0.18	0.90	N/A	02/11 16:00 SUB
Semivolatile Organic Compounds							
ALACHLOR (E83079)	508.1	U ug/l	1	0.015	0.075	02/15 10:00	02/16 08:58 SUB
ATRAZINE (E83079)	508.1	U ug/l	1	0.14	0.70	02/15 10:00	02/16 08:58 SUB
LINDANE (E83079)	508.1	U ug/l	1	0.0083	0.042	02/15 10:00	02/16 08:58 SUB
CHLORDANE (E83079)	508.1	U ug/l	1	0.060	0.30	02/15 10:00	02/16 08:58 SUB
ENDRIN (E83079)	508.1	U ug/l	1	0.0083	0.042	02/15 10:00	02/16 08:58 SUB
HEPTACHLOR (E83079)	508.1	U ug/l	1	0.027	0.14	02/15 10:00	02/16 08:58 SUB
HEPTACHLOR EPOXIDE (E83079)	508.1	U ug/l	1	0.0062	0.031	02/15 10:00	02/16 08:58 SUB
HEXACHLOROBENZENE (E83079)	508.1	U ug/l	1	0.0083	0.042	02/15 10:00	02/16 08:58 SUB
HEXACHLOROCYCLOPENTADIENE (E83079)	508.1	U ug/l	1	0.019	0.095	02/15 10:00	02/16 08:58 SUB
METHOXYCHLOR (E83079)	508.1	U ug/l	1	0.021	0.11	02/15 10:00	02/16 08:58 SUB
SIMAZINE (E83079)	508.1	U ug/l	1	0.13	0.65	02/15 10:00	02/16 08:58 SUB
TOXAPHENE (E83079)	508.1	U ug/l	1	0.24	1.2	02/15 10:00	02/16 08:58 SUB
PCB'S (E83079)	508.1	U ug/l	1	0.10	0.50	02/15 10:00	02/16 08:58 SUB

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date,Time	Test Date, Time,Analyst
2,4-DICHLOROPHOXYACETIC ACID (E83079)	515.3	U ug/l	1	0.055	0.27	02/13 10:00	02/21 11:54 SUB
DALAPON (E83079)	515.3	U ug/l	1	0.60	3.0	02/13 10:00	02/21 11:54 SUB
DINOSEB (E83079)	515.3	U ug/l	1	0.096	0.48	02/13 10:00	02/21 11:54 SUB
PENTACHLOROPHENOL (E83079)	515.3	U ug/l	1	0.0040	0.020	02/13 10:00	02/21 11:54 SUB
PICLORAM (E83079)	515.3	U ug/l	1	0.037	0.19	02/13 10:00	02/21 11:54 SUB
SILVEX, METHYL ESTER (E83079)	515.3	U ug/l	1	0.038	0.19	02/13 10:00	02/21 11:54 SUB
BENZO(A)PYRENE (E83079)	525.2	U ug/l	1	0.036	0.18	02/14 10:00	02/16 00:43 SUB
ADIPATE,DI(2-ETHYLHEXYL) (E83079)	525.2	U ug/l	1	0.23	1.2	02/14 10:00	02/16 00:43 SUB
PHTHALATE,DI(2-ETHYLHEXYL) (E83079)	525.2	0.75 I ug/l	1	0.51	2.6	02/14 10:00	02/16 00:43 SUB
OXAMYL(VYDATE) (E83079)	531.1	U ug/l	1	0.16	0.80	02/19 17:30	02/19 23:32 SUB
CARBOFURAN (E83079)	531.1	U ug/l	1	0.13	0.65	02/19 17:30	02/19 23:32 SUB
GLYPHOSATE (E83079)	547	U ug/l	1	0.99	5.0	02/13 09:30	02/13 15:50 SUB
ENDOTHALL (E83079)	548.1	U ug/l	1	7.6	38	02/12 10:30	02/15 23:43 SUB
DIQUAT (E83079)	549.2	U ug/l	1	0.29	1.5	02/13 16:30	02/18 20:48 SUB
Ion Chromatography FLUORIDE	300.0	U mg/l	10	0.30	1.5	N/A	02/08 22:19 WRD
FLUORIDE-II	300.0	U mg/l	10	0.30	1.5	N/A	02/08 22:19 WRD
NITRATE (AS N)	300.0	U mg/l	10	0.052	0.26	N/A	02/08 22:19 WRD
NITRITE (AS N)	300.0	U mg/l	10	0.012	0.060	N/A	02/08 22:19 WRD
TOTAL NITRATE/NITRITE	300.0	U mg/l	10	0.12	0.59	N/A	02/08 22:19 WRD
SULFATE	300.0	42.1 mg/l	10	0.70	3.5	N/A	02/08 22:19 WRD
CYANIDE CYANIDE, TOTAL	335.4	U mg/l	1	0.0032	0.016	N/A	02/14 13:27 BD
Color-Lab COLOR-LAB	SM2120B	10.0 pcu	1	5.0	25	N/A	02/08 07:50 ZE
Total Kjeldahl Nitrogen KJELDAHL NITROGEN	351.2	32.1 mg/l	10	2.2	11	N/A	02/13 00:00 SA
MBAS-LAS,molwt 340 DETERGENTS MBAS	SM5540C	U mg/l	1	0.10	0.50	N/A	02/08 00:00 JR

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date,Time	Test Date, Time,Analyst
Ammonia AMMONIA	350.1	24.0 mg/l	100	4.2	21	N/A	02/14 00:00 SA
HEXANE EXTRACTABLES OIL & GREASE	1664	2.60 I mg/l	1	1.8	9.0	N/A	02/12 18:00 MKH
Odor ODOR	140.1	16.0 TON	1	1.0	5.0	N/A	02/08 10:00 WRD
pH PH LAB	SM4500HB	6.79 units	1	0.10	0.50	N/A	02/14 15:30 MT
Phosphorus PHOSPHORUS AS P	365.1	0.612 mg/l	1	0.0024	0.012	N/A	02/14 00:00 SA
Total Dissolved Solids TOTAL DISSOLVED SOLIDS	160.1	421. V mg/l	1	7.0	35	N/A	02/13 09:30 TP

**** NOTES CONCERNING THE ABOVE SAMPLE ****

MB Sb 0.001010 mg/L

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-2
 Sample Description TRIP BLANK
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled
 Received Temp 4 C Iced (Y/N): Y

Parameter	Method	Result	DIL	MDL	PQL	Prep Date,Time	Test Date, Time,Analyst
Volatile Organic Compounds							
DICHLORODIFLUOROMETHANE	524.2	U ug/l	1	0.44	2.2	N/A	02/12 09:55 AJ
CHLOROMETHANE	524.2	U ug/l	1	0.44	2.2	N/A	02/12 09:55 AJ
VINYL CHLORIDE	524.2	U ug/l	1	0.34	1.7	N/A	02/12 09:55 AJ
BROMOMETHANE	524.2	U ug/l	1	0.23	1.2	N/A	02/12 09:55 AJ
CHLOROETHANE	524.2	U ug/l	1	0.30	1.5	N/A	02/12 09:55 AJ
TRICHLOROFLUOROMETHANE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:55 AJ
1,1-DICHLOROETHENE	524.2	U ug/l	1	0.27	1.4	N/A	02/12 09:55 AJ
METHYLENE CHLORIDE	524.2	U ug/l	1	0.40	2.0	N/A	02/12 09:55 AJ
TRANS-1,2-DICHLOROETHENE	524.2	U ug/l	1	0.19	0.95	N/A	02/12 09:55 AJ
METHYL TERTIARY BUTYL ETHER	524.2	U ug/l	1	0.21	1.1	N/A	02/12 09:55 AJ
1,1-DICHLOROETHANE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:55 AJ
CIS-1,2-DICHLOROETHENE	524.2	U ug/l	1	0.17	0.85	N/A	02/12 09:55 AJ
BROMOCHLOROMETHANE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
CHLOROFORM	524.2	U ug/l	1	0.28	1.4	N/A	02/12 09:55 AJ
2,2-DICHLOROPROPANE	524.2	U ug/l	1	0.16	0.80	N/A	02/12 09:55 AJ
1,2-DICHLOROETHANE	524.2	U ug/l	1	0.18	0.90	N/A	02/12 09:55 AJ
1,1,1-TRICHLOROETHANE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
1,1-DICHLOROPROPENE	524.2	U ug/l	1	0.28	1.4	N/A	02/12 09:55 AJ
CARBON TETRACHLORIDE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:55 AJ
BENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
DIBROMOMETHANE	524.2	U ug/l	1	0.41	2.1	N/A	02/12 09:55 AJ
1,2-DICHLOROPROPANE	524.2	U ug/l	1	0.14	0.70	N/A	02/12 09:55 AJ
TRICHLOROETHENE	524.2	U ug/l	1	0.23	1.2	N/A	02/12 09:55 AJ
BROMODICHLOROMETHANE	524.2	U ug/l	1	0.16	0.80	N/A	02/12 09:55 AJ
CIS-1,3-DICHLOROPROPENE	524.2	U ug/l	1	0.13	0.65	N/A	02/12 09:55 AJ

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-2
 Sample Description TRIP BLANK
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date, Time	Test Date, Time, Analyst
TRANS-1,3-DICHLOROPROPENE	524.2	U ug/l	1	0.23	1.2	N/A	02/12 09:55 AJ
1,1,2-TRICHLOROETHANE	524.2	U ug/l	1	0.42	2.1	N/A	02/12 09:55 AJ
TOLUENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
1,3-DICHLOROPROPANE	524.2	U ug/l	1	0.20	1.0	N/A	02/12 09:55 AJ
DIBROMOCHLOROMETHANE	524.2	U ug/l	1	0.25	1.3	N/A	02/12 09:55 AJ
1,2-DIBROMOETHANE	524.2	U ug/l	1	0.33	1.7	N/A	02/12 09:55 AJ
TETRACHLOROETHENE	524.2	U ug/l	1	0.27	1.4	N/A	02/12 09:55 AJ
1,1,1,2-TETRACHLOROETHANE	524.2	U ug/l	1	0.080	0.40	N/A	02/12 09:55 AJ
CHLOROBENZENE	524.2	U ug/l	1	0.30	1.5	N/A	02/12 09:55 AJ
ETHYL BENZENE	524.2	U ug/l	1	0.080	0.40	N/A	02/12 09:55 AJ
M&P-XYLENES	524.2	U ug/l	1	0.31	1.6	N/A	02/12 09:55 AJ
BROMOFORM	524.2	U ug/l	1	0.20	1.0	N/A	02/12 09:55 AJ
TOTAL THM	524.2	U ug/l	1	0.89	4.5	N/A	02/12 09:55 AJ
STYRENE	524.2	U ug/l	1	0.15	0.75	N/A	02/12 09:55 AJ
1,1,2,2-TETRACHLOROETHANE	524.2	U ug/l	1	0.35	1.8	N/A	02/12 09:55 AJ
O-XYLENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
XYLENES (TOTAL)	524.2	U ug/l	1	0.41	2.1	N/A	02/12 09:55 AJ
1,2,3-TRICHLOROPROPANE	524.2	U ug/l	1	0.22	1.1	N/A	02/12 09:55 AJ
ISOPROPYLBENZENE	524.2	U ug/l	1	0.060	0.30	N/A	02/12 09:55 AJ
BROMOBENZENE	524.2	U ug/l	1	0.19	0.95	N/A	02/12 09:55 AJ
N-PROPYLBENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
2-CHLOROTOLUENE	524.2	U ug/l	1	0.15	0.75	N/A	02/12 09:55 AJ
4-CHLOROTOLUENE	524.2	U ug/l	1	0.20	1.0	N/A	02/12 09:55 AJ
1,3,5-TRIMETHYLBENZENE	524.2	U ug/l	1	0.070	0.35	N/A	02/12 09:55 AJ
T-BUTYLBENZENE	524.2	U ug/l	1	0.11	0.55	N/A	02/12 09:55 AJ
1,2,4-TRIMETHYLBENZENE	524.2	U ug/l	1	0.070	0.35	N/A	02/12 09:55 AJ

ANALYTICAL RESULTS

Printed: 02/29/08 07:38pm

Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

Job Name: ANNUAL SAMPLING

Job Id:

Sample Number L246683-2
 Sample Description TRIP BLANK
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled

Parameter	Method	Result	DIL	MDL	PQL	Prep Date, Time	Test Date, Time, Analyst
SEC-BUTYLBENZENE	524.2	U ug/l	1	0.090	0.45	N/A	02/12 09:55 AJ
1,3-DICHLOROBENZENE	524.2	U ug/l	1	0.17	0.85	N/A	02/12 09:55 AJ
1,4-DICHLOROBENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
P-ISOPROPYLTOLUENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
1,2-DICHLOROBENZENE	524.2	U ug/l	1	0.10	0.50	N/A	02/12 09:55 AJ
N-BUTYLBENZENE	524.2	U ug/l	1	0.12	0.60	N/A	02/12 09:55 AJ
1,2-DIBROMO-3-CHLOROPROPANE	524.2	U ug/l	1	0.38	1.9	N/A	02/12 09:55 AJ
1,2,4-TRICHLOROBENZENE	524.2	U ug/l	1	0.16	0.80	N/A	02/12 09:55 AJ
NAPHTHALENE	524.2	U ug/l	1	0.14	0.70	N/A	02/12 09:55 AJ
HEXACHLOROBUTADIENE	524.2	U ug/l	1	0.36	1.8	N/A	02/12 09:55 AJ
1,2,3-TRICHLOROBENZENE	524.2	U ug/l	1	0.14	0.70	N/A	02/12 09:55 AJ
SURROGATES		% RECOVERY			% Recovery Limits		
BROMOFLUOROBENZENE (SURR)	524.2	103 %	1		70-130		02/12 09:55 AJ
1,2-DICHLOROBENZENE-D4	524.2	105 %	1		70-130		02/12 09:55 AJ
EDB/DBCP BY GC 1,2-DIBROMOETHANE	504	U ug/l	1	0.0027	0.014	02/12 09:00	02/17 02:21 MR
1,2-DIBROMO-3-CHLOROPROPANE	504	U ug/l	1	0.0061	0.031	02/12 09:00	02/17 02:21 MR
SURROGATES		% RECOVERY			% Recovery Limits		
BROMOFLUOROBENZENE (SURR)	504	91 %	1		70-130	02/12 09:00	02/17 02:21 MR



Analytical Services, Inc.

3231 NW 7th Ave., Boca Raton, FL 33431
www.genapure.com

CHAIN OF CUSTODY RECORD

Log# 124693 T#S

Quote:

Page 1 of 1

Company Name: MAHARDADE WSD PO# 36724

Address: 8950 SW 232 ST

City: Miami State: FL Zip: 33140

Attn: Chie Russell Fax# 305 580 3008

email: clowee@mahardade.com

Project Name: Annual Sampling Proj#

Sampler Signature: AS PEREZ

Phone# 305 580 3008

LAB ANALYSIS

Parameters	Pres	pH	TRC	Sample
Drinking Water				
Secondary Drinking Water				
Municipal Ltd				
CAITCA				
504, 504, 508				
515, 529, 535, 581				
547, 548, 549				
WRTS, TDS				
Color, Odor, pH				
Fluoride, Nitrate, Nitrogen				
56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100				
EXAMPLE				
Diss.BRCRA 6010				

of Containers Size Type

1 16ozP

5 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

12 16ozP

Container Type Codes	Matrix Codes	Fries/Codes
AV Amber Vial	SD Solid Waste	A. None
ES Enclose Sampler	SE Soil	B. HNO3
FPV Prepackaged Vial	SO Soil	C. H2SO4
PLC Plastic container	SL Sediment	D. NaOH
PLJ Plastic Jar	OL Oil	E. HCL
AL Amber Litter	OL Oil	F. MeOH
CL Clear Litter	PE Pelletium	G. Na2SO3
ZC Ziploc bag	FE Fe	H. NaHSO4
TEDLAB B Tedlar bag	NA Nonaqueous	I. Ics
Whirl P Whirl pack	SW Source Water	J. MCAA
G Gallon Jug	ML Misc. Liquid	K. Zn Acetate
	GW Ground Water	L. NaOH
	AW Analyte Free Water	M. Other
	DW Drinking Water	
	SU Surface Water	
	AO Aqueous	
	SW Source Water	
	A Air	
	O Other	
	(Please Specify)	

Standard: 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

Example: 402P = 402 Plastic, 805L = 805 Litter Jar

REMARKS

8:00

COOLERS

Lab Use Only

Sample INTACT upon arrival?

Received on Wet Ice? Temp

Proper Preservatives Indicated?

Received within holding time?

Custody seals intact?

Vials rec'd without headspace?

Proper Containers Used?

176932

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

Regarding:

 ATTN: CLIVE POWELL
 MIAMI-DADE WATER & SEWER
 SOUTH DISTRICT LABORATORY
 8950 SW 232 ST.
 MIAMI, FL 33170

 MIAMI-DADE WATER & SEWER
 HAZARDOUS MATERIAL MANAGEMENT SECTION
 6800 SW 87 AVE
 MIAMI, FL 33173

 Account No: 002446, MIAMI-DADE WATER & SEWER
 Project No: 002446, MIAMI-DADE WATER & SEWER

 P.O. No: 36724
 PWSID No:


Inv. No: 207847

 Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled
 Received Temp 4 C Iced (Y/N): Y

INORGANIC CONTAMINANTS 62-550.310(1)									DOH Lab	
Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Time	Cert#
1040	NITRATE (AS N)	N/A	mg/l	0.052	U	300.0	0.052	02/08/08	22:19	E86240
1041	NITRITE (AS N)	N/A	mg/l	0.012	U	300.0	0.012	02/08/08	22:19	E86240
1005	ARSENIC	N/A	mg/l	0.00150	I	200.8	0.00090	02/11/08	17:16	E86240
1010	BARIUM	N/A	mg/l	0.00670		200.8	0.00090	02/11/08	17:16	E86240
1015	CADMIUM	N/A	mg/l	0.00037	U	200.7	0.00037	02/11/08	21:41	E86240
1020	CHROMIUM	N/A	mg/l	0.00099	U	200.7	0.00099	02/11/08	21:41	E86240
1025	FLUORIDE	N/A	mg/l	0.30	U	300.0	0.30	02/08/08	22:19	E86240
1030	LEAD	N/A	mg/l	0.00010	U	200.8	0.00010	02/11/08	17:16	E86240
1035	MERCURY	N/A	mg/l	0.000065	U	245.1	0.000065	02/09/08	14:35	E86240
1036	NICKEL	N/A	mg/l	0.00206	I	200.7	0.0011	02/11/08	21:41	E86240
1045	SELENIUM	N/A	mg/l	0.00090	U	200.8	0.00090	02/11/08	17:16	E86240
1052	SODIUM	N/A	mg/l	78.0		200.7	0.075	02/11/08	21:41	E86240
1074	ANTIMONY	N/A	mg/l	0.00120	IV	200.8	0.00070	02/12/08	14:37	E86240

All analyses were performed using EPA, ASTM, NIOSH, USGS, or Standard Methods and certified to meet NELAC requirements.
 Flags: ND or U-below MDL; IL-meets internal lab limits; MI-matrix interference; NA-not applicable.
 Flags: CFR-Pb/Cu rule; NFL-no free liquids; DRY = dry wt; ASIS = wet wt; C(#) See attached USB code
 FLDEP Flags: J(#)-estimated 1:surr. fail 2:no known QC req. 3:QC fail %R or %RPD; 4:matrix int. 5:improper fld. protocol; L-exceeds calibration; Q-holding time exceeded;
 FLDEP Flags: T-value<MDL; V-present in blank; Y-improper preservation; B-colonies exceed range; I-estimated value; between the MDL and PQL;
 Lab certification IDs: FLDOH/NELAC E86240; NC 444; SC 96031001; IL/NELAC 200020; VA 00395; KS/NELAC E-10360; TN 02985; GA 917; NJ FL014; PA 68-03756;
 Lab IDs: ADEM 40850; USDA Soil Permit# S-35240; The above results relate only to the samples.
 EPA 18 is a non-NELAC certifiable parameter.

Genapure Analytical Services, Inc. 3231 NW 7th Avenue Boca Raton, FL 33431 (888)862-5227



ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert#
1075	BERYLLIUM	N/A	mg/l	0.00010	U	200.8	0.00010	02/12/08	14:37	E86240
1085	THALLIUM	N/A	mg/l	0.00040	U	200.8	0.00040	02/11/08	17:16	E86240
1094	ASBESTOS	N/A	MFL	0.18	U	100.2	0.18	02/11/08	16:00	E86772

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724

Inv. No: 207847

PWSID No:

Sample Number L246683-1
 Sample Description REUSE EFFLUENT
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled
 Received Temp 4 C Iced (Y/N): Y

SECONDARY CONTAMINANTS 62-550.320

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert#
1002	ALUMINUM	N/A	mg/l	0.0414	I	200.7	0.038	02/11/08	21:41	E86240
1022	COPPER	N/A	mg/l	0.00705	IV	200.7	0.0050	02/11/08	21:41	E86240
1025	FLUORIDE	N/A	mg/l	0.30	U	300.0	0.30	02/08/08	22:19	E86240
1028	IRON	N/A	mg/l	0.020	U	200.7	0.020	02/11/08	21:41	E86240
1032	MANGANESE	N/A	mg/l	0.0118	V	200.8	0.00040	02/11/08	17:16	E86240
1050	SILVER	N/A	mg/l	0.0010	U	200.7	0.0010	02/11/08	21:41	E86240
1055	SULFATE	N/A	mg/l	42.1		300.0	0.70	02/08/08	22:19	E86240
1095	ZINC	N/A	mg/l	0.00967	I	200.7	0.0052	02/11/08	21:41	E86240
1905	COLOR	N/A	pcu	10.0		SM2120B	5.0	02/08/08	07:50	E86240
1920	ODOR	N/A	TON	16.0		140.1	1.0	02/08/08	10:00	E86240
1930	TOTAL DISSOLVED SOLIDS	N/A	mg/l	421.	V	160.1	7.0	02/13/08	09:30	E86240
2905	FOAMING AGENTS	N/A	mg/l	0.10	U	SM5540C	0.10	02/08/08	00:00	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number: L246683-1
Sample Description: REUSE EFFLUENT
Samp. Date/Time/Temp: 02/07/08 00:00am NA C
Receive Date: 02/07/08
Sampled by: Customer Sampled
Received Temp: 4 C Iced (Y/N): Y

DISINFECTION BYPRODUCTS 62-550.310(3)

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert#
2941	CHLOROFORM	N/A	ug/l	13.2		524.2	0.28	02/12/08	09:31	E86240
2942	BROMOFORM	N/A	ug/l	0.20	U	524.2	0.20	02/12/08	09:31	E86240
2943	BROMODICHLOROMETHANE	N/A	ug/l	4.71		524.2	0.16	02/12/08	09:31	E86240
2944	DIBROMOCHLOROMETHANE	N/A	ug/l	1.49		524.2	0.25	02/12/08	09:31	E86240
	TOTAL TRIHALOMETHANES	N/A	ug/l	19.4		524.2	0.89	02/12/08	09:31	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

VOLATILE ORGANICS 62-550.310(4)(a)											
Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	RDL	Analysis Date	Time	DOH Lab Cert#
2378	1,2,4-TRICHLOROBENZENE	N/A	ug/l	0.16	U	524.2	0.16	0.50	02/12/08	09:31	E86240
2380	CIS-1,2-DICHLOROETHYLENE	N/A	ug/l	0.17	U	524.2	0.17	0.50	02/12/08	09:31	E86240
2955	TOTAL XYLENES	N/A	ug/l	0.41	U	524.2	0.41	1.0	02/12/08	09:31	E86240
2964	DICHLOROMETHANE	N/A	ug/l	0.40	U	524.2	0.40	0.50	02/12/08	09:31	E86240
2968	O-DICHLOROBENZENE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:31	E86240
2969	PARA-DICHLOROBENZENE	N/A	ug/l	1.65		524.2	0.10	0.50	02/12/08	09:31	E86240
2976	VINYL CHLORIDE	N/A	ug/l	0.34	U	524.2	0.34	0.50	02/12/08	09:31	E86240
2977	1,1-DICHLOROETHYLENE	N/A	ug/l	0.27	U	524.2	0.27	0.50	02/12/08	09:31	E86240
2979	TRANS-1,2-DICHLOROETHYLENE	N/A	ug/l	0.19	U	524.2	0.19	0.50	02/12/08	09:31	E86240
2980	1,2-DICHLOROETHANE	N/A	ug/l	0.18	U	524.2	0.18	0.50	02/12/08	09:31	E86240
2981	1,1,1-TRICHLOROETHANE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:31	E86240
2982	CARBON TETRACHLORIDE	N/A	ug/l	0.11	U	524.2	0.11	0.50	02/12/08	09:31	E86240
2983	1,2-DICHLOROPROPANE	N/A	ug/l	0.14	U	524.2	0.14	0.50	02/12/08	09:31	E86240
2984	TRICHLOROETHYLENE	N/A	ug/l	0.23	U	524.2	0.23	0.50	02/12/08	09:31	E86240
2985	1,1,2-TRICHLOROETHANE	N/A	ug/l	0.42	U	524.2	0.42	0.50	02/12/08	09:31	E86240
2987	TETRACHLOROETHYLENE	N/A	ug/l	0.310	I	524.2	0.27	0.50	02/12/08	09:31	E86240
2989	MONOCHLOROBENZENE	N/A	ug/l	0.30	U	524.2	0.30	0.50	02/12/08	09:31	E86240
2990	BENZENE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:31	E86240
2991	TOLUENE	N/A	ug/l	0.140	I	524.2	0.10	0.50	02/12/08	09:31	E86240
2992	ETHYLBENZENE	N/A	ug/l	0.080	U	524.2	0.080	0.50	02/12/08	09:31	E86240
2996	STYRENE	N/A	ug/l	0.15	U	524.2	0.15	0.50	02/12/08	09:31	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

SYNTHETIC ORGANICS		62-550.310(4)(b)		MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	RDL	Extr Date	Analysis Date	Time	DOH Lab Cert#
Cont. ID	Contaminant Name													
2005	ENDRIN			N/A	ug/l	0.0083	U	508.1	0.008	0.010	02/15/08	02/16/08	08:58	E83079
2010	LINDANE			N/A	ug/l	0.0083	U	508.1	0.008	0.021	02/15/08	02/16/08	08:58	E83079
2015	METHOXYCHLOR			N/A	ug/l	0.021	U	508.1	0.021	0.10	02/15/08	02/16/08	08:58	E83079
2020	TOXAPHENE			N/A	ug/l	0.24	U	508.1	0.24	1.0	02/15/08	02/16/08	08:58	E83079
2031	DALAPON			N/A	ug/l	0.60	U	515.3	0.60	1.0	02/13/08	02/21/08	11:54	E83079
2032	DIQUAT			N/A	ug/l	0.29	U	549.2	0.29	0.40	02/13/08	02/18/08	20:48	E83079
2033	ENDOTHALL			N/A	ug/l	7.6	U	548.1	7.6	9.0	02/12/08	02/15/08	23:43	E83079
2034	GLYPHOSATE			N/A	ug/l	0.99	U	547	0.99	6.0	02/13/08	02/13/08	15:50	E83079
2035	DI(2-ETHYLHEXYL)ADIPATE			N/A	ug/l	0.23	U	525.2	0.23	1.6	02/14/08	02/16/08	00:43	E83079
2036	OXAMYL (VYDATE)			N/A	ug/l	0.16	U	531.1	0.16	2.0	02/19/08	02/19/08	23:32	E83079
2037	SIMAZINE			N/A	ug/l	0.13	U	508.1	0.13	0.073	02/15/08	02/16/08	08:58	E83079
2039	DI(2-ETHYLHEXYL)PHTHALATE			N/A	ug/l	0.75	I	525.2	0.51	2.0	02/14/08	02/16/08	00:43	E83079
2040	PICLORAM			N/A	ug/l	0.037	U	515.3	0.037	0.10	02/13/08	02/21/08	11:54	E83079
2041	DINOSEB			N/A	ug/l	0.096	U	515.3	0.096	0.20	02/13/08	02/21/08	11:54	E83079
2042	HEXACHLOROCYCLOPENTADIENE			N/A	ug/l	0.019	U	508.1	0.019	0.10	02/15/08	02/16/08	08:58	E83079
2046	CARBOFURAN			N/A	ug/l	0.13	U	531.1	0.13	2.0	02/19/08	02/19/08	23:32	E83079
2050	ATRAZINE			N/A	ug/l	0.14	U	508.1	0.14	0.10	02/15/08	02/16/08	08:58	E83079
2051	ALACHLOR			N/A	ug/l	0.015	U	508.1	0.015	0.21	02/15/08	02/16/08	08:58	E83079
2065	HEPTACHLOR			N/A	ug/l	0.027	U	508.1	0.027	0.042	02/15/08	02/16/08	08:58	E83079
2067	HEPTACHLOR EPOXIDE			N/A	ug/l	0.0062	U	508.1	0.006	0.021	02/15/08	02/16/08	08:58	E83079
2105	2,4-D			N/A	ug/l	0.055	U	515.3	0.055	0.10	02/13/08	02/21/08	11:54	E83079
2110	2,4,5-TP (SILVEX)			N/A	ug/l	0.038	U	515.3	0.038	0.20	02/13/08	02/21/08	11:54	E83079
2274	HEXACHLOROBENZENE			N/A	ug/l	0.0083	U	508.1	0.008	0.10	02/15/08	02/16/08	08:58	E83079
2306	BENZO(A)PYRENE			N/A	ug/l	0.036	U	525.2	0.036	0.10	02/14/08	02/16/08	00:43	E83079
2326	PENTACHLOROPHENOL			N/A	ug/l	0.0040	U	515.3	0.004	0.040	02/13/08	02/21/08	11:54	E83079
2383	POLYCHLORINATED BIPHENYLS(PCBS)			N/A	ug/l	0.10	U	508.1	0.10	0.10	02/15/08	02/16/08	08:58	E83079
2931	DIBROMOCHLOROPROPANE			N/A	ug/l	0.38	U	524.2	0.38	0.50	02/12/08	02/12/08	09:31	E86240
2931	DIBROMOCHLOROPROPANE			N/A	ug/l	0.0061	U	504.1	0.006	0.020	02/12/08	02/17/08	01:58	E86240
2946	ETHYLENE DIBROMIDE (EDB)			N/A	ug/l	0.33	U	524.2	0.33	0.50	02/12/08	02/12/08	09:31	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	RDL	Extr Date	Analysis Date	Time	DOH Lab Cert#
2946	ETHYLENE DIBROMIDE (EDB)	N/A	ug/l	0.0027	U	504.1	0.002	0.010	02/12/08	02/17/08	01:58	E86240
2959	CHLORDANE	N/A	ug/l	0.060	U	508.1	0.060	0.21	02/15/08	02/16/08	08:58	E83079

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

OTHER CONTAMINANTS Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Time	DOH Lab Cert#
2210	CHLOROMETHANE	N/A	ug/l	0.690		524.2	0.44	02/12/08	09:31	E86240
2412	1,3-DICHLOROPROPANE	N/A	ug/l	0.20	U	524.2	0.20	02/12/08	09:31	E86240
2416	2,2-DICHLOROPROPANE	N/A	ug/l	0.16	U	524.2	0.16	02/12/08	09:31	E86240
2988	1,1,2,2-TETRACHLOROETHANE	N/A	ug/l	0.35	U	524.2	0.35	02/12/08	09:31	E86240
2214	BROMOMETHANE	N/A	ug/l	0.23	U	524.2	0.23	02/12/08	09:31	E86240
	M&P-XYLENES	N/A	ug/l	0.31	U	524.2	0.31	02/12/08	09:31	E86240
2216	CHLOROETHANE	N/A	ug/l	0.360	I	524.2	0.30	02/12/08	09:31	E86240
	TRANS-1,3-DICHLOROPROPENE	N/A	ug/l	0.23	U	524.2	0.23	02/12/08	09:31	E86240
	N-PROPYLBENZENE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:31	E86240
2408	DIBROMOMETHANE	N/A	ug/l	0.41	U	524.2	0.41	02/12/08	09:31	E86240
	P-ISOPROPYLTOLUENE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:31	E86240
	PH LAB	6.5-8.5	units	6.79		SM4500HB	0.10	02/14/08	15:30	E86240
2212	DICHLORODIFLUOROMETHANE	N/A	ug/l	0.44	U	524.2	0.44	02/12/08	09:31	E86240
	AMMONIA	N/A	mg/l	24.0		350.1	4.2	02/14/08	00:00	E86240
	1,3,5-TRIMETHYLBENZENE	N/A	ug/l	0.070	U	524.2	0.070	02/12/08	09:31	E86240
	PHOSPHORUS AS P	N/A	mg/l	0.612		365.1	0.0024	02/14/08	00:00	E86240
2410	1,1-DICHLOROPROPENE	N/A	ug/l	0.28	U	524.2	0.28	02/12/08	09:31	E86240
	1,2,4-TRIMETHYLBENZENE	N/A	ug/l	0.070	U	524.2	0.070	02/12/08	09:31	E86240
2986	1,1,1,2-TETRACHLOROETHANE	N/A	ug/l	0.080	U	524.2	0.080	02/12/08	09:31	E86240
	CIS-1,3-DICHLOROPROPENE	N/A	ug/l	0.13	U	524.2	0.13	02/12/08	09:31	E86240
	T-BUTYLBENZENE	N/A	ug/l	0.11	U	524.2	0.11	02/12/08	09:31	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Time	DOH Lab Cert#
	2-CHLOROTOLUENE	N/A	ug/l	0.15	U	524.2	0.15	02/12/08	09:31	E86240
	HEXACHLOROBUTADIENE	N/A	ug/l	0.36	U	524.2	0.36	02/12/08	09:31	E86240
	BROMOFLUOROBENZENE (SURR)	N/A	%	92.0		504.1		02/17/08	01:58	E86240
	N-BUTYLBENZENE	N/A	ug/l	0.12	U	524.2	0.12	02/12/08	09:31	E86240
	O-XYLENE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:31	E86240
2967	1,3-DICHLOROBENZENE	N/A	ug/l	0.17	U	524.2	0.17	02/12/08	09:31	E86240
2414	1,2,3-TRICHLOROPROPANE	N/A	ug/l	0.0067	U	504.1	0.0067	02/17/08	01:58	E86240
2414	1,2,3-TRICHLOROPROPANE	N/A	ug/l	0.22	U	524.2	0.22	02/12/08	09:31	E86240
	BROMOCHLOROMETHANE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:31	E86240
2218	TRICHLOROFLUOROMETHANE	N/A	ug/l	0.11	U	524.2	0.11	02/12/08	09:31	E86240
2993	BROMOBENZENE	N/A	ug/l	0.19	U	524.2	0.19	02/12/08	09:31	E86240
	NAPHTHALENE	N/A	ug/l	0.14	U	524.2	0.14	02/12/08	09:31	E86240
	TOTAL NITRATE/NITRITE	N/A	mg/l	0.12	U	300.0	0.12	02/08/08	22:19	E86240
	KJELDAHL NITROGEN	N/A	mg/l	32.1		351.2	2.2	02/13/08	00:00	E86240
	ISOPROPYLBENZENE	N/A	ug/l	0.060	U	524.2	0.060	02/12/08	09:31	E86240
	METHYL TERTIARY BUTYL ETHER	N/A	ug/l	0.21	U	524.2	0.21	02/12/08	09:31	E86240
	CYANIDE, TOTAL	N/A	mg/l	0.0032	U	335.4	0.0032	02/14/08	13:27	E86240
2978	1,1-DICHLOROETHANE	N/A	ug/l	0.11	U	524.2	0.11	02/12/08	09:31	E86240
	1,2,3-TRICHLOROBENZENE	N/A	ug/l	0.14	U	524.2	0.14	02/12/08	09:31	E86240
	SEC-BUTYLBENZENE	N/A	ug/l	0.090	U	524.2	0.090	02/12/08	09:31	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-1
Sample Description REUSE EFFLUENT
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert#
2966	4-CHLOROTOLUENE	N/A	ug/l	0.20	U	524.2	0.20	02/12/08	09:31	E86240
	OIL & GREASE	N/A	mg/l	2.60	I	1664	1.8	02/12/08	18:00	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724
PWSID No:

Inv. No: 207847

**** NOTES CONCERNING THE ABOVE SAMPLE ****

MB Sb 0.001010 mg/L

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWER

P.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-2
Sample Description TRIP BLANK
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

DISINFECTION BYPRODUCTS 62-550.310(3)

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert#
2941	CHLOROFORM	N/A	ug/l	0.28	U	524.2	0.28	02/12/08	09:55	E86240
2942	BROMOFORM	N/A	ug/l	0.20	U	524.2	0.20	02/12/08	09:55	E86240
2943	BROMODICHLOROMETHANE	N/A	ug/l	0.16	U	524.2	0.16	02/12/08	09:55	E86240
2944	DIBROMOCHLOROMETHANE	N/A	ug/l	0.25	U	524.2	0.25	02/12/08	09:55	E86240
	TOTAL TRIHALOMETHANES	N/A	ug/l	0.89	U	524.2	0.89	02/12/08	09:55	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-2
Sample Description TRIP BLANK
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

VOLATILE ORGANICS 62-550.310(4)(a)

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	RDL	Analysis Date	Time	DOH Lab Cert#
2378	1,2,4-TRICHLOROBENZENE	N/A	ug/l	0.16	U	524.2	0.16	0.50	02/12/08	09:55	E86240
2380	CIS-1,2-DICHLOROETHYLENE	N/A	ug/l	0.17	U	524.2	0.17	0.50	02/12/08	09:55	E86240
2955	TOTAL XYLENES	N/A	ug/l	0.41	U	524.2	0.41	1.0	02/12/08	09:55	E86240
2964	DICHLOROMETHANE	N/A	ug/l	0.40	U	524.2	0.40	0.50	02/12/08	09:55	E86240
2968	O-DICHLOROBENZENE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:55	E86240
2969	PARA-DICHLOROBENZENE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:55	E86240
2976	VINYL CHLORIDE	N/A	ug/l	0.34	U	524.2	0.34	0.50	02/12/08	09:55	E86240
2977	1,1-DICHLOROETHYLENE	N/A	ug/l	0.27	U	524.2	0.27	0.50	02/12/08	09:55	E86240
2979	TRANS-1,2-DICHLOROETHYLENE	N/A	ug/l	0.19	U	524.2	0.19	0.50	02/12/08	09:55	E86240
2980	1,2-DICHLOROETHANE	N/A	ug/l	0.18	U	524.2	0.18	0.50	02/12/08	09:55	E86240
2981	1,1,1-TRICHLOROETHANE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:55	E86240
2982	CARBON TETRACHLORIDE	N/A	ug/l	0.11	U	524.2	0.11	0.50	02/12/08	09:55	E86240
2983	1,2-DICHLOROPROPANE	N/A	ug/l	0.14	U	524.2	0.14	0.50	02/12/08	09:55	E86240
2984	TRICHLOROETHYLENE	N/A	ug/l	0.23	U	524.2	0.23	0.50	02/12/08	09:55	E86240
2985	1,1,2-TRICHLOROETHANE	N/A	ug/l	0.42	U	524.2	0.42	0.50	02/12/08	09:55	E86240
2987	TETRACHLOROETHYLENE	N/A	ug/l	0.27	U	524.2	0.27	0.50	02/12/08	09:55	E86240
2989	MONOCHLOROBENZENE	N/A	ug/l	0.30	U	524.2	0.30	0.50	02/12/08	09:55	E86240
2990	BENZENE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:55	E86240
2991	TOLUENE	N/A	ug/l	0.10	U	524.2	0.10	0.50	02/12/08	09:55	E86240
2992	ETHYLBENZENE	N/A	ug/l	0.080	U	524.2	0.080	0.50	02/12/08	09:55	E86240
2996	STYRENE	N/A	ug/l	0.15	U	524.2	0.15	0.50	02/12/08	09:55	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-2
Sample Description TRIP BLANK
Samp. Date/Time/Temp 02/07/08 00:00am NA C
Receive Date 02/07/08
Sampled by Customer Sampled
Received Temp 4 C Iced (Y/N): Y

SYNTHETIC ORGANICS 62-550.310(4)(b)

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	RDL	Extr Date	Analysis Date	Time	DOH Lab Cert#
2931	DIBROMOCHLOROPROPANE	N/A	ug/l	0.0061	U	504	0.006	0.020	02/12/08	02/17/08	02:21	E86240
2931	DIBROMOCHLOROPROPANE	N/A	ug/l	0.38	U	524.2	0.38	0.50	02/12/08	02/12/08	09:55	E86240
2946	ETHYLENE DIBROMIDE (EDB)	N/A	ug/l	0.0027	U	504	0.002	0.010	02/12/08	02/17/08	02:21	E86240
2946	ETHYLENE DIBROMIDE (EDB)	N/A	ug/l	0.33	U	524.2	0.33	0.50	02/12/08	02/12/08	09:55	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number	L246683-2
Sample Description	TRIP BLANK
Samp. Date/Time/Temp	02/07/08 00:00am NA C
Receive Date	02/07/08
Sampled by	Customer Sampled
Received Temp	4 C Iced (Y/N): Y

OTHER CONTAMINANTS		MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis		DOH Lab Cert#
Cont. ID	Contaminant Name							Date	Time	
	2-CHLOROTOLUENE	N/A	ug/l	0.15	U	524.2	0.15	02/12/08	09:55	E86240
2210	CHLOROMETHANE	N/A	ug/l	0.44	U	524.2	0.44	02/12/08	09:55	E86240
	HEXACHLOROBUTADIENE	N/A	ug/l	0.36	U	524.2	0.36	02/12/08	09:55	E86240
2412	1,3-DICHLOROPROPANE	N/A	ug/l	0.20	U	524.2	0.20	02/12/08	09:55	E86240
	N-BUTYLBENZENE	N/A	ug/l	0.12	U	524.2	0.12	02/12/08	09:55	E86240
	O-XYLENE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:55	E86240
2967	1,3-DICHLOROBENZENE	N/A	ug/l	0.17	U	524.2	0.17	02/12/08	09:55	E86240
2416	2,2-DICHLOROPROPANE	N/A	ug/l	0.16	U	524.2	0.16	02/12/08	09:55	E86240
2988	1,1,2,2-TETRACHLOROETHANE	N/A	ug/l	0.35	U	524.2	0.35	02/12/08	09:55	E86240
2214	BROMOMETHANE	N/A	ug/l	0.23	U	524.2	0.23	02/12/08	09:55	E86240
	M&P-XYLENES	N/A	ug/l	0.31	U	524.2	0.31	02/12/08	09:55	E86240
2216	CHLOROETHANE	N/A	ug/l	0.30	U	524.2	0.30	02/12/08	09:55	E86240
2414	1,2,3-TRICHLOROPROPANE	N/A	ug/l	0.22	U	524.2	0.22	02/12/08	09:55	E86240
	TRANS-1,3-DICHLOROPROPENE	N/A	ug/l	0.23	U	524.2	0.23	02/12/08	09:55	E86240
	BROMOCHLOROMETHANE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:55	E86240
	N-PROPYLBENZENE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:55	E86240
2218	TRICHLOROFLUOROMETHANE	N/A	ug/l	0.11	U	524.2	0.11	02/12/08	09:55	E86240
2408	DIBROMOMETHANE	N/A	ug/l	0.41	U	524.2	0.41	02/12/08	09:55	E86240
2993	BROMOBENZENE	N/A	ug/l	0.19	U	524.2	0.19	02/12/08	09:55	E86240
	P-ISOPROPYLTOLUENE	N/A	ug/l	0.10	U	524.2	0.10	02/12/08	09:55	E86240
	NAPHTHALENE	N/A	ug/l	0.14	U	524.2	0.14	02/12/08	09:55	E86240

ANALYTICAL RESULTS

Printed: 02/29/08 07:19pm

ATTN: CLIVE POWELL
MIAMI-DADE WATER & SEWER

MIAMI-DADE WATER & SEWER

Account No: 002446, MIAMI-DADE WATER & SEWER
Project No: 002446, MIAMI-DADE WATER & SEWERP.O. No: 36724
PWSID No:

Inv. No: 207847

Sample Number L246683-2
 Sample Description TRIP BLANK
 Samp. Date/Time/Temp 02/07/08 00:00am NA C
 Receive Date 02/07/08
 Sampled by Customer Sampled
 Received Temp 4 C Iced (Y/N): Y

Cont. ID	Contaminant Name	MCL	Units	Analysis Result	Qual	Analytical Method	Lab MDL	Analysis Date	Time	DOH Lab Cert#
2212	DICHLORODIFLUOROMETHANE	N/A	ug/l	0.44	U	524.2	0.44	02/12/08	09:55	E86240
	1,3,5-TRIMETHYLBENZENE	N/A	ug/l	0.070	U	524.2	0.070	02/12/08	09:55	E86240
	ISOPROPYLBENZENE	N/A	ug/l	0.060	U	524.2	0.060	02/12/08	09:55	E86240
	METHYL TERTIARY BUTYL ETHER	N/A	ug/l	0.21	U	524.2	0.21	02/12/08	09:55	E86240
2410	1,1-DICHLOROPROPENE	N/A	ug/l	0.28	U	524.2	0.28	02/12/08	09:55	E86240
	1,2,4-TRIMETHYLBENZENE	N/A	ug/l	0.070	U	524.2	0.070	02/12/08	09:55	E86240
2978	1,1-DICHLOROETHANE	N/A	ug/l	0.11	U	524.2	0.11	02/12/08	09:55	E86240
	1,2,3-TRICHLOROBENZENE	N/A	ug/l	0.14	U	524.2	0.14	02/12/08	09:55	E86240
2986	1,1,1,2-TETRACHLOROETHANE	N/A	ug/l	0.080	U	524.2	0.080	02/12/08	09:55	E86240
	CIS-1,3-DICHLOROPROPENE	N/A	ug/l	0.13	U	524.2	0.13	02/12/08	09:55	E86240
	SEC-BUTYLBENZENE	N/A	ug/l	0.090	U	524.2	0.090	02/12/08	09:55	E86240
2966	4-CHLOROTOLUENE	N/A	ug/l	0.20	U	524.2	0.20	02/12/08	09:55	E86240
	T-BUTYLBENZENE	N/A	ug/l	0.11	U	524.2	0.11	02/12/08	09:55	E86240

