

PMTurkeyCOLPEm Resource

From: Burski, Raymond [RAYMOND.BURSKI@fpl.com]
Sent: Wednesday, February 20, 2013 12:18 PM
To: Williamson, Alicia; Matthews, David; Nguyen, John-Chau; Maher, William; Comar, Manny; Hoeg, Tim; McCree, Victor
Subject: L-2013-046 - Submittal of the Revised Report on the Construction and Testing of Class V Exploratory Well EW-1 at Turkey Point Units 6 & 7
Attachments: L-2013-046 Signed 02-20-2013 - Submittal of the Revised Report on the Class V Exploratory Well EW-1.pdf

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D.C. 20555-0001

Re: Florida Power & Light Company
Proposed Turkey Point Units 6 and 7
Docket Nos. 52-040 and 52-041
Submittal of the Revised Report on the Construction and Testing of
Class V Exploratory Well EW-1 at Turkey Point Units 6 & 7

Reference:

1. FPL Letter to NRC, L-2009-265 dated November 24, 2009, Revised Hydrology Response to NRC Information Requests in COL Application Acceptance Review Letter
2. FPL Letter to NRC, L-2012-365 dated October 2, 2012, Submittal of the Report on the Construction and Testing of Class V Exploratory Well EW-1 and the Report on the Construction and Testing of Dual-Zone Monitor Well DZMW-1 at Turkey Point Units 6 & 7

This letter provides revision 1 of the Report on the Construction and Testing of Class V Exploratory Well EW-1, submitted to the Florida Department of Environmental Protection (FDEP) and Technical Advisory Committee (TAC) on January 23, 2013 as required by Permit #0293962-001-UC, and discussed in FPL's Revised Response to NRC Information Requests in COL Application Acceptance Review Letter (Reference 1).

The initial report was provided to the NRC by Reference 2. The revised report corrects minor errors described below. These errors are not substantive and do not change the conclusions presented in the Report.

- The pilot hole water quality specific conductance results have been revised to include the results of the field analysis instead of the results of the laboratory analysis.
- A transcription error on a Total Kjeldahl Nitrogen (TKN) result for the pilot hole water was corrected.
- Transcription errors for vertical and hydraulic conductivity values were corrected.

These changes affect pages 18, 19, 25 and Figures 7 and 8 of the report.

Additionally, the error corrections affected one page in the weekly construction summary for week #10 submitted by FPL Letter L-2011-307 dated August 11, 2011 (ML11228A165) and one page in the weekly construction summary for week #17 submitted by FPL letter L-2011-388 dated September 15, 2011 (ML11262A204.) The corrected pages are included in Attachments 1 and 2.

The materials provided on the enclosed optical storage medium (OSM) are provided to assist the NRC staff with their review. The information submitted herein does not comply with the requirements for electronic

submission in NRC Guidance Document, "Guidance for Electronic Submissions to the NRC," dated May 27, 2011.

Ray Burski
New Nuclear Plant - Licensing
FPL Contractor
(O) 561-694-4496
(C) 504-909-6436
Florida Power & Light Company
Mail Stop NNP/JB B3318
700 Universe Blvd
Juno Beach, FL 33408-0420

Hearing Identifier: TurkeyPoint_COL_Public
Email Number: 774

Mail Envelope Properties (557BEB7ECD02F743B124D4263B1DE1CF0462BF)

Subject: L-2013-046 - Submittal of the Revised Report on the Construction and Testing of Class V Exploratory Well EW-1 at Turkey Point Units 6 & 7
Sent Date: 2/20/2013 12:18:10 PM
Received Date: 2/20/2013 2:53:32 PM
From: Burski, Raymond

Created By: RAYMOND.BURSKI@fpl.com

Recipients:

"Williamson, Alicia" <Alicia.Williamson@nrc.gov>
Tracking Status: None
"Matthews, David" <David.Matthews@nrc.gov>
Tracking Status: None
"Nguyen, John-Chau" <John-Chau.Nguyen@nrc.gov>
Tracking Status: None
"Maher, William" <William.Maher@fpl.com>
Tracking Status: None
"Comar, Manny" <Manny.Comar@nrc.gov>
Tracking Status: None
"Hoeg, Tim" <Tim.Hoeg@nrc.gov>
Tracking Status: None
"McCree, Victor" <Victor.McCree@nrc.gov>
Tracking Status: None

Post Office: GOXSA1707.fplu.fpl.com

Files	Size	Date & Time
MESSAGE	2794	2/20/2013 2:53:32 PM
L-2013-046 Signed 02-20-2013 - Submittal of the Revised Report on the Class V Exploratory Well EW-1.pdf	833037	

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:



L-2013-046
10 CFR 52.3

February 20, 2013

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D.C. 20555-0001

Re: Florida Power & Light Company
Proposed Turkey Point Units 6 and 7
Docket Nos. 52-040 and 52-041
Submittal of the Revised Report on the Construction and Testing of
Class V Exploratory Well EW-1 at Turkey Point Units 6 & 7

Reference:

1. FPL Letter to NRC, L-2009-265 dated November 24, 2009, Revised Hydrology Response to NRC Information Requests in COL Application Acceptance Review Letter
2. FPL Letter to NRC, L-2012-365 dated October 2, 2012, Submittal of the Report on the Construction and Testing of Class V Exploratory Well EW-1 and the Report on the Construction and Testing of Dual-Zone Monitor Well DZMW-1 at Turkey Point Units 6 & 7

This letter provides revision 1 of the Report on the Construction and Testing of Class V Exploratory Well EW-1, submitted to the Florida Department of Environmental Protection (FDEP) and Technical Advisory Committee (TAC) on January 23, 2013 as required by Permit #0293962-001-UC, and discussed in FPL's Revised Response to NRC Information Requests in COL Application Acceptance Review Letter (Reference 1).

The initial report was provided to the NRC by Reference 2. The revised report corrects minor errors described below. These errors are not substantive and do not change the conclusions presented in the Report.

- The pilot hole water quality specific conductance results have been revised to include the results of the field analysis instead of the results of the laboratory analysis.
- A transcription error on a Total Kjeldahl Nitrogen (TKN) result for the pilot hole water was corrected.
- Transcription errors for vertical and hydraulic conductivity values were corrected.

These changes affect pages 18, 19, 25 and Figures 7 and 8 of the report.

Proposed Turkey Point Units 6 and 7
Docket Nos. 52-040 and 52-041
L-2013-046 Page 2

Additionally, the error corrections affected one page in the weekly construction summary for week #10 submitted by FPL Letter L-2011-307 dated August 11, 2011 (ML11228A165) and one page in the weekly construction summary for week #17 submitted by FPL letter L-2011-388 dated September 15, 2011 (ML11262A204.) The corrected pages are included in Attachments 1 and 2.

The materials provided on the enclosed optical storage medium (OSM) are provided to assist the NRC staff with their review. The information submitted herein does not comply with the requirements for electronic submission in NRC Guidance Document, "Guidance for Electronic Submissions to the NRC," dated May 27, 2011.

If you have any questions, or need additional information, please contact me at 561-691-7490.

Sincerely,



William Maher
Senior Licensing Director – New Nuclear Projects

WDM/RFB

Attachment 1: Revised Page for Weekly Construction Summary #10

Attachment 2: Revised Page for Weekly Construction Summary #17

Enclosure: Report on the Construction and Testing of Class V Exploratory Well EW-1 at the Florida Power & Light Company Turkey Point Units 6 & 7 – Rev 1 (1 OSM)

cc:

PTN 6 & 7 Project Manager, AP1000 Projects Branch 1, USNRC DNRL/NRO (w/o Enclosure)

Regional Administrator, Region II, USNRC (w/o Enclosure)

Senior Resident Inspector, USNRC, Turkey Point Plant 3 & 4. (w/o Enclosure)

Proposed Turkey Point Units 6 and 7
Docket Nos. 52-040 and 52-041
Revised Page for Weekly Construction Summary #10
L-2013-046 Attachment 1 Page 1 of 2

ATTACHMENT 1

Revised Page for Weekly Construction Summary #10

Florida Power & Light Company
Turkey Point Units 6 & 7
Exploratory Well EW-1
Pilot Hole Water Quality

Sample Date	Depth (ft bpl)	Conductivity (umhos/cm)	Total Dissolved Solids (mg/L)	Chlorides (mg/L)	Ammonia (mg/L)	Total Kjeldahl Nitrogen (mg/L)
6/30/2011	1,100	1,228 1,227	610	61.3	0.04	0.55
7/1/2011	1,190	1,177 1,184	768	85.5	0.06	0.59
7/1/2011	1,255	1,167 1,125	776	97.3	0.03	0.56
7/1/2011	1,345	2,420 2,263	1,428	551	0.06	0.42
7/1/2011 7/2/11	1,435	2,900 2,838	1,736	640	0.08	0.44
7/2/2011	1,525	6,760 3,200*	4,168	2,045	0.09	0.35
7/3/2011	1,615	5,660 5,900	3,548	1,670	0.08	0.45

ft bpl = feet below pad level
umhos/cm - micromhos per centimeter
mg/L = milligrams per liter
I= Value is between MDL and PQL
U = undetected

*Field conductivity measurement appears to be inaccurate based on results reported for TDS and Chloride. The laboratory measured conductivity was 6,760 umhos/cm.

Proposed Turkey Point Units 6 and 7
Docket Nos. 52-040 and 52-041
Revised Page for Weekly Construction Summary #17
L-2013-046 Attachment 2 Page 1 of 2

ATTACHMENT 2

Revised Page for Weekly Construction Summary #17

Florida Power & Light Company
Turkey Point Units 6 & 7
Exploratory Well EW-1
Pilot Hole Water Quality

Sample Date	Depth (ft bpl)	Conductivity (umhos/cm)	Total Dissolved Solids (mg/L)	Chlorides (mg/L)	Ammonia (mg/L)	Total Kjeldahl Nitrogen (mg/L)
6/30/2011	1,100	1228 1,227	610	61.3	0.04	0.55
7/1/2011	1,190	1177 1,184	768	85.5	0.06	0.59
7/1/2011	1,255	1167 1,125	776	97.3	0.03	0.56
7/1/2011	1,345	2420 2,263	1,428	551	0.06	0.42
7/1/2011 7/2/11	1,435	2900 2,838	1,736	640	0.08	0.44
7/2/2011	1,525	6760 3,200*	4,168	2,045	0.09	0.35
7/3/2011	1,615	5660 5,900	3,548	1,670	0.08	0.45
8/13/2011	1,704	9,500	5,688	3,120	U	0.56
8/15/2011	1,794	14,670	9,260	5,010	U	0.57
8/16/2011	1,884	20,400	13,520	7,180	U	0.38
8/17/2011	1,974	25,190	16,910	9,160	U	0.22
8/19/2011	2,064	37000 35,850	24,280	14,400	U	0.71(I) 0.071(I)
8/21/2011	2,154	30000 27,777	18,525	11,000	U	0.32
8/21/2011	2,244	32100 29,550	16,967	11,500	U	0.17
8/23/2011	2,334	60100 56,200	40,400	26,000	U	0.44

ft bpl = feet below pad level

umhos/cm - micromhos per centimeter

mg/L = milligrams per liter

I= Value is between MDL and PQL

U = undetected

Note: Pilot hole water quality may be influenced by salt used to control artesian head.

*Field conductivity measurement appears to be inaccurate based on results reported for TDS and Chloride. The laboratory measured conductivity was 6,760 umhos/cm.

Enclosure

Report on the Construction and Testing of Class V Exploratory Well EW-1
at the Florida Power & Light Company Turkey Point Units 6 & 7 - Rev 1
(1 OSM)