

receipt of the type, form, and quantity of radioactive material to be transferred. If the verification is conducted by contacting the license issuing authority, the transferor shall document the verification. For transfers within the same organization, the licensee does not need to verify the transfer.

(c) In an emergency where the licensee cannot reach the license issuing authority and the license verification system is nonfunctional, the licensee may accept a written certification by the transferee that it is authorized by license to receive the type, form, and quantity of radioactive material to be transferred. The certification must include the license number, current revision number, issuing agency, expiration date, and for a category 1 shipment the authorized address. The licensee shall keep a copy of the certification. The certification must be confirmed by use of the NRC's license verification system or by contacting the license issuing authority by the end of the next business day.

(d) The transferor shall keep a copy of the verification documentation as a record for 3 years.

**§ 37.73 Applicability of physical protection of category 1 and category 2 quantities of radioactive material during transit.**

(a) For shipments of category 1 quantities of radioactive material, each shipping licensee shall comply with the requirements for physical protection contained in §§ 37.75(a) and (e); 37.77; 37.79(a)(1), (b)(1), and (c); and 37.81(a), (c), (e), (g) and (h).

(b) For shipments of category 2 quantities of radioactive material, each shipping licensee shall comply with the requirements for physical protection contained in §§ 37.75(b) through (e); 37.79(a)(2), (a)(3), (b)(2), and (c); and 37.81(b), (d), (f), (g), and (h). For those shipments of category 2 quantities of radioactive material that meet the criteria of § 71.97(b) of this chapter, the shipping licensee shall also comply with the advance notification provisions of § 71.97 of this chapter.

(c) The shipping licensee shall be responsible for meeting the requirements of this subpart unless the receiving licensee has agreed in writing to arrange for the in-transit physical protection required under this subpart.

(d) Each licensee that imports or exports category 1 quantities of radioactive material shall comply with the requirements for physical protection during transit contained in §§ 37.75(a)(2) and (e); 37.77; 37.79(a)(1), (b)(1), and (c); and 37.81(a), (c), (e), (g), and (h) for the domestic portion of the shipment.

(e) Each licensee that imports or exports category 2 quantities of radioactive material shall comply with the requirements for physical protection during transit contained in §§ 37.79(a)(2), (a)(3), and (b)(2); and 37.81(b), (d), (f), (g), and (h) for the domestic portion of the shipment.

**§ 37.75 Preplanning and coordination of shipment of category 1 or category 2 quantities of radioactive material.**

(a) Each licensee that plans to transport, or deliver to a carrier for transport, licensed material that is a category 1 quantity of radioactive material outside the confines of the licensee's facility or other place of use or storage shall:

(1) Preplan and coordinate shipment arrival and departure times with the receiving licensee;

(2) Preplan and coordinate shipment information with the governor or the governor's designee of any State through which the shipment will pass to:

(i) Discuss the State's intention to provide law enforcement escorts; and

(ii) Identify safe havens; and

(3) Document the preplanning and coordination activities.

(b) Each licensee that plans to transport, or deliver to a carrier for transport, licensed material that is a category 2 quantity of radioactive material outside the confines of the licensee's facility or other place of use or storage shall coordinate the shipment no-later-than arrival time and the expected shipment arrival with the receiving licensee. The licensee shall document the coordination activities.

(c) Each licensee who receives a shipment of a category 2 quantity of radioactive material shall confirm receipt of the shipment with the originator. If the shipment has not arrived by the no-later-than arrival time, the receiving licensee shall notify the originator.

(d) Each licensee, who transports or plans to transport a shipment of a category 2 quantity of radioactive material, and determines that the shipment will arrive after the no-later-than arrival time provided pursuant to paragraph (b) of this section, shall promptly notify the receiving licensee of the new no-later-than arrival time.

(e) The licensee shall retain a copy of the documentation for preplanning and coordination and any revision thereof, as a record for 3 years.

**§ 37.77 Advance notification of shipment of category 1 quantities of radioactive material.**

As specified in paragraphs (a) and (b) of this section, each licensee shall

provide advance notification to the NRC and the governor of a State, or the governor's designee, of the shipment of licensed material in a category 1 quantity, through or across the boundary of the State, before the transport, or delivery to a carrier for transport of the licensed material outside the confines of the licensee's facility or other place of use or storage.

(a) *Procedures for submitting advance notification.* (1) The notification must be made to the NRC and to the office of each appropriate governor or governor's designee. The contact information, including telephone and mailing addresses, of governors and governors' designees, is available on the NRC's Web site at <http://nrc-stp.ornl.gov/special/designee.pdf>. A list of the contact information is also available upon request from the Director, Division of Intergovernmental Liaison and Rulemaking, Office of Federal and State Materials and Environmental Management Programs, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Notifications to the NRC must be to the NRC's Director, Division of Security Policy, Office of Nuclear Security and Incident Response, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. The notification to the NRC may be made by email to [RAMQC&lowbar;SHIPMENTS&commat;nrc.gov](mailto:RAMQC&lowbar;SHIPMENTS&commat;nrc.gov) or by fax to 301-816-5151.

(2) A notification delivered by mail must be postmarked at least 7 days before transport of the shipment commences at the shipping facility.

(3) A notification delivered by any means other than mail must reach NRC at least 4 days before the transport of the shipment commences and must reach the office of the governor or the governor's designee at least 4 days before transport of a shipment within or through the State.

(b) *Information to be furnished in advance notification of shipment.* Each advance notification of shipment of category 1 quantities of radioactive material must contain the following information, if available at the time of notification:

(1) The name, address, and telephone number of the shipper, carrier, and receiver of the category 1 radioactive material;

(2) The license numbers of the shipper and receiver;

(3) A description of the radioactive material contained in the shipment, including the radionuclides and quantity;

(4) The point of origin of the shipment and the estimated time and date that shipment will commence;

(5) The estimated time and date that the shipment is expected to enter each State along the route;

(6) The estimated time and date of arrival of the shipment at the destination; and

(7) A point of contact, with a telephone number, for current shipment information.

(c) *Revision notice.* (1) The licensee shall provide any information not previously available at the time of the initial notification, as soon as the information becomes available but not later than commencement of the shipment, to the governor of the State or the governor's designee and to the NRC's Director of Nuclear Security, Office of Nuclear Security and Incident Response, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

(2) A licensee shall promptly notify the governor of the State or the governor's designee of any changes to the information provided in accordance with paragraphs (b) and (c)(1) of this section. The licensee shall also immediately notify the NRC's Director, Division of Security Policy, Office of Nuclear Security and Incident Response, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 of any such changes.

(d) *Cancellation notice.* Each licensee who cancels a shipment for which advance notification has been sent shall send a cancellation notice to the governor of each State or to the governor's designee previously notified and to the NRC's Director, Division of Security Policy, Office of Nuclear Security and Incident Response, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. The licensee shall send the cancellation notice before the shipment would have commenced or as soon thereafter as possible. The licensee shall state in the notice that it is a cancellation and identify the advance notification that is being cancelled.

(e) *Records.* The licensee shall retain a copy of the advance notification and any revision and cancellation notices as a record for 3 years.

(f) *Protection of information.* State officials, State employees, and other individuals, whether or not licensees of the Commission or an Agreement State, who receive schedule information of the kind specified in § 37.77(b) shall protect that information against unauthorized disclosure as specified in § 73.21 of this chapter.

**§ 37.79 Requirements for physical protection of category 1 and category 2 quantities of radioactive material during shipment.**

(a) *Shipments by road.* (1) Each licensee who transports, or delivers to a carrier for transport, in a single shipment, a category 1 quantity of radioactive material shall:

(i) Ensure that movement control centers are established that maintain position information from a remote location. These control centers must monitor shipments 24 hours a day, 7 days a week, and have the ability to communicate immediately, in an emergency, with the appropriate law enforcement agencies.

(ii) Ensure that redundant communications are established that allow the transport to contact the escort vehicle (when used) and movement control center at all times. Redundant communications may not be subject to the same interference factors as the primary communication.

(iii) Ensure that shipments are continuously and actively monitored by a telemetric position monitoring system or an alternative tracking system reporting to a movement control center. A movement control center must provide positive confirmation of the location, status, and control over the shipment. The movement control center must be prepared to promptly implement preplanned procedures in response to deviations from the authorized route or a notification of actual, attempted, or suspicious activities related to the theft, loss, or diversion of a shipment. These procedures will include, but not be limited to, the identification of and contact information for the appropriate LLEA along the shipment route.

(iv) Provide an individual to accompany the driver for those highway shipments with a driving time period greater than the maximum number of allowable hours of service in a 24-hour duty day as established by the Department of Transportation Federal Motor Carrier Safety Administration. The accompanying individual may be another driver.

(v) Develop written normal and contingency procedures to address:

(A) Notifications to the communication center and law enforcement agencies;

(B) Communication protocols. Communication protocols must include a strategy for the use of authentication codes and duress codes and provisions for refueling or other stops, detours, and locations where communication is expected to be temporarily lost;

(C) Loss of communications; and

(D) Responses to an actual or attempted theft or diversion of a shipment.

(vi) Each licensee who makes arrangements for the shipment of category 1 quantities of radioactive material shall ensure that drivers, accompanying personnel, and movement control center personnel have access to the normal and contingency procedures.

(2) Each licensee that transports category 2 quantities of radioactive material shall maintain constant control and/or surveillance during transit and have the capability for immediate communication to summon appropriate response or assistance.

(3) Each licensee who delivers to a carrier for transport, in a single shipment, a category 2 quantity of radioactive material shall:

(i) Use carriers that have established package tracking systems. An established package tracking system is a documented, proven, and reliable system routinely used to transport objects of value. In order for a package tracking system to maintain constant control and/or surveillance, the package tracking system must allow the shipper or transporter to identify when and where the package was last and when it should arrive at the next point of control.

(ii) Use carriers that maintain constant control and/or surveillance during transit and have the capability for immediate communication to summon appropriate response or assistance; and

(iii) Use carriers that have established tracking systems that require an authorized signature prior to releasing the package for delivery or return.

(b) *Shipments by rail.* (1) Each licensee who transports, or delivers to a carrier for transport, in a single shipment, a category 1 quantity of radioactive material shall:

(i) Ensure that rail shipments are monitored by a telemetric position monitoring system or an alternative tracking system reporting to the licensee, third-party, or railroad communications center. The communications center shall provide positive confirmation of the location of the shipment and its status. The communications center shall implement preplanned procedures in response to deviations from the authorized route or to a notification of actual, attempted, or suspicious activities related to the theft or diversion of a shipment. These procedures will include, but not be limited to, the identification of and contact information for the appropriate LLEA along the shipment route.

(ii) Ensure that periodic reports to the communications center are made at preset intervals.

(2) Each licensee who transports, or delivers to a carrier for transport, in a single shipment, a category 2 quantity of radioactive material shall:

(i) Use carriers that have established package tracking systems. An established package tracking system is a documented, proven, and reliable system routinely used to transport objects of value. In order for a package tracking system to maintain constant control and/or surveillance, the package tracking system must allow the shipper or transporter to identify when and where the package was last and when it should arrive at the next point of control.

(ii) Use carriers that maintain constant control and/or surveillance during transit and have the capability for immediate communication to summon appropriate response or assistance; and

(iii) Use carriers that have established tracking systems that require an authorized signature prior to releasing the package for delivery or return.

(c) *Investigations.* Each licensee who makes arrangements for the shipment of category 1 quantities of radioactive material shall immediately conduct an investigation upon the discovery that a category 1 shipment is lost or missing. Each licensee who makes arrangements for the shipment of category 2 quantities of radioactive material shall immediately conduct an investigation, in coordination with the receiving licensee, of any shipment that has not arrived by the designated no-later-than arrival time.

#### **§ 37.81 Reporting of events.**

(a) The shipping licensee shall notify the appropriate LLEA and the NRC's Operations Center (301-816-5100) within 1 hour of its determination that a shipment of category 1 quantities of radioactive material is lost or missing. The appropriate LLEA would be the law enforcement agency in the area of the shipment's last confirmed location. During the investigation required by § 37.79(c), the shipping licensee will provide agreed upon updates to the NRC's Operations Center on the status of the investigation.

(b) The shipping licensee shall notify the NRC's Operations Center (301-816-5100) within 4 hours of its determination that a shipment of category 2 quantities of radioactive material is lost or missing. If, after 24 hours of its determination that the shipment is lost or missing, the radioactive material has not been located and secured, the licensee shall

immediately notify the NRC's Operations Center.

(c) The shipping licensee shall notify the designated LLEA along the shipment route as soon as possible upon discovery of any actual or attempted theft or diversion of a shipment or suspicious activities related to the theft or diversion of a shipment of a category 1 quantity of radioactive material. As soon as possible after notifying the LLEA, the licensee shall notify the NRC's Operations Center (301-816-5100) upon discovery of any actual or attempted theft or diversion of a shipment, or any suspicious activity related to the shipment of category 1 radioactive material.

(d) The shipping licensee shall notify the NRC's Operations Center (301-816-5100) as soon as possible upon discovery of any actual or attempted theft or diversion of a shipment, or any suspicious activity related to the shipment, of a category 2 quantity of radioactive material.

(e) The shipping licensee shall notify the NRC's Operations Center (301-816-5100) and the LLEA as soon as possible upon recovery of any lost or missing category 1 quantities of radioactive material.

(f) The shipping licensee shall notify the NRC's Operations Center (301-816-5100) as soon as possible upon recovery of any lost or missing category 2 quantities of radioactive material.

(g) The initial telephonic notification required by paragraphs (a) through (d) of this section must be followed within a period of 30 days by a written report submitted to the NRC by an appropriate method listed in § 37.7. A written report is not required for notifications on suspicious activities required by paragraphs (c) and (d) of this section. In addition, the licensee shall provide one copy of the written report addressed to the Director, Division of Security Policy, Office of Nuclear Security and Incident Response, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. The report must set forth the following information:

(1) A description of the licensed material involved, including kind, quantity, and chemical and physical form;

(2) A description of the circumstances under which the loss or theft occurred;

(3) A statement of disposition, or probable disposition, of the licensed material involved;

(4) Actions that have been taken, or will be taken, to recover the material; and

(5) Procedures or measures that have been, or will be, adopted to ensure

against a recurrence of the loss or theft of licensed material.

(h) Subsequent to filing the written report, the licensee shall also report any additional substantive information on the loss or theft within 30 days after the licensee learns of such information.

#### **Subpart E—[Reserved]**

#### **Subpart F—Records**

##### **§ 37.101 Form of records.**

Each record required by this part must be legible throughout the retention period specified by each Commission regulation. The record may be the original or a reproduced copy or a microform, provided that the copy or microform is authenticated by authorized personnel and that the microform is capable of producing a clear copy throughout the required retention period. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, and specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

##### **§ 37.103 Record retention.**

Licensees shall maintain the records that are required by the regulations in this part for the period specified by the appropriate regulation. If a retention period is not otherwise specified, these records must be retained until the Commission terminates the facility's license. All records related to this part may be destroyed upon Commission termination of the facility license.

#### **Subpart G—Enforcement**

##### **§ 37.105 Inspections.**

(a) Each licensee shall afford to the Commission at all reasonable times opportunity to inspect category 1 or category 2 quantities of radioactive material and the premises and facilities wherein the nuclear material is used, produced, or stored.

(b) Each licensee shall make available to the Commission for inspection, upon reasonable notice, records kept by the licensee pertaining to its receipt, possession, use, acquisition, import, export, or transfer of category 1 or category 2 quantities of radioactive material.

##### **§ 37.107 Violations.**

(a) The Commission may obtain an injunction or other court order to

prevent a violation of the provisions of—

(1) The Atomic Energy Act of 1954, as amended;

(2) Title II of the Energy Reorganization Act of 1974, as amended; or

(3) A regulation or order issued pursuant to those Acts.

(b) The Commission may obtain a court order for the payment of a civil penalty imposed under section 234 of the Atomic Energy Act:

(1) For violations of—

(i) Sections 53, 57, 62, 63, 81, 82, 101, 103, 104, 107, or 109 of the Atomic Energy Act of 1954, as amended:

(ii) Section 206 of the Energy Reorganization Act;

(iii) Any rule, regulation, or order issued pursuant to the sections specified in paragraph (b)(1)(i) of this section;

(iv) Any term, condition, or limitation of any license issued under the sections specified in paragraph (b)(1)(i) of this section.

(2) For any violation for which a license may be revoked under Section 186 of the Atomic Energy Act of 1954, as amended.

#### **§ 37.109 Criminal penalties.**

(a) Section 223 of the Atomic Energy Act of 1954, as amended, provides for criminal sanctions for willful violation of, attempted violation of, or conspiracy to violate, any regulation issued under sections 161b, 161i, or 161o of the Act. For purposes of section 223, all the regulations in this part 37 are issued

under one or more of sections 161b, 161i, or 161o, except for the sections listed in paragraph (b) of this section.

(b) The regulations in this part 37 that are not issued under sections 161b, 161i, or 161o for the purposes of section 223 are as follows: §§ 37.1, 37.3, 37.5, 37.7, 37.9, 37.11, 37.13, 37.107, and 37.109.

#### **Appendix A to Part 37—Category 1 and Category 2 Radioactive Materials**

**Table 1—Category 1 and Category 2 Threshold**

The terabecquerel (TBq) values are the regulatory standard. The curie (Ci) values specified are obtained by converting from the TBq value. The curie values are provided for practical usefulness only.

Radioactive material	Category 1 (TBq)	Category 1 (Ci)	Category 2 (TBq)	Category 2 (Ci)
Americium-241 .....	60	1,620	0.6	16.2
Americium-241/Be .....	60	1,620	0.6	16.2
Californium-252 .....	20	540	0.2	5.40
Cobalt-60 .....	30	810	0.3	8.10
Curium-244 .....	50	1,350	0.5	13.5
Cesium-137 .....	100	2,700	1	27.0
Gadolinium-153 .....	1,000	27,000	10	270
Iridium-192 .....	80	2,160	0.8	21.6
Plutonium-238 .....	60	1,620	0.6	16.2
Plutonium-239/Be .....	60	1,620	0.6	16.2
Promethium-147 .....	40,000	1,080,000	400	10,800
Radium-226 .....	40	1,080	0.4	10.8
Selenium-75 .....	200	5,400	2	54.0
Strontium-90 .....	1,000	27,000	10	270
Thulium-170 .....	20,000	540,000	200	5,400
Ytterbium-169 .....	300	8,100	3	81.0

#### **Note: Calculations Concerning Multiple Sources or Multiple Radionuclides**

The "sum of fractions" methodology for evaluating combinations of multiple sources or multiple radionuclides is to be used in determining whether a location meets or exceeds the threshold and is thus subject to the requirements of this part.

I. If multiple sources of the same radionuclide and/or multiple radionuclides are aggregated at a location, the sum of the ratios of the total activity of each of the radionuclides must be determined to verify whether the activity at the location is less than the category 1 or category 2 thresholds of Table 1, as appropriate. If the calculated sum of the ratios, using the equation below, is greater than or equal to 1.0, then the applicable requirements of this part apply.

II. First determine the total activity for each radionuclide from Table 1. This is done by adding the activity of each individual source, material in any device, and any loose or bulk material that contains the radionuclide. Then use the equation below to calculate the sum of the ratios by inserting the total activity of the applicable radionuclides from Table 1 in the numerator of the equation and the corresponding threshold activity from Table 1 in the denominator of the equation.

Calculations must be performed in metric values (i.e., TBq) and the numerator and denominator values must be in the same units.

$R_1$  = total activity for radionuclide 1

$R_2$  = total activity for radionuclide 2

$R_N$  = total activity for radionuclide n

$AR_1$  = activity threshold for radionuclide 1

$AR_2$  = activity threshold for radionuclide 2

$AR_N$  = activity threshold for radionuclide n

$$\sum_1^n \left[ \frac{R_1}{AR_1} + \frac{R_2}{AR_2} + \frac{R_n}{AR_n} \right] \geq 1.0$$

#### **PART 39—LICENSES AND RADIATION SAFETY REQUIREMENTS FOR WELL LOGGING**

■ 18. The authority citation for part 39 continues to read as follows:

**Authority:** Atomic Energy Act secs. 53, 57, 62, 63, 65, 69, 81, 82, 161, 181, 182, 183, 186, 223, 234 (42 U.S.C. 2073, 2077, 2092, 2093, 2095, 2099, 2111, 2112, 2201, 2231, 2232,

2233, 2236, 2273, 2282); Energy Reorganization Act secs. 201, 202, 206 (42 U.S.C. 5841, 5842, 5846); Government Paperwork Elimination Act sec. 1704 (44 U.S.C. 3504 note).

■ 19. In § 39.1, paragraph (a) is revised to read as follows:

#### **§ 39.1 Purpose and scope.**

(a) This part prescribes requirements for the issuance of a license authorizing the use of licensed materials including sealed sources, radioactive tracers, radioactive markers, and uranium sinker bars in well logging in a single well. This part also prescribes radiation safety requirements for persons using licensed materials in these operations. The provisions and requirements of this part are in addition to, and not in substitution for, other requirements of this chapter. In particular, the provisions of parts 19, 20, 21, 30, 37, 40, 70, 71, and 150 of this chapter apply to applicants and licensees subject to this part.

\* \* \* \* \*