



# **Erosion Working Group Recommendations for Phase 1 Studies**

*Presented By*  
West Valley Erosion Working Group (EWG)

Quarterly Public Meeting  
August 22, 2012



**Introduction & Overview**

**Study 1 – Terrain Analysis**

**Study 2 – Age Dating and Paleoclimate**

**Study 3 – Recent Erosion and Deposition  
Processes**

**Study 4 – Model Refinement, Validation, and  
Improved Erosion Projections**

**Summary**

**Questions & Answers**



# Introduction & Overview



*Presented By Dr. Robert H. Fakundiny*

## **PROBLEM:**

- Lack of consensus between the two agencies over long-term erosion projections

## **QUESTIONS:**

- Future landscapes
- Future exposure to radionuclides

## **RECOMMENDED STUDIES:**

- Fill data gaps
- Improve scientific defensibility
- Strengthen confidence in projections
- Synergy


## **PREFERRED MODEL:**

- CHILD landscape evolution model

## **DISCUSSION OF EACH STUDY:**

- Objectives
- Components
- Rationale





**Introduction & Overview**

**Study 1 – Terrain Analysis**

**Study 2 – Age Dating and Paleoclimate**

**Study 3 – Recent Erosion and Deposition  
Processes**

**Study 4 – Model Refinement, Validation, and  
Improved Erosion Projections**

**Summary**

**Questions & Answers**








## Study 1 – Terrain Analysis



### Components:



- Identify land elements of interest using Light Detection And Ranging (Lidar or LiDAR) hillshade or contour lines, and other mapping techniques such as USDA soil surveys.
- Compare local area with the wider region to identify useful similarities or differences, for example stream profiles.
- Perform field walk-overs, test drilling, and trenching as confirmation.
- Construct enhanced graphics of key areas, such as cross-sections, cut-away views, or animations.
- Identify targets for age dating.
- Use the data to refine the conceptual framework for geomorphic history of Buttermilk Creek and its base level.







## Study 1 – Terrain Analysis



Buttermilk Creek abandoned meander scar (known as the “Race Track”) is shown on LiDAR and air photo images.





## Study 1 – Terrain Analysis



Recent trenching by Lee Gordon south of the  
"Race Track" abandoned meander.




## Study 1 – Terrain Analysis




### Rationale:

Enhancing the understanding of the history and rates of landscape processes will provide the following benefits:

- Enable better definition of critical parameters for use in constructing independent projections of future erosional and depositional effects.
- Enable better definition of model parameters for numerical simulations of potential future erosion of the site, and sensitivity analyses.
- Strengthen confidence in erosion prediction due to converging lines of evidence and enhanced characterization of uncertainty.







**Introduction & Overview**

**Study 1 – Terrain Analysis**

**Study 2 – Age Dating and Paleoclimate**

**Study 3 – Recent Erosion and Deposition  
Processes**

**Study 4 – Model Refinement, Validation, and  
Improved Erosion Projections**

**Summary**

**Questions & Answers**



## Study 2 – Age Dating and Paleoclimate



*Presented By Dr. Richard Young*

### **OBJECTIVES:**

Provide additional age and paleoclimate data at key locations to:

- better define and constrain past rates of stream downcutting and valley rim widening for the site, the Buttermilk Creek watershed, and potential companion drainages;
- provide a better understanding of post-glacial climate cycles and their effects on erosion processes; and facilitate sensitivity analysis of climate inputs in the predictive model.



## Study 2 – Age Dating and Paleoclimate



### **COMPONENTS:**

- Excavate and/or examine mapped key “land elements” such as terraces likely to contain reliable materials for dating methods.
- Excavate and/or core glacial kettles for “bog bottom” dating (end of glacial stadial).
- Examine relevant landslide toes exposed in channel walls or tributary gullies to search for buried debris (timing of slide activity).
- Core tree rings (determine times of tree deformation from landslide movements, and for local climate proxy [drought] linked to terracing).
- Collect samples for uranium-lead (U-Pb) dating of secondary carbonates.
- Date post-glacial erosional and depositional features.
- Analyze dating samples in laboratory.
- Evaluate age data for evidence of possible correlations with known Late Wisconsin glacial or postglacial climatic events.
- Optically Stimulated Luminescence date sampling (Some completed).




## Study 2 – Age Dating and Paleoclimate



### Examples:


Relate local  $^{14}\text{C}$  data to broader global or regional climatic excursions

- Demonstrate that global climatic events may be recorded in local sediments
- Attempt to define sedimentary intervals and events that record variable erosion rates
- Demonstrate when West Valley region was first ice free (strengthen existing glacial chronology)



LIDAR IMAGE  
BEFORE MAPPING







Example of Land Element Mapping (colors) with Dating Prioritization Numbers



## LAND ELEMENT AGE SAMPLING



**Global Climatic Event 535 AD (next slide)**






## Example of Correlation of $^{14}\text{C}$ Data with Global Climatic Events




### Delta $^{14}\text{C}$ Variation by Decade from 5 AD to 1935 AD

Stuiver et al. Radiocarbon, v. 40 p. 1127





## Example of Age-Dating Methods







## Landslide Activity – Genesee Valley



1973 Landslide


Failure of  
Glacial Till  
Overlying  
Varved Clays  
(Created short-lived lake)

Genesee  
River






## Landslide Activity Revealed by LIDAR



LIDAR Details Not Available Using Other Types of Imagery



## Glacial Moraines and Ice Positions








## Heinrich Ice Advances – Atlantic Ocean Cores

### Heinrich events against temperature proxy data





## Study 2 – Age Dating and Paleoclimate



### ***RATIONALE:***


- Age dating of geomorphic features provides the time lines of their formation, and together with spatial distribution of land elements, provides some of the required data for calibrating the landscape evolution model.
- By reducing uncertainty in key age dates, numerical model calibration could be improved thereby reducing uncertainty associated with erosion prediction.
- Paleoclimate data provide a meteorologic history that can be used for calibrating the landscape evolution model, and to bound ranges of climate inputs for sensitivity analyses. This in turn may help to quantify uncertainty and improve confidence in model predictions.



**Introduction & Overview**

**Study 1 – Terrain Analysis**

**Study 2 – Age Dating and Paleoclimate**



**Study 3 – Recent Erosion and Deposition Processes**

**Study 4 – Model Refinement, Validation, and Improved Erosion Projections**

**Summary**

**Questions & Answers**





## Study 3 – Recent Erosion and Deposition Processes

*Presented By Dr. Sean Bennett*




### Study Objectives:

- To quantify and characterize recent rates of erosion and deposition
- To understand more deeply how current processes compare to long-term evolution of the landscape
- To verify and validate erosion prediction technology



**Erdman Brook**







## Study 3 – Recent Erosion and Deposition Processes



### Erdman Brook

Knickpoints: 0.4 m deep, 0.5 m wide, 3 m/yr



### Franks Creek

Knickpoint: 1 m deep, 3 m wide, 8 m/yr



Gully, NE Slope



Slope Failure, Buttermilk Creek

Surface processes are very active on-site, yet significant gaps exist regarding current rates, locations, and potential risks





## Study 3 – Recent Erosion and Deposition Processes



### Franks Creek




**Same fence post**

Active bed incision and channel widening due to knickpoint migration causes landscape degradation and destabilization





## Study 3 – Recent Erosion and Deposition Processes



Active channel degradation along streams could initiate or accelerate gully erosion on side-slopes of the SDA






## Study 3 – Recent Erosion and Deposition Processes



### Grade Control Structures, Erdman Brook, May 2012



Looking downstream



Looking upstream

Recent channel erosion along Erdman Brook (shown) and Franks Creek (planned) has required active management





## Study 3 – Recent Erosion and Deposition Processes



### Foci of Proposed Study: *(building upon previous work)*



**Hillslopes:** Determine rates and mechanisms of mass-wasting, assess slope stability

**Rills & Gullies:** Map locations, determine erodibility and erosivity, monitor water flow and sediment transport

**Streams:** Define hydraulic and geomorphic stability, monitor flow and sediment transport, assess channel evolution.

**Surfaces:** Identify postglacial surfaces and forms as well as sites of sediment deposition





## Study 3 – Recent Erosion and Deposition Processes



**Rationale:** *Study of current earth-surface processes could afford the following opportunities and benefits:*

- Provides an independent approach to assess past and future landscape trajectories
- Helps support or refute erosion prediction technology, as well as revise and refine the landscape evolution model
- Facilitates in reaching consensus amongst agencies regarding erosion processes




**Introduction & Overview**

**Study 1 – Terrain Analysis**

**Study 2 – Age Dating and Paleoclimate**

**Study 3 – Recent Erosion and Deposition  
Processes**



**Study 4 – Model Refinement, Validation, and  
Improved Erosion Projections**

**Summary**

4. RELEVANT PAST PERFORMANCE

**Questions & Answers**






## Study 4 – Model Refinement, Validation, and Improved Erosion Projections

*Presented By Dr. Greg Tucker*



### Overview of recommended approach:

- Using new data from Studies 1-3, run a landscape evolution model to forecast erosion rates and patterns



Example computer model simulation of growing gully networks





## Study 4 – Model Refinement, Validation, and Improved Erosion Projections



### What is a landscape evolution model?

- Computes the erosional development of topography over time in response to erosional processes
- Represent scientific community's current understanding



- Recommended model is Channel-Hillslope Integrated Landscape Development (CHILD) model (adapted to site) <sup>34</sup>






## Study 4 – Model Refinement, Validation, and Improved Erosion Projections



### Where do input data come from?

*All computational models need input data to represent their starting conditions, outside inputs, and processes*

- Lidar topography data
- Scientific literature
- Results from Studies 1-3
- Calibration to modern landscape








## Study 4 – Model Refinement, Validation, and Improved Erosion Projections



### How can landscape erosion models be tested?

- Reproduce the modern landscape of Buttermilk Creek when run from the end of the last ice age to today
- Reproduce modern topography of a second watershed without re-calibration
- Predict erosion rates & patterns consistent with Studies 1-3








## Study 4 – Model Refinement, Validation, and Improved Erosion Projections




### How can model uncertainty be assessed?


- Calibration and validation: what is the range of reasonable input values?
- Sensitivity analysis: how much does uncertainty in each parameter influence the forecast?



Buttermilk Creek



Best-Fit Model  
(calibrated)



Poor-Fit Model  
(unrealistically high erosion)<sup>37</sup>




## Study 4 – Model Refinement, Validation, and Improved Erosion Projections




### How would potential future erosion be calculated?

- Run model forward from present-day using best estimates for input data and parameter values
- Estimate uncertainty in projections by performing calculations with different sets of plausible inputs



North Plateau, Present day



Future Erosion Scenario "NP2"






## Study 4 – Model Refinement, Validation, and Improved Erosion Projections




### Summary:

- Refining erosion model testing, calibration, and projection could reduce and better quantify uncertainty by taking advantage of new data from lidar and Studies 1-3



10-meter resolution digital elevation model



Lidar digital elevation model




**Introduction & Overview**

**Study 1 – Terrain Analysis**

**Study 2 – Age Dating and Paleoclimate**

**Study 3 – Recent Erosion and Deposition  
Processes**

**Study 4 – Model Refinement, Validation, and  
Improved Erosion Projections**



**Summary**

**Questions & Answers**




## Summary

*Presented By Sandra Doty, M.S., P.E.*



*“In summary, the EWG recommends these studies because together they may improve the scientific defensibility of the assessment of long-term erosion effects based on converging lines of evidence that may reduce uncertainty, strengthen confidence in the results, and facilitate agency consensus.”*





*We Welcome Your Questions . . .*