



SECTION 1
PAGE 2 of 2

Enter the name, telephone number and title of the person who is the responsible individual for the device(s).

[illegible][illegible]

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--

P	R	E	S	I	D	E	N	T	A	N	D	C	E	O					
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--

D	A	R	I	N	J	E	N	K	I	N	S								
---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--

[illegible][illegible][illegible]

--	--

Figure 1 consists of two side-by-side line graphs. Both graphs plot 'Growth rate (log CFU/h)' on the y-axis against 'Temperature (°C)' on the x-axis. The x-axis ranges from 10 to 50. The y-axis ranges from 0 to 1.0. The left graph shows a control group with a growth rate that increases from approximately 0.2 at 10°C to a peak of about 0.8 at 37°C, then decreases to about 0.4 at 50°C. The right graph shows a group treated with a substance, with a growth rate that increases from approximately 0.1 at 10°C to a peak of about 0.6 at 37°C, then decreases to about 0.2 at 50°C. The growth rate in the treated group is consistently lower than in the control group across the temperature range.

--	--	--	--

SECTION 2

PAGE 1 of 4

Distributor/Distributed By: Industrial Dynamics Co., LTD.

[illegible]

Distributor License Number: 1586-70GL

[illegible]

Manufacturer Name: INDUSTRIAL DYNAMICS CO., LTD.

[illegible]

Device Model (Not Source Model): FT-50

[illegible]

Device Serial Number: 110242

[illegible]

Transfer Date (Receipt Date): 03/01/2002

--	--	--	--

☐ Not in possession of device
(Also complete Section 4.)

MM DD YYYY

[illegible]

SECTION 2

PAGE 2 of 4

Distributor/Distributed By: Industrial Dynamics Co., LTD.

[illegible][illegible][illegible][illegible][illegible]

--	--	--	--

MM DD YYYY

	Isotope (e.g. AM241)	Activity (e.g. 100)	Unit (e.g. mCi)
1	AM241 <div><div></div><div></div><div></div><div></div><div></div></div>	100.000000000 <div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	mCi <div><div></div><div></div><div></div></div>
2	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
3	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
4	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
5	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
6	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>

SECTION 2

PAGE 3 of 4

Distributor/Distributed By: Industrial Dynamics Co., LTD.

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible][illegible][illegible][illegible]

☐ Not in possession of device
(Also complete Section 4.)

MM DD YYYY

	Isotope (e.g. AM241)	Activity (e.g. 100)	Unit (e.g. mCi)
1	AM241 <div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	100.000000000 <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	mCi <div> <div></div> <div></div> <div></div> </div>
2	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
3	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
4	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
5	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
6	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>

SECTION 2

PAGE 4 of 4

Distributor/Distributed By: INDUSTRIAL DYNAMICS CO., LTD.

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible][illegible][illegible][illegible]

☐ Not in possession of device
(Also complete Section 4.)

MM DD YYYY

	Isotope (e.g. AM241)	Activity (e.g. 100)	Unit (e.g. mCi)
1	AM241 <div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	100.00000000 <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	mCi <div> <div></div> <div></div> <div></div> </div>
2	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
3	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
4	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
5	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>
6	<div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	<div> <div></div> <div></div> <div></div> </div>



GL-711628-17

01/07/2013

SECTION 3

SECTION 3 - ADDITIONAL DEVICES SUBJECT TO REGISTRATION

PAGE 1 of 1

Provide information about other devices you have that are subject to registration. Do not report specifically licensed devices.

Manufacturer Name

INDUSTRIAL DYNAMICS

Initial Transferor Name

Initial Transferor License Number (if known)

Device Model Number (Not Source Model)

FT 50

Device Serial Number

115319

How acquired and date (e.g.,
from a distributor/manufacture,
other licensee, other source)?☐ Manufacturer/Initial Transferor listed above☐ Other General Licensee☐ Other Source

Date Transferred:

(Received)

MM

DD

YYYY

Isotope (e.g. AM241)

Activity (e.g. 100)

Unit (e.g. mCi)

1. AM 241

2.

3.

4.

5.

6.

7.

8.

9.

10.

SECTION 4

Provide information about devices listed in Section 2 or 6, but no longer in your possession.

Transfer Date:

--	--	--	--	--	--	--

Figure 1 consists of two line graphs. The left graph shows the growth rate (log CFU/h) of *E. coli* as a function of temperature (°C) for a control (solid line) and a mutant (dashed line). The control shows a peak growth rate of approximately 0.8 log CFU/h at 37°C, while the mutant shows a significantly reduced growth rate of approximately 0.2 log CFU/h at the same temperature. The right graph shows the growth rate (log CFU/h) of *E. coli* as a function of temperature (°C) for a control (solid line) and a mutant with a different mutation (dashed line). The control shows a peak growth rate of approximately 0.8 log CFU/h at 37°C, while the mutant shows a growth rate of approximately 0.4 log CFU/h at 37°C.

1. <i>Staphylococcus aureus</i>	2. <i>Staphylococcus aureus</i>
---------------------------------	---------------------------------

--	--	--	--

DD

Y Y Y Y

(complete Part 2)

[illegible][illegible][illegible][illegible][illegible][illegible]

Figure 1 consists of two side-by-side scatter plots. The left plot shows a positive correlation between the number of children and the number of children in the household. The right plot shows a negative correlation between the number of children and the number of children in the household.

<p>1. <i>Staphylococcus aureus</i></p> <p>2. <i>Escherichia coli</i></p> <p>3. <i>Streptococcus pneumoniae</i></p> <p>4. <i>Salmonella enterica</i></p> <p>5. <i>Shigella flexneri</i></p> <p>6. <i>Yersinia enterocolitica</i></p> <p>7. <i>Legionella pneumophila</i></p> <p>8. <i>Campylobacter jejuni</i></p> <p>9. <i>Haemophilus influenzae</i></p> <p>10. <i>Neisseria meningitidis</i></p> <p>11. <i>Listeria monocytogenes</i></p> <p>12. <i>Clostridium botulinum</i></p> <p>13. <i>Clostridium perfringens</i></p> <p>14. <i>Clostridium difficile</i></p> <p>15. <i>Shigella sonnei</i></p> <p>16. <i>Shigella dysenteriae</i></p> <p>17. <i>Shigella flexneri</i></p> <p>18. <i>Shigella flexneri</i></p> <p>19. <i>Shigella flexneri</i></p> <p>20. <i>Shigella flexneri</i></p>	<p>1. <i>Staphylococcus aureus</i></p> <p>2. <i>Escherichia coli</i></p> <p>3. <i>Streptococcus pneumoniae</i></p> <p>4. <i>Salmonella enterica</i></p> <p>5. <i>Shigella flexneri</i></p> <p>6. <i>Yersinia enterocolitica</i></p> <p>7. <i>Legionella pneumophila</i></p> <p>8. <i>Campylobacter jejuni</i></p> <p>9. <i>Haemophilus influenzae</i></p> <p>10. <i>Neisseria meningitidis</i></p> <p>11. <i>Listeria monocytogenes</i></p> <p>12. <i>Clostridium botulinum</i></p> <p>13. <i>Clostridium perfringens</i></p> <p>14. <i>Clostridium difficile</i></p> <p>15. <i>Shigella sonnei</i></p> <p>16. <i>Shigella dysenteriae</i></p> <p>17. <i>Shigella flexneri</i></p> <p>18. <i>Shigella flexneri</i></p> <p>19. <i>Shigella flexneri</i></p> <p>20. <i>Shigella flexneri</i></p>	<p>1. <i>Staphylococcus aureus</i></p> <p>2. <i>Escherichia coli</i></p> <p>3. <i>Streptococcus pneumoniae</i></p> <p>4. <i>Salmonella enterica</i></p> <p>5. <i>Shigella flexneri</i></p> <p>6. <i>Yersinia enterocolitica</i></p> <p>7. <i>Legionella pneumophila</i></p> <p>8. <i>Campylobacter jejuni</i></p> <p>9. <i>Haemophilus influenzae</i></p> <p>10. <i>Neisseria meningitidis</i></p> <p>11. <i>Listeria monocytogenes</i></p> <p>12. <i>Clostridium botulinum</i></p> <p>13. <i>Clostridium perfringens</i></p> <p>14. <i>Clostridium difficile</i></p> <p>15. <i>Shigella sonnei</i></p> <p>16. <i>Shigella dysenteriae</i></p> <p>17. <i>Shigella flexneri</i></p> <p>18. <i>Shigella flexneri</i></p> <p>19. <i>Shigella flexneri</i></p> <p>20. <i>Shigella flexneri</i></p>	<p>1. <i>Staphylococcus aureus</i></p> <p>2. <i>Escherichia coli</i></p> <p>3. <i>Streptococcus pneumoniae</i></p> <p>4. <i>Salmonella enterica</i></p> <p>5. <i>Shigella flexneri</i></p> <p>6. <i>Yersinia enterocolitica</i></p> <p>7. <i>Legionella pneumophila</i></p> <p>8. <i>Campylobacter jejuni</i></p> <p>9. <i>Haemophilus influenzae</i></p> <p>10. <i>Neisseria meningitidis</i></p> <p>11. <i>Listeria monocytogenes</i></p> <p>12. <i>Clostridium botulinum</i></p> <p>13. <i>Clostridium perfringens</i></p> <p>14. <i>Clostridium difficile</i></p> <p>15. <i>Shigella sonnei</i></p> <p>16. <i>Shigella dysenteriae</i></p> <p>17. <i>Shigella flexneri</i></p> <p>18. <i>Shigella flexneri</i></p> <p>19. <i>Shigella flexneri</i></p> <p>20. <i>Shigella flexneri</i></p>	<p>1. <i>Staphylococcus aureus</i></p> <p>2. <i>Escherichia coli</i></p> <p>3. <i>Streptococcus pneumoniae</i></p> <p>4. <i>Salmonella enterica</i></p> <p>5. <i>Shigella flexneri</i></p> <p>6. <i>Yersinia enterocolitica</i></p> <p>7. <i>Legionella pneumophila</i></p> <p>8. <i>Campylobacter jejuni</i></p> <p>9. <i>Haemophilus influenzae</i></p> <p>10. <i>Neisseria meningitidis</i></p> <p>11. <i>Listeria monocytogenes</i></p> <p>12. <i>Clostridium botulinum</i></p> <p>13. <i>Clostridium perfringens</i></p> <p>14. <i>Clostridium difficile</i></p> <p>15. <i>Shigella sonnei</i></p> <p>16. <i>Shigella dysenteriae</i></p> <p>17. <i>Shigella flexneri</i></p> <p>18. <i>Shigella flexneri</i></p> <p>19. <i>Shigella flexneri</i></p> <p>20. <i>Shigella flexneri</i></p>
--	--	--	--	--

Year	2000	2001	2002	2003
1	100	100	100	100
2	100	100	100	100
3	100	100	100	100
4	100	100	100	100
5	100	100	100	100
6	100	100	100	100
7	100	100	100	100
8	100	100	100	100
9	100	100	100	100
10	100	100	100	100
11	100	100	100	100
12	100	100	100	100
13	100	100	100	100
14	100	100	100	100
15	100	100	100	100
16	100	100	100	100
17	100	100	100	100
18	100	100	100	100
19	100	100	100	100
20	100	100	100	100
21	100	100	100	100
22	100	100	100	100
23	100	100	100	100
24	100	100	100	100
25	100	100	100	100
26	100	100	100	100
27	100	100	100	100
28	100	100	100	100
29	100	100	100	100
30	100	100	100	100
31	100	100	100	100
32	100	100	100	100
33	100	100	100	100
34	100	100	100	100
35	100	100	100	100
36	100	100	100	100
37	100	100	100	100
38	100	100	100	100
39	100	100	100	100
40	100	100	100	100
41	100	100	100	100
42	100	100	100	100
43	100	100	100	100
44	100	100	100	100
45	100	100	100	100
46	100	100	100	100
47	100	100	100	100
48	100	100	100	100
49	100	100	100	100
50	100	100	100	100
51	100	100	100	100
52	100	100	100	100
53	100	100	100	100
54	100	100	100	100
55	100	100	100	100
56	100	100	100	100
57	100	100	100	100
58	100	100	100	100
59	100	100	100	100
60	100	100	100	100
61	100	100	100	100
62	100	100	100	100
63	100	100	100	100
64	100	100	100	100
65	100	100	100	100
66	100	100	100	100
67	100	100	100	100
68	100	100	100	100
69	100	100	100	100
70	100	100	100	100
71	100	100	100	100
72	100	100	100	100
73	100	100	100	100
74	100	100	100	100
75	100	100	100	100
76	100	100	100	100
77	100	100	100	100
78	100	100	100	100
79	100	100	100	100
8				

Enter the name of the individual responsible for this device:

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible][illegible]

--	--	--	--

--	--	--	--	--

[illegible]



GL-711628-17
01/07/2013

SECTION 5 - CERTIFICATION

SECTION 5
PAGE 1 of 1

I hereby certify that:

- A. All information contained in this registration is true and complete to the best of my knowledge and belief.
- B. A physical inventory of the devices subject to registration has been completed, and the device information on this form has been checked against the device labeling.
- C. I am aware of the requirements of the general license, provided in 10 CFR 31.5.

(Copies of applicable regulations may be viewed at the NRC website at:

<http://www.nrc.gov/reading-rm/doc-collections/cfr>)

SIGNATURE - RESPONSIBLE INDIVIDUAL (Listed in Section 1)

DATE

WARNING: FALSE STATEMENTS MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL ASPECTS. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY WRONG STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER IN ITS JURISDICTION.

GL-711628-17
01/07/2013

SECTION 6 - DEVICES NOT SUBJECT TO REGISTRATION

SECTION 6

PAGE 1 of 1

NRC Device Key:

Manufacturer License No:

Manufacturer Name:

Model Number:

Serial #:

Transfer Date:



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 09, 2013

PRI-PAK INC
GL-711628-17
ATTN: JOHN KAISER
CURRENT SAFETY OFFICER
BOBBY MEANS
2000 SHENLEY PLACE
GREENDALE, IN 47025-

SUBJECT: PAST DUE GENERAL LICENSE DEVICE ANNUAL REGISTRATION

Dear Point of Contact:

This letter refers to the general license device annual registration packet sent to the above address on January 31, 2013 (copy enclosed). This is a follow-up to determine the current status of devices containing radioactive material subject to registration. The U.S. Nuclear Regulatory Commission (NRC) requires annual registration of certain devices that are possessed under the general license issued in Section 31.5 of Title 10 U.S. Code of Federal Regulations [10 CFR 31.5(c)(13)(I)]. NRC's general license database indicates that you are in possession of a general license for a device requiring annual registration. Please complete and return the registration packet within 15 calendar days from the date of this letter. If you do not respond, NRC may take additional action which may include inspection of your facility and possible enforcement action. Failure to comply with NRC regulations could result in civil penalties (fines) and/or loss of your general license and generally licensed devices.

Information about the general license registration program is available on the internet at <http://www.nrc.gov/materials/miau/miau-reg.initiatives/gen-license.html>.

Questions regarding your submittal or your responsibilities as a general licensee can be answered by contacting Ujagar Bhachu at (301) 415-7894 or email at Ujagar.Bhachu@nrc.gov.

Sincerely,

/RA/

Ujagar Bhachu, GLTS Project Manager
U.S. Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety
and State Agreements
Source Safety and Security Branch
Washington, DC 20555-0001
Ujagar.Bhachu@nrc.gov



NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

January 31, 2013

TO: All New, Current, or Previous Users of Devices Subject to General License Registration

PURPOSE: To Track and Account for Certain Generally Licensed Devices For Public Protection

SUBJECT: ANNUAL REGISTRATION OF GENERALLY LICENSED DEVICES

The U.S. Nuclear Regulatory Commission (NRC) requires annual registration of certain devices that are possessed under the general license issued in Section 31.5 of Title 10 U.S. Code of Federal Regulations (10 CFR 31.5). Devices subject to registration include those containing the radioactive material and activity listed in Table 1. You are receiving this notice because NRC records indicate that you have one or more such devices. Information about the general license registration program is available on the Internet at <http://www.nrc.gov/materials/miau/miau-reg-initiatives/gen-license.html>

Note that under 10 CFR 31.5(c)(11), the attached General Licensee Registration Package must be completed, signed, and returned to the NRC within 30 days from the date of this letter. READ ALL OF THE INSTRUCTIONS PRIOR TO COMPLETING THE PACKAGE. Mail the completed package in the large enclosed envelope to:

**ATTN: Document Control Desk/GLTS
Director, Office of Federal and State Materials
and Environmental Management Programs
U.S. Nuclear Regulatory Commission
11545 Rockville Pike
Rockville, MD 20852-2738**

Registration Fee: Commission regulations (10 CFR 170.31, Category 3Q) require that you submit a registration fee with each registration on an annual basis. The registration fee is subject to change yearly, and you are required to submit the fee that is in effect as of the date of this letter. An invoice for the current amount due will be sent to you under separate cover. If you have any questions about the fee or the invoice, please contact the License Fee Billing Help Desk at 301-415-7554 or e-mail at fees.resource@nrc.gov.

NRC amended 10 CFR Parts 170.11 and 170.31 to provide that 10 CFR Part 170 fees be assessed to Federal agencies, where applicable, in accordance with the Energy Policy Act of 2005. Therefore, those Federal facilities required to register certain generally licensed devices in their possession will be required to pay the annual registration fee.

Attachment: NRC Form 664 -- General Licensee Registration and Instructions

INSTRUCTIONS FOR COMPLETING NRC FORM 664
"GENERAL LICENSEE REGISTRATION"

Review all six sections of this registration form. If any information is incorrect or missing, make corrections in the applicable boxes. If you have more devices than space provided in the form, **copy the form before starting, as needed.** Use black ink and print in **CAPITAL LETTERS.** Start information in the first box provided. If the information contains a number with a dash (-) or a decimal point (.), include the dash or decimal point as an individual character. Use the "ø" character to represent the number 0 (zero).

Verify information about the devices by reviewing the label on the outside of the device. **For safety reasons, DO NOT TRY TO TAKE APART any device to verify this information.** If you are uncertain how to identify the device's label, contact the device's manufacturer or an authorized service agent for this information. Also, contact the manufacturer for any additional information about NRC requirements. You may also review 10 CFR 31.5 and other applicable regulations on the NRC web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>, or review specific information about the general licensee project at <http://www.nrc.gov/materials/miau/miau-reg-initiatives/gen-license.html>

Note to specific licensees: If you believe the device(s) listed on the registration form are possessed under your specific license, then verify the device label does not state the device is subject to a general license. If the labels indicate the device is subject to a general license, then complete the registration form as instructed below. If not, complete the registration as instructed below, however, in Section 2, follow the instructions for "not in possession of device" and complete one Section 4 page per device transferred to your specific license.

Section 1 - General Licensee Information. Provide the requested information about you, the general licensee.

On Page 1, provide the street address/location where your device(s) are used. For portable devices, provide the storage location. P.O. Box addresses are not allowed.

Do not write in the box marked **For NRC Use Only.**

On Page 2, provide the name, telephone number, and title of the individual responsible for your device(s), and a mailing address where correspondence about your device(s) can be sent. The mailing address should be specific to the physical location where the devices are used and/or stored (P.O. boxes may be used if this is the only available mailing address). The individual indicated in this section as responsible for your device(s) must also verify and sign the form in Section 5.

Section 2 - Devices Subject to Registration. This section lists each device subject to registration and in your possession, according to NRC records. Devices subject to registration include those containing at least one of the radionuclides listed in Table 1, with the activity indicated, at the time of manufacture.

Table 1. Criteria for Registration

Radionuclide	Activity greater than or equal to:
Strontium-90, Radium-226	3.7 megabecquerel (0.1 millicurie)
Cobalt-60, Curium-244, Americium-241, and Californium-252	37 megabecquerel (1 millicurie)
Cesium-137	370 megabecquerel (10 millicurie)

Use the codes from Table 2 when correcting isotope information for devices in this section. If you do not possess a device on this list, blacken the "not in possession of device" circle, and provide the relevant information in Section 4. Note that each device is assigned a unique six-digit number called the NRC Device Key.

Table 2. Isotope Codes for Sections 2 and 3

Radionuclide	Code for form	Radionuclide	Code for form
Americium-241	AM241	Curium-244	CM244
Californium-252	CF252	Strontium-90	SR90
Cesium-137	CS137	Radium-226	RA226
Cobalt-60	CO60		

Section 3 - Additional Devices. If you have other generally licensed devices (not listed in Section 2) that meet the conditions for registration listed in Table 1, provide information about each additional device. **Before starting, copy this section as needed for your additional devices.** Also indicate how you acquired each device by blackening the proper circle.

When entering isotope and unit information for your device(s), use the codes listed in Table 2 of Section 2 for isotope information, and use the codes from Table 3 for unit information:

Table 3. Unit Codes for Section 3

Unit	Code for form	Unit	Code for form
picocurie	PCI	becquerel	BQ
nanocurie	NCI	kilobecquerel	KBQ
microcurie	UCI	megabecquerel	MBQ
millicurie	MCI	gigabecquerel	GBQ
curie	CI	terabecquerel	TBQ
pound	LB	microgram	UG
		milligram	MG
kilogram	KG	gram	G

Section 4 - Not in Possession of Device. Use this section to report any devices that are listed in Sections 2 or 6, but that you no longer possess. **Before starting, copy this section as needed for additional devices that are not in your possession.** Enter the NRC Device Key, as listed in Section 2 or 6. Blacken the circle (choose only one) that best describes the disposition of the device and complete the rest of the section as appropriate.

Section 5 - Certification and Signature. The responsible individual must certify, sign, and date Section 5.

Section 6 - Devices Not Subject to Registration. This list contains information about devices that NRC records indicate are in your possession, but **are not subject to registration**. If you no longer have one or more of the listed devices, you are required to make a transfer report to NRC in accordance with 10 CFR 31.5(c)(8) or (9), as applicable. You may use Section 4 for this purpose. This section does not list any static eliminators containing polonium-210 (Po-210), or luminous exit signs containing tritium (H-3). These devices are not subject to registration, and are not included in this section in an effort to reduce the length of this form.

RETURN THE COMPLETED FORM IN THE ENCLOSED ENVELOPE WITH PROPER POSTAGE.