

U.S. NUCLEAR REGULATORY COMMISSION

Corrected copy

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Raytheon 2. 1010 Production Road Fort Wayne, IN 46808		
	3. License number 13-32847-01	
	4. Expiration date October 31, 2022	
	5. Docket No. 030-38561 Reference No.	
6. Byproduct, source, and/or special nuclear material A. Americium-241	7. Chemical and/or physical form A. Sealed source (NRD Model A-001 (foil))	8. Maximum amount that licensee may possess at any one time under this license A. 54.05 millicuries

9. Authorized Use:

A. For use in a Real-Time Atmospheric Pressure Mobility Spectrometer to analyze/measure air samples.

CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at 1010 Production Road, Fort Wayne, Indiana.
11. The Radiation Safety Officer for this license is Sandra Merritt.
12. Licensed material listed in Subitem 6.A. above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:
- | <u>Authorized User</u> | <u>Materials and Use</u> |
|------------------------|--------------------------|
| Dale Anglin | Americium-241 |
13. Licensed material shall not be used in or on humans.
14. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
13-32847-01Docket or Reference Number
030-38561

Corrected copy

15. Maintenance, repair, cleaning, replacement, and disposal of foils shall be performed only by the device manufacturer or other persons specifically authorized by the Commission or an Agreement State to perform such services.
16. Sealed sources (foils) containing licensed material shall not be opened or sources removed from source holders by the licensee.
17. The licensee shall not acquire licensed material in a sealed source or device that contains a sealed source unless the source or device has been registered with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.
18. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made, within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement state, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.
19. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
20. In addition to the possession limits in item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35 (d) for establishing decommissioning financial assurance.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

13-32847-01

Docket or Reference Number

030-38561

Corrected copy

21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.


A. Application dated July 5, 2012; and

B. Letter dated August 3, 2012.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date APR 24 2013

By



Toye L. Simmons
Materials Licensing Branch
Region III