

2.0 SAFETY LIMITS2.1 SAFETY LIMITS

- 2.1.1 In MODES 1 and 2, the DNBR shall be maintained  $\geq 1.31$ .
- 2.1.2 In MODES 1 and 2, the peak linear heat rate shall be maintained  $\leq 21.0$  kw/ft.
- 2.1.3 In MODES 1, 2, 3, 4, and 5, the Reactor Coolant System (RCS) Pressure shall be maintained  $\leq 2750$  psia.

2.2 SAFETY LIMIT VIOLATION

- 2.2.1 If DNBR or peak linear heat rate exceeds the Safety Limit be in MODE 3 within one hour.
- 2.2.2 If RCS Pressure exceeds 2750 psia:
  - 2.2.2.1 In MODES 1 or 2, be in MODE 3 with RCS Pressure within the limit within one hour.
  - 2.2.2.2 In MODES 3, 4, or 5, reduce RCS Pressure to within the limit within five minutes.
- 2.2.3 Within one hour notify the NRC Operations Center in accordance with 10CFR50.72.
- 2.2.4 Within 30 days of the violation a Licensee Event Report (LER) shall be prepared in accordance with 10CFR50.73.
- 2.2.6 Operation of the unit shall not commence until authorized by the NRC.

2.0 SAFETY LIMITS2.1 SAFETY LIMITS

- 2.1.1 In MODES 1 and 2, the DNBR shall be maintained  $\geq 1.31$ .
- 2.1.2 In MODES 1 and 2, the peak linear heat rate shall be maintained  $\leq 21.0$  kw/ft.
- 2.1.3 In MODES 1, 2, 3, 4, and 5, the Reactor Coolant System (RCS) Pressure shall be maintained  $\leq 2750$  psia.

2.2 SAFETY LIMIT VIOLATION

- 2.2.1 If DNBR or peak linear heat rate exceeds the Safety Limit be in MODE 3 within one hour.
  - 2.2.2. If RCS Pressure exceeds 2750 psia:
    - 2.2.2.1 In MODES 1 or 2, be in MODE 3 with RCS Pressure within the limit within one hour.
    - 2.2.2.2 In MODES 3, 4, or 5, reduce RCS Pressure to within the limit within five minutes.
  - 2.2.3 Within one hour notify the NRC Operations Center in accordance with 10CFR50.72.
  - 2.2.4 Within 30 days of the violation a Licensee Event Report (LER) shall be prepared in accordance with 10CFR50.73.
  - 2.2.6 Operation of the unit shall not commence until authorized by the NRC.
-