



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
1600 EAST LAMAR BOULEVARD
ARLINGTON, TEXAS 76011-4511

January 06, 2014

Susan Hope, General Manager
Sterigenics US, Inc.
1700 North College Blvd.
West Memphis, Arkansas 72301

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-36696/2013-001 AND
NOTICE OF VIOLATION

Dear Ms. Hope:

Thank you for your letter dated December 3, 2013, in response to the violation identified in our letter and Notice of Violation (Notice) dated November 4, 2013 (Agencywide Documents Access and Management System (ADAMS) Accession number ML13309A532). Since your response contained Safeguards Information-Modified Handling, it was not placed into ADAMS. We have reviewed your letter and find it responsive to the concerns raised in our Notice. We will review the implementation of your corrective actions during a future inspection to determine that full compliance has been achieved and will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA JLTompson for/

G. Michael Vasquez, Chief
Nuclear Materials Safety Branch A
Division of Nuclear Materials Safety

Docket: 030-36696
License: ARK-903-03521

cc: Director, Arkansas Radiation
Control Program

Susan Hope, General Manager
Sterigenics US, Inc.
1700 North College Blvd.
West Memphis, Arkansas 72301

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-36696/2013-001 AND
NOTICE OF VIOLATION

Dear Ms. Hope:

Thank you for your letter dated December 3, 2013, in response to the violation identified in our letter and Notice of Violation (Notice) dated November 4, 2013 (Agencywide Documents Access and Management System (ADAMS) Accession number ML13309A532). Since your response contained Safeguards Information-Modified Handling, it was not placed into ADAMS. We have reviewed your letter and find it responsive to the concerns raised in our Notice. We will review the implementation of your corrective actions during a future inspection to determine that full compliance has been achieved and will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA JLTompson for/

G. Michael Vasquez, Chief
Nuclear Materials Safety Branch A
Division of Nuclear Materials Safety

Docket: 030-36696
License: ARK-903-03521

cc: Director, Arkansas Radiation
Control Program

DISTRIBUTION:

A. Vogel
V Campbell

M. Herrera

S:\DNMS\!NMIB\~REPORTS IN CONCURRENCE\Ack Ltr for Sterigenics.docx

ADAMS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	X SUNSI Rev Complete	Reviewer Initials: JLT
Publicly Available	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Sensitivity: Nonsensitive	
NMSB-A	C:NMSB-A		
JLTompson	GMVasquez		
/RA/	/RA JLTompson for/		
01/06/2014	01/06/2014		

OFFICIAL RECORD COPY

T=Telephone

E=E-mail

F=Fax