

## NRR-PMDAPEm Resource

---

**From:** Mozafari, Brenda  
**Sent:** Friday, March 07, 2014 9:39 AM  
**To:** Nicely, Ken M.:(GenCo-Nuc) (ken.nicely@exeloncorp.com)  
**Subject:** FINAL versions of DRAFT RAIs sent on 2/24/2014 for QUAD CITIES SFP absorber inserts (MF2489 and 2490)  
**Attachments:** FW: DRAFT REQUEST FOR ADDITIONAL INFORMATION FOR USE OF NEUTRON ABSORBING INSERTS IN SPENT FUEL POOL STORAGE RACKS (TAC NOS. MF2489 AND MF2490); Draft RAI from TAC NOS.: MF2489 AND MF2490 review on NEUTRON ABSORBING INSERTS

Ken,

As we discussed late yesterday, the draft questions sent on 2/24/2014 (representing two sets of RAIs) are attached and will be added to ADAMS as official agency records. In addition, consistent with our discussion regarding the expected response date, we understand you did not need a clarification teleconference so we agree with March 30, 2014, as a response date for the attached Final RAIs.

Brenda L. Mozafari  
Senior Project Manager, NRR/DORL  
U.S. Nuclear Regulatory Commission  
Dresden 2/3 and QuadCities 1/2  
301-415-2020  
email: [brenda.mozafari@nrc.gov](mailto:brenda.mozafari@nrc.gov)

**Hearing Identifier:** NRR\_PMDA  
**Email Number:** 1151

**Mail Envelope Properties** (Brenda.Mozafari@nrc.gov20140307093800)

**Subject:** FINAL versions of DRAFT RAIs sent on 2/24/2014 for QUAD CITIES SFP absorber inserts (MF2489 and 2490)  
**Sent Date:** 3/7/2014 9:38:45 AM  
**Received Date:** 3/7/2014 9:38:00 AM  
**From:** Mozafari, Brenda

**Created By:** Brenda.Mozafari@nrc.gov

**Recipients:**  
"Nicely, Ken M.:(GenCo-Nuc) (ken.nicely@exeloncorp.com)" <ken.nicely@exeloncorp.com>  
Tracking Status: None

**Post Office:**

Files	Size	Date & Time
MESSAGE	665	3/7/2014 9:38:00 AM
FW: DRAFT REQUEST FOR ADDITIONAL INFORMATION FOR USE OF NEUTRON ABSORBING INSERTS IN SPENT FUEL POOL STORAGE RACKS (TAC NOS. MF2489 AND MF2490)		
16692		
Draft RAI from TAC NOS.: MF2489 AND MF2490 review on NEUTRON ABSORBING INSERTS		
13486		

**Options**  
**Priority:** Standard  
**Return Notification:** No  
**Reply Requested:** Yes  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**