



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

MAR 06 2014

Cheryl Culver-Schultz, M.S.
Radiation Safety Officer
Beaumont Northpointe
27901 Woodward Avenue, Suite 300
Berkley, MI 48072

Dear Ms. Culver-Schultz:

It has come to our attention that the recent amendment renewing your NRC radioactive materials license contained minor errors. Specifically, License Condition Nos. 9 and 10 did not reflect current approved standard language. These errors have been corrected and a corrected copy of the amendment renewing the license is enclosed. Please note that the corrections made to your license are printed in **bold font**. We apologize for any inconvenience this error may have caused you.

It has also been noted that although no change in the licensee mailing address was specifically requested in your application for license renewal dated August 6, 2013, the mailing address listed in Block 2 of the submitted NRC Form 313 indicated a Royal Oak, Michigan address. Please notify this office if an update to the mailing address for this license is needed.

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system. Pursuant to NRC's RIS 2005-31 and in accordance with Title 10 *Code of Federal Regulations* (CFR) 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/fag.html>.

The enclosed document contains sensitive security-related information.
When separated from this cover letter this letter is uncontrolled.


C. Culver-Schultz

-2-

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

If you have any questions, please contact me at (630) 829-9573.

Sincerely,



Dennis P. O'Dowd
Health Physicist
Materials Licensing Branch

License No. 21-25833-01
Docket No. 030-30186

Enclosure: Corrected Copy of Amendment No. 13