



Grace Pacific LLC

GP Roadway Solutions • GPRM Prestress • GLP Asphalt • Maul Paving

A SUBSIDIARY OF ALEXANDER & BALDWIN, INC.

RECEIVED
APR - 4 2014

DNMS

April 4, 2014

Ms. Jacqueline D. Cook, Senior Health Physicist
U.S. Nuclear Regulatory Commission
1600 E. Lamar Blvd.

Re: NRC License Renewal
License No. 53-21273-01
Docket: 030-20138
Control: 582677

Ms. Cook,

In response to the email dated March 25, 2014, please see the comments below.

- 1) We have 10 each of the Troxler Model 4640B and 1 each of the Troxler Model 3440
- 2) While at the time of the application for renewal, it was a oversight that was not noted. These locations were on the license and if at any time additions or removal of locations need to be updated, a request to amend the license will be done.
The locations that the Licensed material will be used or stored at
 - A. 110 Puuhale Road, Honolulu, Hawaii (Oahu)
 - B. Ameron's Kapaa Quarry, Kailua, Hawaii (Oahu)
 - C. 91-341 Hanua Street, Kalaeloa, Hawaii (Oahu)
 - D. 1300 Halawa Valley Street, Halawa, Hawaii (Oahu)
 - E. 91-920 Farrington Highway, Kapolei, Hawaii (Oahu)
 - F. Allied Quarry Road, approximately 3.8 miles South of the Keahole Airport (94-4925 Queen Kaahumanu Highway), Kailua, Kona, Hawaii (Hawaii)
 - G. 1000 Quarry Drive, Eleele, Hawaii (Kauai)
- H. Temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction from regulating licensed material, including areas of exclusive Federal jurisdiction within Agreement States.
- 3) Please see the attached pictures of how we are already meeting 10 CFR 30.34(i)- two independent physical controls at our Puuhale and temporary job sites.

Should you have any other questions concerning this matter, please feel free to call me.

Thank you,


Felicia Souza

PUBLIC
☐ Immediate Release
☒ Normal Release

NON-PUBLIC
☐ A.3 Sensitive-Security Related
☐ A.7 Sensitive Internal
☐ Other:

Reviewer:  Date: 4/1/14

(582677)



Grace Pacific LLC

A SUBSIDIARY OF ALEXANDER & BALDWIN, INC.

GP Roadway Solutions • GPRM Prestress • GLP Asphalt • Maui Paving

RECEIVED
APR - 1, 2014
DNMS



Puuahale Storage



Our Temporary Storage Locations have the two independent physical controls similar to this

PUBLIC

- ☐ Immediate Release
☒ Normal Release

NON-PUBLIC

- ☐ A.3 Sensitive-Security Related
☐ A.7 Sensitive Internal
☐ Other: _____

Reviewer: goc

Date: 4/1/14

P.O. Box 78 / Honolulu, HI 96810 • (808) 674-8383 • fax (808) 674-1040
"An Equal Employment Opportunity Employer"

(582677)