


State Farm Insurance Companies®



April 10, 2014

Charlottesville Operations Center
1500 State Farm Boulevard
Charlottesville, Virginia 22909-0001


Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

To the Director of FSME,

Please be advised that 12 SRBT B100 Luminexit Signs were shipped to SRB Technologies for proper disposal on 2/28/2014 from State Farm Insurance Companies, 1500 State Farm Blvd., Charlottesville, Va. 22909.

I have also enclosed information stating the installation address, manufacturer, model and serial numbers.

Please contact me if you have any questions.
Thank you.

Bobby K. Stanley, Jr.

Facilities Project Coordinator
State Farm Insurance Companies
1500 State Farm Blvd.
Charlottesville, Va. 22909
434-962-0632
Bobby.Stanley.AU9P@StateFarm.com

Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

To the Director of FSME,

Please be advised that 12 SRBT B100 Luminexit Signs were shipped to SRB Technologies for proper disposal on 2/28/2014 from State Farm Insurance Companies, 1500 State Farm Blvd, Charlottesville, Va. 22909.

I have also enclosed information stating the installation address, manufacturer, model and serial numbers.

Please contact me if you have any questions.
Thank you,

Bobby Stanley
Facilities Project Coordinator
State Farm Insurance Companies
1500 State Farm Blvd.
Charlottesville, Va. 22909
434-962-0632
Bobby.stanley.au9p@statefarm.com



SHIP TO:
ATTENTION: Melissa Ellison
SRB TECHNOLOGIES
2580 Landmark Drive
Winston-Salem, NC 27103
Tel: (336)-659-2610
Fax: (336)-768-7720
E-mail: Melissa@srbtechnologies.com

RGA# 995050
No Shipment will be accepted without a proper RGA number and UN2911 written on outside of package.

Date Issued:

Expiration date:

Returned Goods Authorization Form-Disposals

- 1.) All packages and paperwork must be marked with the assigned RGA# and UN2911.
- 2.) A copy of the completed RGA form and the box inventory must be inside each package.
- 3.) The assigned RGA is valid only for the number of signs listed below.
- 4.) Only one shipment can be made using this RGA number.
- 5.) Under NRC regulations it is your responsibility to notify your state regulator and the US NRC of the transfer of these signs. See the procedure forms for additional information regarding reporting.

Contact Name: BOBBY STANLEY

Phone:

Bill To: STATE FARM INSURANCE

434-872-2795

Address: 1500 STATE FARM BLVD.

Fax:

City: CHARLOTTESVILLE St: VA Zip: 22909

434-872-5713

INSTALLATION ADDRESS

Company Name: STATE FARM INSURANCE

Address: 2700 POLO PARKWAY

City: MIDLOTHIAN

State: VA Zip: 23113

Telephone: 434-872-2795

GOODS TO BE RETURNED: (One sign per line. If you have more than four signs use the Box ID worksheet)

Quantity	Description/Mfr./Serial Numbers	Date of manufacture	Life 10, 12, 15 or 20 years <small>If unknown an original activity of 21.6 Ci per sign will be used.</small>
	<u>SERIAL #'S ON ATTACHED</u>		
	<u>PAGE</u>		

REASON FOR RETURN: DISPOSAL

I have read and agree to all terms and conditions:

New Order Placed?: Y / (N)

Signature: [Signature]

Date ordered: _____

PO#: _____

Do not write below this line - This space reserved for SRBT use only

Returned for Disposal:

Y / N

Replaced under Warranty:

Y / N

Payment Method: _____

Disposal Fee: _____

Payment Date: _____

Date Returned: _____

Date Return Received: _____

Checked in by: _____

BOX ID AND INVENTORY WORKSHEET

BOX NUMBER: 1 of 2

Manufacturer	Model	Serial Number	Date of Manufacture	Life Rating (Years)
SRB TECHNOLOGIES, INC.	B100	557923	N/A	MAX TRITIUM (H3) CONTENT 20 CURIES
SRB TECHNOLOGIES, INC.	B100	598910	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598909	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598918	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598912	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598917	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598911	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598915	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598913	N/A	20 CURIES
SRB TECHNOLOGIES, INC.	B100	598914	N/A	20 CURIES

Initial BKS Date 12/13/2013

BOX ID AND INVENTORY WORKSHEET

BOX NUMBER: 2 of 2

Manufacturer	Model	Serial Number	Date of Manufacture	Life Rating (Years)
SRB TECHNOLOGIES, INC.	B100	598916	N/A	MAX TRITIUM (H3) CONTENT 20 CURIES
SRB TECHNOLOGIES, INC.	B100	598919	N/A	20 CURIES

Initial BKS Date 12/13/2013