

ENCLOSURE 2


MAINE YANKEE
INDEPENDENT SPENT FUEL STORAGE INSTALLATION
ANNUAL RADIOLOGICAL ENVIRONMENTAL OPERATING REPORT
JANUARY – DECEMBER 2013

**MAINE YANKEE
INDEPENDENT SPENT FUEL STORAGE INSTALLATION**

License No. DPR-36

**ANNUAL RADIOLOGICAL ENVIRONMENTAL
OPERATING REPORT**

January - December 2013



March 2014

Prepared by:

Radiation Safety & Control Services

91 Portsmouth Avenue

Stratham, NH 03885-2468

EXECUTIVE SUMMARY

The Maine Yankee Independent Spent Fuel Storage Installation (ISFSI) has been in operation since 2001. All fuel has been transferred into dry storage casks and placed at the Independent Spent Fuel Storage Installation. The Radiological Environmental Monitoring Program (REMP) for the Maine Yankee ISFSI located in Wiscasset, ME was continued for the period January through December 2013 in compliance with the Maine Yankee Off-Site Dose Calculation Manual (ODCM).

Several changes were made to the ODCM during 2013. The primary change was to provide an updated Figure 3.1 that includes a Storage/Maintenance building. In addition, there were additional minor administrative changes.

By design, there are no liquid or gaseous effluents associated with the operation of the ISFSI. Therefore, the ODCM only requires monitoring of direct exposure from the facility. TLDs were used to measure direct gamma exposure at nine locations in the vicinity of the ISFSI and one control location 5.2 kilometers away. The results of these measurements showed no significant change in exposure rates and potential doses to members of the public during the monitoring period. The results of the monitoring performed in 2013 also show that operating the Maine Yankee ISFSI results in only a small fraction of the 40 CFR Part 190 and 10 CFR Part 72.104 direct radiation dose limit of 25 mrem/year to members of the public.

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1.0	INTRODUCTION	6
2.0	GENERAL ISFSI AND SITE INFORMATION	7
3.0	PROGRAM DESIGN	7
3.1	MONITORING ZONES	7
3.2	PATHWAYS MONITORED	8
3.3	DESCRIPTION OF MONITORING PROGRAM	8
4.0	RADIOLOGICAL DATA SUMMARY TABLES	13
5.0	ANALYSIS OF ENVIRONMENTAL RESULTS	38
5.1	SAMPLING PROGRAM DEVIATIONS	38
5.2	DIRECT RADIATION PATHWAY	38
6.0	REFERENCES	39

LIST OF TABLES

<u>Table</u>	<u>Title</u>	<u>Page</u>
3.1	Radiological Environmental Monitoring Program	9
3.2	Radiological Environmental Monitoring Locations	10
4.1	TLD Measurements by Quarter.....	14
4.2	Exposure Rates from TLD Measurements.....	15
4.3	Environmental TLD Data Summary.....	16
4.4	Direct Dose from ISFSI Operations	17

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page</u>
3.1	Radiological Environmental Monitoring Locations (within 0.28 km).....	11
3.2	Direct Radiation Monitoring Locations (outside 1 km)	12
4.1	Exposure Rate Trend at TL-I-02.....	18
4.2	Exposure Rate Trend at TL-I-04.....	20
4.3	Exposure Rate Trend at TL-I-06.....	22
4.4	Exposure Rate Trend at TL-I-08.....	24
4.5	Exposure Rate Trend at TL-I-10.....	26
4.6	Exposure Rate Trend at TL-I-12.....	28
4.7	Exposure Rate Trend at TL-I-14.....	30
4.8	Exposure Rate Trend at TL-I-15.....	32
4.9	Exposure Rate Trend at TL-I-16.....	34
4.10	Exposure Rate Trend at Control Location TL-O-36	36

1.0 INTRODUCTION

This report summarizes the findings of the Radiological Environmental Monitoring Program (REMP) conducted by Maine Yankee in the vicinity of the Independent Spent Fuel Storage Installation in Wiscasset, Maine during the calendar year 2013. It is submitted annually in compliance with Appendix A, of the Off-site Dose Calculation Manual (ODCM). The remainder of this report is organized as follows:

- Section 2: Provides a brief description of the Maine Yankee site and its environs.
- Section 3: Provides a description of the overall REMP design. Included is a summary of the requirements for REMP sampling, tables listing routine TLD monitoring locations with compass sectors and distances from the ISFSI, and maps showing the location of each of the TLD monitoring locations.
- Section 4: Provides a complete set of TLD data showing measured results (mR), TLD data converted to exposure rates (μ R per hour) and calculated doses (mrem per year). This section also provides the summarized exposure rate data in the format specified by the NRC Branch Technical Position on Environmental Monitoring (Reference 1).
- Section 5: Provides the results of the monitoring program. The performance of the program in meeting ODCM requirements is discussed, and the data acquired during the year is analyzed.
- Section 6: References

2.0 GENERAL ISFSI AND SITE INFORMATION

The Maine Yankee Independent Spent Fuel Storage Installation (ISFSI) is located in the town of Wiscasset, Lincoln County, Maine, approximately six miles northeast of Bath, Maine. The site vicinity is rural and lightly populated.

The ISFSI site is located near Bailey Point, a peninsula bounded to the east by the Back River and to the west by a shallow inlet known as Bailey Cove, both of which are part of the Montsweag Bay-Sheepscot River Estuary. Bailey point is an elongated bedrock ridge with flat or gently rolling topography rising to an average elevation of about 25 feet above sea level.

The Radiological Environmental Monitoring Program (REMP) for the ISFSI began pre-operational measurements in the 4th quarter of 1999, approximately 2 years prior to the initial spent fuel transfer to the ISFSI. The ISFSI REMP has been in continuous operation since this transfer began.

3.0 PROGRAM DESIGN

The Radiological Environmental Monitoring Program (REMP) for the Maine Yankee ISFSI was designed to provide assurance to regulatory agencies and the public that the station's environmental impact is known and within anticipated limits. The direct dose limit for members of the public from operation of the ISFSI is 25 mrem per year (References 3 and 4).

The detailed sampling requirements of the REMP are given in the ODCM. The sampling requirements specified in the ODCM are summarized in Table 3.1 of this report. Details of the monitored locations are shown in Table 3.2, as well as Figures 3.1 and 3.2 of this report.

3.1 Monitoring Zones

The REMP is designed to allow comparison of levels of radioactivity in samples from the area possibly influenced by the ISFSI to levels found in areas not influenced by the ISFSI. The first area is called "indicator stations". The second area is called "control stations". The distinction between the two is based on relative direction from the facility and distance. Analysis of survey data from the two zones aids in determining if there is a significant difference between the two areas. It can also help in differentiating between radioactivity or radiation due to releases and that due to other fluctuations in the environment, such as seasonal variations in the natural background.

3.2 Pathways Monitored

Based on the design of the ISFSI, only the direct radiation exposure pathway is monitored by the REMP. This pathway is monitored by the collection of thermoluminescent dosimeters (TLDs) which are described in more detail below.

3.3 Description of Monitoring Program

3.3.1 Direct Radiation

Direct gamma radiation exposure was continuously monitored during 2013 with the use of thermoluminescent dosimeters (TLDs). At each monitoring location, these TLDs are sealed in plastic bags and attached to an object such as a tree, fence or utility pole. The TLDs are posted and retrieved on a quarterly basis. All TLDs are provided and processed by a National Voluntary Laboratory Accreditation Program (NVLAP) certified vendor. The TLDs are placed at various locations around the Independent Spent Fuel Storage Installation (ISFSI). Table 3.2 lists the Station ID Codes, distances and direction of the TLDs from the ISFSI.

3.3.2 Special Monitoring

Special samples can be taken that are not required in the ODCM. The sample locations do not appear in Table 3.1 or 3.2 of this report. For this monitoring period, no special samples were collected as part of the Maine Yankee ISFSI Radiological Environmental Monitoring Program.

Table 3.1
Radiological Environmental Monitoring Program

Exposure Pathway and/or Sample Media	Collection			Analysis	
	Number of Sample Locations	Routine Sampling Mode	Collection Frequency	Analysis Type	Analysis Frequency
Direct Radiation (TLD)	Total Locations:10 (9 around perimeter of the site and 1 offsite control location)	Continuous	Quarterly	Gamma dose	Quarterly

Table 3.2
Radiological Environmental Monitoring Locations

Station Code	Station Description	Zone[*]	Distance From ISFSI (km)	Direction From ISFSI
TL-I-02	Spent Fuel Storage (I)**	1	< 0.28	N
TL-I-04	Spent Fuel Storage (I)**	1	< 0.28	NE
TL-I-06	Spent Fuel Storage (I)**	1	< 0.28	E
TL-I-08	Spent Fuel Storage (I)**	1	< 0.28	SE
TL-I-10	Spent Fuel Storage (I)**	1	< 0.28	S
TL-I-12	Spent Fuel Storage (I)**	1	< 0.28	SW
TL-I-14	Spent Fuel Storage (I)**	1	< 0.28	W
TL-I-15	Spent Fuel Storage (I)**	1	< 0.28	WNW
TL-I-16	Spent Fuel Storage (I)**	1	< 0.28	NW
TL-O-36	Wiscasset Fire Station (O)	2	5.2	NW

*2 = Control TLD; 1 = Indicator TLD

**I = Inner Ring TLD; O = Outer Ring TLD

Table 3.2
Radiological Environmental Monitoring Locations

Station Code	Station Description	Zone *	Distance From ISFSI (km)	Direction From ISFSI
TL-I-02	Spent Fuel Storage (I)**	1	< 0.28	N
TL-I-04	Spent Fuel Storage (I)**	1	< 0.28	NE
TL-I-06	Spent Fuel Storage (I)**	1	< 0.28	E
TL-I-08	Spent Fuel Storage (I)**	1	< 0.28	SE
TL-I-10	Spent Fuel Storage (I)**	1	< 0.28	S
TL-I-12	Spent Fuel Storage (I)**	1	< 0.28	SW
TL-I-14	Spent Fuel Storage (I)**	1	< 0.28	W
TL-I-15	Spent Fuel Storage (I)**	1	< 0.28	WNW
TL-I-16	Spent Fuel Storage (I)**	1	< 0.28	NW
TL-O-36	Wiscasset Fire Station (O)	2	5.2	NW

*2 = Control TLD; 1 = Indicator TLD

**I = Inner Ring TLD; O = Outer Ring TLD

Table 3.2
Radiological Environmental Monitoring Locations

Station Code	Station Description	Zone *	Distance From ISFSI (km)	Direction From ISFSI
TL-I-02	Spent Fuel Storage (I)**	1	< 0.28	N
TL-I-04	Spent Fuel Storage (I)**	1	< 0.28	NE
TL-I-06	Spent Fuel Storage (I)**	1	< 0.28	E
TL-I-08	Spent Fuel Storage (I)**	1	< 0.28	SE
TL-I-10	Spent Fuel Storage (I)**	1	< 0.28	S
TL-I-12	Spent Fuel Storage (I)**	1	< 0.28	SW
TL-I-14	Spent Fuel Storage (I)**	1	< 0.28	W
TL-I-15	Spent Fuel Storage (I)**	1	< 0.28	WNW
TL-I-16	Spent Fuel Storage (I)**	1	< 0.28	NW
TL-O-36	Wiscasset Fire Station (O)	2	5.2	NW

*2 = Control TLD; 1 = Indicator TLD

**I = Inner Ring TLD; O = Outer Ring TLD

Figure 3.1
Radiological Environmental Monitoring Locations
(within 0.28 km)




Figure 3.2
Direct Radiation Monitoring Locations
(outside 1 km)



4.0 RADIOLOGICAL DATA SUMMARY TABLES

This section summarizes the analytical results of the environmental samples, which were collected during the monitoring period.

- Data from direct radiation measurements made by TLDs are presented in Table 4.1.
- The direct measurements presented in Table 4.1 are converted to exposure rates in the following manner:
 - The total TLD exposure time is determined from the anneal and read dates.
 - The total deployment time is determined from the placement and retrieval dates.
 - The non-deployment time is converted to exposure and subtracted from the TLD reading presented in Table 4.1.
 - The resulting net exposure (deployment exposure) is divided by the deployment time in hours to calculate the exposure rate in μR per hour.
 - The calculated exposure rates are presented in Table 4.2.
- The summarized exposure rate results, shown in Table 4.3, are presented in a format similar to that prescribed in the NRC's Radiological Assessment Branch Technical Position on Environmental Monitoring (Reference 1).
- Table 4.4 presents the estimated direct dose from ISFSI operations as determined by TLD data shown in Table 4.1.

Table 4.1
TLD Measurements by Quarter
(mR)

Station ID	Direction	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr
TL-I-02	N	31	29	27	32
TL-I-04	NE	30	29	27	31
TL-I-06	E	46	43	32	ND
TL-I-08	SE	33	27	28	31
TL-I-10	S	33	31	30	33
TL-I-12	SW	28	29	28	37
TL-I-14	W	33	31	28	36
TL-I-15	WNW	35	34	29	37
TL-I-16	NW	35	32	29	34
TL-O-36	Control	30	27	30	ND
TL-O-36a	Control Backup	31	29	33	32

Note: ND = no data. TLDs at TL-I-06 and TL-O-36 were damaged by water and ice in the fourth quarter.

Table 4.2
Exposure Rates from TLD Measurements
(μ R per hour)

Station ID	Direction	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	Annual Ave
TL-I-02	N	5.9	8.1	4.9	7.1	6.5
TL-I-04	NE	5.4	8.1	4.9	6.7	6.3
TL-I-06	E	12.8	14.5	7.2	ND	11.5
TL-I-08	SE	6.8	7.2	5.4	6.7	6.5
TL-I-10	S	6.8	9.0	6.3	7.5	7.4
TL-I-12	SW	4.5	8.1	5.4	9.3	6.8
TL-I-14	W	6.8	9.0	5.4	8.8	7.5
TL-I-15	WNW	7.7	10.4	5.8	9.3	8.3
TL-I-16	NW	7.7	9.5	5.8	8.0	7.7
TL-O-36	Control	5.7	7.6	7.0	7.1	6.8

Note: ND = no data. TLD at TL-I-06 was damaged by water and ice in the fourth quarter.

Table 4.3
Environmental TLD Data Summary
(μ R per hour)

Inner Ring TLDs	Control TLD's	Station With Highest Mean	
Mean (Range) (No. Measurements)*	Mean (Range) (No. Measurements)*	Station #	Mean (Range) (No. Measurements)*
7.5	6.8	TL-I-06	11.5
(4.5 – 14.5)	(5.7 – 7.6)		(7.2 – 14.5)
(35)	(7)		(3)

* Each "measurement" is based on quarterly readings

Table 4.4
Direct Dose from ISFSI Operations
(mrem)

Station ID	Q1		Q2		Q3		Q4		Annual Dose
	Net TLD Result	Calculated Dose	Net TLD Result	Calculated Dose	Net TLD Result	Calculated Dose	Net TLD Result	Calculated Dose	
TL-I-02	0.50	0.01	1.00	0.06	0.00	0.00	0.00	0.00	0.07
TL-I-04	0.00	0.00	1.00	0.06	0.00	0.00	0.00	0.00	0.06
TL-I-06	15.50	0.23	15.00	0.89	0.50	0.03	ND	ND	1.15
TL-I-08	2.50	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.04
TL-I-10	2.50	0.04	3.00	0.18	0.00	0.00	1.00	0.01	0.23
TL-I-12	0.00	0.00	1.00	0.06	0.00	0.00	5.00	0.07	0.13
TL-I-14	2.50	0.04	3.00	0.18	0.00	0.00	4.00	0.06	0.28
TL-I-15	4.50	0.07	6.00	0.36	0.00	0.00	5.00	0.07	0.50
TL-I-16	4.50	0.07	4.00	0.24	0.00	0.00	2.00	0.03	0.34
							Max Dose =>		1.15

Notes:

1. Doses based on a 32.5 hour occupancy in both of the first and fourth quarters and a 130 hour occupancy in both of the second and third quarters.
2. Some of the net TLD results were negative and rounded up to zero
3. ND = no data. TL-I-06 was damaged in the fourth quarter.


Figure 4.1
Exposure Rate Trend at TL-I-02

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations – TL-I-02 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-02-001	03/31/2003	5.4E+000 μR/h † *	1.18E+000	2.5E+000
TL-I-02-002	06/30/2003	8.0E+000 μR/h † *	1.10E+000	2.5E+000
TL-I-02-003	09/30/2003	6.9E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-02-004	12/31/2003	8.5E+000 μR/h † *	9.00E-001	2.5E+000
TL-I-02-005	03/31/2004	6.4E+000 μR/h † *	8.20E-001	2.5E+000
TL-I-02-006	06/30/2004	8.3E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-007	09/30/2004	6.2E+000 μR/h † *	6.60E-001	2.5E+000
TL-I-02-008	12/31/2004	6.8E+000 μR/h † *	7.40E-001	2.5E+000
TL-I-02-009	03/31/2005	8.6E+000 μR/h † *	8.60E-001	2.5E+000
TL-I-02-010	06/30/2005	7.8E+000 μR/h † *	7.80E-001	2.5E+000
TL-I-02-011	09/30/2005	1.1E+001 μR/h † *	1.08E+000	2.5E+000
TL-I-02-012	12/31/2005	8.0E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-013	03/31/2006	8.4E+000 μR/h † *	8.40E-001	2.5E+000
TL-I-02-014	06/30/2006	7.9E+000 μR/h † *	7.80E-001	2.5E+000
TL-I-02-015	09/30/2006	8.8E+000 μR/h † *	8.80E-001	2.5E+000
TL-I-02-016	12/31/2006	1.2E+001 μR/h † *	1.16E+000	2.5E+000
TL-I-02-017	03/31/2007	7.4E+000 μR/h † *	7.40E-001	2.5E+000
TL-I-02-018	06/30/2007	8.1E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-019	09/30/2007	7.0E+000 μR/h † *	7.00E-001	2.5E+000
TL-I-02-020	12/31/2007	7.6E+000 μR/h † *	7.60E-001	2.5E+000
TL-I-02-021	03/31/2008	7.6E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-022	06/30/2008	7.9E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-023	09/30/2008	7.1E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-024	12/31/2008	7.6E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-025	03/31/2009	9.4E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-02-026	06/30/2009	6.2E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-027	09/30/2009	4.8E+000 μR/h † *	4.00E-001	2.5E+000
TL-I-02-028	12/31/2009	4.5E+000 μR/h † *	4.00E-001	2.5E+000
TL-I-02-029	03/31/2010	7.4E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-030	06/30/2010	6.8E+000 μR/h † *	6.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-02 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-02-031	09/30/2010	5.7E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-032	12/31/2010	5.5E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-033	03/31/2011	4.7E+000 μR/h † *	4.00E-001	2.5E+000
TL-I-02-034	06/30/2011	6.0E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-035	09/30/2011	7.7E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-036	12/31/2011	6.0E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-037	03/31/2012	6.6E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-038	06/30/2012	5.9E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-039	09/30/2012	5.6E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-040	12/31/2012	9.3E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-02-041	03/31/2013	5.9E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-02-042	06/30/2013	8.1E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-02-043	09/30/2013	4.9E+000 μR/h † *	4.00E-001	2.5E+000
TL-I-02-044	12/31/2013	7.1E+000 μR/h † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level


Figure 4.2
Exposure Rate Trend at TL-I-04

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-04 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-04-001	03/31/2003	5.1E+000 $\mu\text{R/h}$ † *	1.26E+000	2.5E+000
TL-I-04-002	06/30/2003	8.4E+000 $\mu\text{R/h}$ † *	1.02E+000	2.5E+000
TL-I-04-003	09/30/2003	6.5E+000 $\mu\text{R/h}$ † *	7.20E-001	2.5E+000
TL-I-04-004	12/31/2003	8.3E+000 $\mu\text{R/h}$ † *	1.14E+000	2.5E+000
TL-I-04-005	03/31/2004	6.9E+000 $\mu\text{R/h}$ † *	7.80E-001	2.5E+000
TL-I-04-006	06/30/2004	7.8E+000 $\mu\text{R/h}$ † *	1.08E+000	2.5E+000
TL-I-04-007	09/30/2004	6.3E+000 $\mu\text{R/h}$ † *	6.20E-001	2.5E+000
TL-I-04-008	12/31/2004	6.3E+000 $\mu\text{R/h}$ † *	4.20E-001	2.5E+000
TL-I-04-009	03/31/2005	8.6E+000 $\mu\text{R/h}$ † *	8.60E-001	2.5E+000
TL-I-04-010	06/30/2005	8.2E+000 $\mu\text{R/h}$ † *	8.20E-001	2.5E+000
TL-I-04-011	09/30/2005	9.1E+000 $\mu\text{R/h}$ † *	9.00E-001	2.5E+000
TL-I-04-012	12/31/2005	8.0E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-04-013	03/31/2006	6.9E+000 $\mu\text{R/h}$ † *	6.80E-001	2.5E+000
TL-I-04-014	06/30/2006	7.5E+000 $\mu\text{R/h}$ † *	7.40E-001	2.5E+000
TL-I-04-015	09/30/2006	8.4E+000 $\mu\text{R/h}$ † *	8.40E-001	2.5E+000
TL-I-04-016	12/31/2006	1.2E+001 $\mu\text{R/h}$ † *	1.16E+000	2.5E+000
TL-I-04-017	03/31/2007	7.0E+000 $\mu\text{R/h}$ † *	7.00E-001	2.5E+000
TL-I-04-018	06/30/2007	6.7E+000 $\mu\text{R/h}$ † *	6.60E-001	2.5E+000
TL-I-04-019	09/30/2007	5.9E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-04-021	03/31/2008	7.6E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-04-022	06/30/2008	4.9E+000 $\mu\text{R/h}$ † *	4.00E-001	2.5E+000
TL-I-04-023	09/30/2008	5.3E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-04-024	12/31/2008	8.9E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-04-025	03/31/2009	7.9E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-04-026	06/30/2009	5.8E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-04-027	09/30/2009	6.2E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-04-028	12/31/2009	4.9E+000 $\mu\text{R/h}$ † *	4.00E-001	2.5E+000
TL-I-04-029	03/31/2010	8.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-04-030	06/30/2010	7.8E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-04-031	09/30/2010	1.3E+001 $\mu\text{R/h}$ † *	1.20E+000	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-04 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-04-032	12/31/2010	5.5E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-033	03/31/2011	6.7E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-034	06/30/2011	6.5E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-035	09/30/2011	8.1E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-04-036	12/31/2011	6.9E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-037	03/31/2012	5.2E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-038	06/30/2012	5.0E+000 μ R/h † *	4.00E-001	2.5E+000
TL-I-04-039	09/30/2012	6.5E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-040	12/31/2012	8.8E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-04-041	03/31/2013	5.4E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-04-042	06/30/2013	8.1E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-04-043	09/30/2013	4.9E+000 μ R/h † *	4.00E-001	2.5E+000
TL-I-04-044	12/31/2013	6.7E+000 μ R/h † *	6.00E-001	2.5E+000


Figure 4.3
Exposure Rate Trend at TL-I-06

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-06 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-06-001	03/31/2003	7.1E+000 µR/h † *	1.36E+000	2.5E+000
TL-I-06-002	06/30/2003	9.6E+000 µR/h † *	1.00E+000	2.5E+000
TL-I-06-003	09/30/2003	1.46E+000 µR/h † *	2.5E+000	2.5E+000
TL-I-06-004	12/31/2003	1.2E+001 µR/h † *	1.16E+000	2.5E+000
TL-I-06-005	03/31/2004	9.6E+000 µR/h † *	9.40E-001	2.5E+000
TL-I-06-006	06/30/2004	1.1E+001 µR/h † *	1.72E+000	2.5E+000
TL-I-06-007	09/30/2004	9.7E+000 µR/h † *	1.20E+000	2.5E+000
TL-I-06-008	12/31/2004	9.6E+000 µR/h † *	1.24E+000	2.5E+000
TL-I-06-009	03/31/2005	1.1E+001 µR/h † *	1.12E+000	2.5E+000
TL-I-06-010	06/30/2005	1.4E+001 µR/h † *	1.38E+000	2.5E+000
TL-I-06-011	09/30/2005	1.2E+001 µR/h † *	1.18E+000	2.5E+000
TL-I-06-012	12/31/2005	1.0E+001 µR/h † *	1.04E+000	2.5E+000
TL-I-06-013	03/31/2006	1.5E+001 µR/h † *	1.48E+000	2.5E+000
TL-I-06-014	06/30/2006	1.1E+001 µR/h † *	1.12E+000	2.5E+000
TL-I-06-015	09/30/2006	1.4E+001 µR/h † *	1.40E+000	2.5E+000
TL-I-06-016	12/31/2006	1.2E+001 µR/h † *	1.16E+000	2.5E+000
TL-I-06-017	03/31/2007	1.1E+001 µR/h † *	1.10E+000	2.5E+000
TL-I-06-018	06/30/2007	1.0E+001 µR/h † *	1.00E+000	2.5E+000
TL-I-06-019	09/30/2007	1.2E+001 µR/h † *	1.18E+000	2.5E+000
TL-I-06-020	12/31/2007	1.2E+001 µR/h † *	1.22E+000	2.5E+000
TL-I-06-021	03/31/2008	1.6E+001 µR/h † *	1.60E+000	2.5E+000
TL-I-06-022	06/30/2008	1.2E+001 µR/h † *	1.20E+000	2.5E+000
TL-I-06-023	09/30/2008	9.0E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-06-024	12/31/2008	9.8E+000 µR/h † *	1.00E+000	2.5E+000
TL-I-06-025	03/31/2009	1.6E+001 µR/h † *	1.60E+000	2.5E+000
TL-I-06-026	06/30/2009	1.6E+001 µR/h † *	1.60E+000	2.5E+000
TL-I-06-027	09/30/2009	8.1E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-06-028	12/31/2009	1.1E+001 µR/h † *	1.00E+000	2.5E+000
TL-I-06-029	03/31/2010	1.4E+001 µR/h † *	1.40E+000	2.5E+000
TL-I-06-030	06/30/2010	1.2E+001 µR/h † *	1.20E+000	2.5E+000

Results marked with * are greater than 2 Sigma Error.
Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-06 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-06-031	09/30/2010	8.6E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-06-032	12/31/2010	8.2E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-06-033	03/31/2011	1.2E+001 μ R/h † *	1.20E+000	2.5E+000
TL-I-06-034	06/30/2011	6.9E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-06-035	09/30/2011	1.8E+001 μ R/h † *	1.80E+000	2.5E+000
TL-I-06-036	12/31/2011	1.1E+001 μ R/h † *	1.20E+000	2.5E+000
TL-I-06-037	03/31/2012	1.1E+001 μ R/h † *	1.20E+000	2.5E+000
TL-I-06-038	06/30/2012	1.0E+001 μ R/h † *	1.00E+000	2.5E+000
TL-I-06-039	09/30/2012	1.1E+001 μ R/h † *	1.00E+000	2.5E+000
TL-I-06-040	12/31/2012	1.7E+001 μ R/h † *	1.60E+000	2.5E+000
TL-I-06-041	03/31/2013	1.3E+001 μ R/h † *	1.20E+000	2.5E+000
TL-I-06-042	06/30/2013	1.5E+001 μ R/h † *	1.40E+000	2.5E+000
TL-I-06-043	09/30/2013	7.2E+000 μ R/h † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

MY 2013 Annual REO Report

Report generated by ADMS (Analytical Data Management System) © 2006-2007 Radiation Safety & Control Services, Inc. www.radsafety.com


Figure 4.4
Exposure Rate Trend at TL-I-08

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-08 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-08-001	03/31/2003	5.2E+000 µR/h † *	1.18E+000	2.5E+000
TL-I-08-002	06/30/2003	8.4E+000 µR/h † *	1.24E+000	2.5E+000
TL-I-08-003	09/30/2003	6.5E+000 µR/h † *	9.20E-001	2.5E+000
TL-I-08-004	12/31/2003	9.4E+000 µR/h † *	1.00E+000	2.5E+000
TL-I-08-005	03/31/2004	8.2E+000 µR/h † *	1.14E+000	2.5E+000
TL-I-08-006	06/30/2004	8.2E+000 µR/h † *	1.14E+000	2.5E+000
TL-I-08-007	09/30/2004	6.7E+000 µR/h † *	5.80E-001	2.5E+000
TL-I-08-008	12/31/2004	6.8E+000 µR/h † *	5.40E-001	2.5E+000
TL-I-08-009	03/31/2005	1.0E+001 µR/h † *	1.02E+000	2.5E+000
TL-I-08-010	06/30/2005	9.1E+000 µR/h † *	9.20E-001	2.5E+000
TL-I-08-011	09/30/2005	1.1E+001 µR/h † *	1.08E+000	2.5E+000
TL-I-08-012	12/31/2005	8.0E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-013	03/31/2006	9.3E+000 µR/h † *	9.40E-001	2.5E+000
TL-I-08-014	06/30/2006	7.0E+000 µR/h † *	7.00E-001	2.5E+000
TL-I-08-015	09/30/2006	1.1E+001 µR/h † *	1.08E+000	2.5E+000
TL-I-08-016	12/31/2006	1.6E+001 µR/h † *	1.56E+000	2.5E+000
TL-I-08-017	03/31/2007	7.4E+000 µR/h † *	7.40E-001	2.5E+000
TL-I-08-018	06/30/2007	8.1E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-019	09/30/2007	8.6E+000 µR/h † *	8.60E-001	2.5E+000
TL-I-08-020	12/31/2007	8.5E+000 µR/h † *	8.40E-001	2.5E+000
TL-I-08-021	03/31/2008	8.5E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-022	06/30/2008	7.9E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-023	09/30/2008	7.6E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-024	12/31/2008	9.4E+000 µR/h † *	1.00E+000	2.5E+000
TL-I-08-025	03/31/2009	9.9E+000 µR/h † *	1.00E+000	2.5E+000
TL-I-08-026	06/30/2009	6.7E+000 µR/h † *	6.00E-001	2.5E+000
TL-I-08-027	09/30/2009	7.6E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-028	12/31/2009	6.3E+000 µR/h † *	6.00E-001	2.5E+000
TL-I-08-029	03/31/2010	8.3E+000 µR/h † *	8.00E-001	2.5E+000
TL-I-08-030	06/30/2010	7.3E+000 µR/h † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-08 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-08-031	09/30/2010	7.8E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-032	12/31/2010	6.8E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-08-033	03/31/2011	9.2E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-08-034	06/30/2011	8.3E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-035	09/30/2011	8.6E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-036	12/31/2011	7.8E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-037	03/31/2012	8.4E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-038	06/30/2012	7.3E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-039	09/30/2012	8.3E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-040	12/31/2012	1.0E+001 μR/h † *	1.00E+000	2.5E+000
TL-I-08-041	03/31/2013	6.8E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-08-042	06/30/2013	7.2E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-08-043	09/30/2013	5.4E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-08-044	12/31/2013	6.7E+000 μR/h † *	6.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level


Figure 4.5
Exposure Rate Trend at TL-I-10

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-10 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-10-001	03/31/2003	5.2E+000 $\mu\text{R/h}$ † *	1.18E+000	2.5E+000
TL-I-10-002	06/30/2003	8.2E+000 $\mu\text{R/h}$ † *	1.04E+000	2.5E+000
TL-I-10-003	09/30/2003	6.4E+000 $\mu\text{R/h}$ † *	1.10E+000	2.5E+000
TL-I-10-004	12/31/2003	8.9E+000 $\mu\text{R/h}$ † *	8.60E-001	2.5E+000
TL-I-10-005	03/31/2004	6.9E+000 $\mu\text{R/h}$ † *	8.60E-001	2.5E+000
TL-I-10-006	06/30/2004	7.7E+000 $\mu\text{R/h}$ † *	1.06E+000	2.5E+000
TL-I-10-007	09/30/2004	6.5E+000 $\mu\text{R/h}$ † *	8.40E-001	2.5E+000
TL-I-10-008	12/31/2004	6.5E+000 $\mu\text{R/h}$ † *	9.60E-001	2.5E+000
TL-I-10-009	03/31/2005	8.1E+000 $\mu\text{R/h}$ † *	8.20E-001	2.5E+000
TL-I-10-010	06/30/2005	8.2E+000 $\mu\text{R/h}$ † *	8.20E-001	2.5E+000
TL-I-10-011	09/30/2005	1.0E+001 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-10-012	12/31/2005	8.0E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-013	03/31/2006	7.4E+000 $\mu\text{R/h}$ † *	7.40E-001	2.5E+000
TL-I-10-014	06/30/2006	6.6E+000 $\mu\text{R/h}$ † *	6.60E-001	2.5E+000
TL-I-10-015	09/30/2006	8.4E+000 $\mu\text{R/h}$ † *	8.40E-001	2.5E+000
TL-I-10-016	12/31/2006	1.2E+001 $\mu\text{R/h}$ † *	1.16E+000	2.5E+000
TL-I-10-017	03/31/2007	7.0E+000 $\mu\text{R/h}$ † *	7.00E-001	2.5E+000
TL-I-10-018	06/30/2007	9.0E+000 $\mu\text{R/h}$ † *	9.00E-001	2.5E+000
TL-I-10-019	09/30/2007	9.2E+000 $\mu\text{R/h}$ † *	9.20E-001	2.5E+000
TL-I-10-020	12/31/2007	7.6E+000 $\mu\text{R/h}$ † *	7.60E-001	2.5E+000
TL-I-10-021	03/31/2008	9.0E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-022	06/30/2008	7.4E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-023	09/30/2008	6.7E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-10-024	12/31/2008	8.0E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-025	03/31/2009	8.4E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-026	06/30/2009	7.5E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-028	12/31/2009	7.7E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-029	03/31/2010	9.6E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-10-030	06/30/2010	7.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-031	09/30/2010	8.6E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-10 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-10-032	12/31/2010	6.4E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-10-033	03/31/2011	7.7E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-034	06/30/2011	7.8E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-035	09/30/2011	9.8E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-10-036	12/31/2011	6.9E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-10-037	03/31/2012	7.9E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-038	06/30/2012	7.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-10-039	09/30/2012	6.1E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-10-040	12/31/2012	1.1E+001 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-10-041	03/31/2013	6.8E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-10-042	06/30/2013	9.0E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-10-043	09/30/2013	6.3E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-10-044	12/31/2013	7.5E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000


Figure 4.6
Exposure Rate Trend at TL-I-12

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-12 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-12-001	03/31/2003	6.7E+000 $\mu\text{R/h}$ † *	1.30E+000	2.5E+000
TL-I-12-002	06/30/2003	9.7E+000 $\mu\text{R/h}$ † *	1.38E+000	2.5E+000
TL-I-12-003	09/30/2003	8.3E+000 $\mu\text{R/h}$ † *	1.14E+000	2.5E+000
TL-I-12-004	12/31/2003	9.8E+000 $\mu\text{R/h}$ † *	7.80E-001	2.5E+000
TL-I-12-005	03/31/2004	7.7E+000 $\mu\text{R/h}$ † *	1.50E+000	2.5E+000
TL-I-12-006	06/30/2004	1.0E+001 $\mu\text{R/h}$ † *	1.14E+000	2.5E+000
TL-I-12-007	09/30/2004	7.6E+000 $\mu\text{R/h}$ † *	7.00E-001	2.5E+000
TL-I-12-008	12/31/2004	7.1E+000 $\mu\text{R/h}$ † *	7.40E-001	2.5E+000
TL-I-12-009	03/31/2005	7.6E+000 $\mu\text{R/h}$ † *	7.60E-001	2.5E+000
TL-I-12-010	06/30/2005	8.7E+000 $\mu\text{R/h}$ † *	8.60E-001	2.5E+000
TL-I-12-011	09/30/2005	9.1E+000 $\mu\text{R/h}$ † *	9.00E-001	2.5E+000
TL-I-12-012	12/31/2005	8.8E+000 $\mu\text{R/h}$ † *	8.80E-001	2.5E+000
TL-I-12-013	03/31/2006	8.4E+000 $\mu\text{R/h}$ † *	8.40E-001	2.5E+000
TL-I-12-014	06/30/2006	6.6E+000 $\mu\text{R/h}$ † *	6.60E-001	2.5E+000
TL-I-12-015	09/30/2006	8.8E+000 $\mu\text{R/h}$ † *	8.80E-001	2.5E+000
TL-I-12-016	12/31/2006	1.3E+001 $\mu\text{R/h}$ † *	1.26E+000	2.5E+000
TL-I-12-017	03/31/2007	7.4E+000 $\mu\text{R/h}$ † *	7.40E-001	2.5E+000
TL-I-12-018	06/30/2007	7.2E+000 $\mu\text{R/h}$ † *	7.20E-001	2.5E+000
TL-I-12-019	09/30/2007	7.0E+000 $\mu\text{R/h}$ † *	7.00E-001	2.5E+000
TL-I-12-020	12/31/2007	7.6E+000 $\mu\text{R/h}$ † *	7.60E-001	2.5E+000
TL-I-12-021	03/31/2008	9.0E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-12-022	06/30/2008	8.4E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-12-023	09/30/2008	8.5E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-12-025	03/31/2009	8.4E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-12-026	06/30/2009	6.7E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-12-028	12/31/2009	6.3E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-12-029	03/31/2010	8.7E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-12-030	06/30/2010	5.9E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-12-031	09/30/2010	8.2E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-12-032	12/31/2010	7.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-12 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-12-033	03/31/2011	8.2E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-12-034	06/30/2011	7.8E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-12-035	09/30/2011	7.7E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-12-036	12/31/2011	6.9E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-12-037	03/31/2012	7.5E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-12-038	06/30/2012	7.3E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-12-039	09/30/2012	6.5E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-12-040	12/31/2012	9.3E+000 μ R/h † *	1.00E+000	2.5E+000
TL-I-12-041	03/31/2013	4.5E+000 μ R/h † *	4.00E-001	2.5E+000
TL-I-12-042	06/30/2013	8.1E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-12-043	09/30/2013	5.4E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-12-044	12/31/2013	9.3E+000 μ R/h † *	1.00E+000	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level


Figure 4.7
Exposure Rate Trend at TL-I-14

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-14 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-14-001	03/31/2003	6.7E+000 μR/h † *	1.26E+000	2.5E+000
TL-I-14-002	06/30/2003	9.2E+000 μR/h † *	1.04E+000	2.5E+000
TL-I-14-003	09/30/2003	8.3E+000 μR/h † *	9.20E-001	2.5E+000
TL-I-14-004	12/31/2003	9.7E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-14-005	03/31/2004	7.4E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-006	06/30/2004	9.8E+000 μR/h † *	1.28E+000	2.5E+000
TL-I-14-007	09/30/2004	7.8E+000 μR/h † *	8.80E-001	2.5E+000
TL-I-14-008	12/31/2004	7.8E+000 μR/h † *	9.20E-001	2.5E+000
TL-I-14-009	03/31/2005	1.1E+001 μR/h † *	1.06E+000	2.5E+000
TL-I-14-010	06/30/2005	9.6E+000 μR/h † *	9.60E-001	2.5E+000
TL-I-14-011	09/30/2005	1.0E+001 μR/h † *	1.04E+000	2.5E+000
TL-I-14-012	12/31/2005	1.0E+001 μR/h † *	1.00E+000	2.5E+000
TL-I-14-013	03/31/2006	9.8E+000 μR/h † *	9.80E-001	2.5E+000
TL-I-14-014	06/30/2006	9.6E+000 μR/h † *	9.60E-001	2.5E+000
TL-I-14-015	09/30/2006	1.0E+001 μR/h † *	1.02E+000	2.5E+000
TL-I-14-016	12/31/2006	1.4E+001 μR/h † *	1.36E+000	2.5E+000
TL-I-14-017	03/31/2007	8.2E+000 μR/h † *	8.20E-001	2.5E+000
TL-I-14-018	06/30/2007	8.1E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-019	09/30/2007	8.1E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-020	12/31/2007	8.1E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-021	03/31/2008	1.1E+001 μR/h † *	1.00E+000	2.5E+000
TL-I-14-022	06/30/2008	7.4E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-023	09/30/2008	6.7E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-14-024	12/31/2008	8.0E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-025	03/31/2009	9.4E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-14-026	06/30/2009	7.5E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-027	09/30/2009	5.3E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-14-028	12/31/2009	5.4E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-14-029	03/31/2010	8.3E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-14-030	06/30/2010	5.9E+000 μR/h † *	6.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-14 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-14-031	09/30/2010	6.5E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-14-032	12/31/2010	8.7E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-14-033	03/31/2011	8.2E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-14-034	06/30/2011	7.4E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-14-035	09/30/2011	1.1E+001 μ R/h † *	1.20E+000	2.5E+000
TL-I-14-036	12/31/2011	4.6E+000 μ R/h † *	4.00E-001	2.5E+000
TL-I-14-037	03/31/2012	7.9E+000 μ R/h † *	8.00E-001	2.5E+000
TL-I-14-038	06/30/2012	5.9E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-14-039	09/30/2012	6.1E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-14-040	12/31/2012	1.0E+001 μ R/h † *	1.00E+000	2.5E+000
TL-I-14-041	03/31/2013	6.8E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-14-042	06/30/2013	9.0E+000 μ R/h † *	1.00E+000	2.5E+000
TL-I-14-043	09/30/2013	5.4E+000 μ R/h † *	6.00E-001	2.5E+000
TL-I-14-044	12/31/2013	8.8E+000 μ R/h † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level


Figure 4.8
Exposure Rate Trend at TL-I-15

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-15 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-15-001	03/31/2003	7.1E+000 $\mu\text{R/h}$ † *	1.62E+000	2.5E+000
TL-I-15-002	06/30/2003	1.0E+001 $\mu\text{R/h}$ † *	1.34E+000	2.5E+000
TL-I-15-003	09/30/2003	8.5E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-004	12/31/2003	1.0E+001 $\mu\text{R/h}$ † *	1.08E+000	2.5E+000
TL-I-15-005	03/31/2004	8.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-006	06/30/2004	1.0E+001 $\mu\text{R/h}$ † *	1.06E+000	2.5E+000
TL-I-15-007	09/30/2004	8.0E+000 $\mu\text{R/h}$ † *	8.40E-001	2.5E+000
TL-I-15-008	12/31/2004	8.6E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-15-009	03/31/2005	9.1E+000 $\mu\text{R/h}$ † *	9.20E-001	2.5E+000
TL-I-15-010	06/30/2005	1.1E+001 $\mu\text{R/h}$ † *	1.06E+000	2.5E+000
TL-I-15-011	09/30/2005	1.2E+001 $\mu\text{R/h}$ † *	1.18E+000	2.5E+000
TL-I-15-012	12/31/2005	9.6E+000 $\mu\text{R/h}$ † *	9.60E-001	2.5E+000
TL-I-15-013	03/31/2006	1.0E+001 $\mu\text{R/h}$ † *	1.04E+000	2.5E+000
TL-I-15-014	06/30/2006	9.6E+000 $\mu\text{R/h}$ † *	9.60E-001	2.5E+000
TL-I-15-015	09/30/2006	1.1E+001 $\mu\text{R/h}$ † *	1.06E+000	2.5E+000
TL-I-15-016	12/31/2006	1.2E+001 $\mu\text{R/h}$ † *	1.16E+000	2.5E+000
TL-I-15-017	03/31/2007	9.0E+000 $\mu\text{R/h}$ † *	9.00E-001	2.5E+000
TL-I-15-018	06/30/2007	8.6E+000 $\mu\text{R/h}$ † *	8.60E-001	2.5E+000
TL-I-15-019	09/30/2007	7.0E+000 $\mu\text{R/h}$ † *	7.00E-001	2.5E+000
TL-I-15-020	12/31/2007	8.1E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-021	03/31/2008	1.2E+001 $\mu\text{R/h}$ † *	1.20E+000	2.5E+000
TL-I-15-022	06/30/2008	7.9E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-023	09/30/2008	7.1E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-024	12/31/2008	7.2E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-025	03/31/2009	9.9E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-15-026	06/30/2009	9.2E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-15-027	09/30/2009	7.6E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-028	12/31/2009	7.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-029	03/31/2010	1.1E+001 $\mu\text{R/h}$ † *	1.20E+000	2.5E+000
TL-I-15-030	06/30/2010	7.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-15 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-15-031	09/30/2010	7.8E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-032	12/31/2010	9.1E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-15-033	03/31/2011	5.7E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-15-034	06/30/2011	8.3E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-035	09/30/2011	9.8E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-15-036	12/31/2011	7.4E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-037	03/31/2012	8.8E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-038	06/30/2012	6.9E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-15-039	09/30/2012	7.8E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-040	12/31/2012	1.2E+001 $\mu\text{R/h}$ † *	1.20E+000	2.5E+000
TL-I-15-041	03/31/2013	7.7E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-15-042	06/30/2013	1.0E+001 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-15-043	09/30/2013	5.8E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-15-044	12/31/2013	9.3E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000


Figure 4.9
Exposure Rate Trend at TL-I-16

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Indicator Locations - TL-I-16 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-16-001	03/31/2003	6.7E+000 $\mu\text{R/h}$ † *	1.22E+000	2.5E+000
TL-I-16-002	06/30/2003	1.0E+001 $\mu\text{R/h}$ † *	1.48E+000	2.5E+000
TL-I-16-003	09/30/2003	9.0E+000 $\mu\text{R/h}$ † *	1.16E+000	2.5E+000
TL-I-16-004	12/31/2003	1.1E+001 $\mu\text{R/h}$ † *	1.16E+000	2.5E+000
TL-I-16-005	03/31/2004	8.6E+000 $\mu\text{R/h}$ † *	9.80E-001	2.5E+000
TL-I-16-006	06/30/2004	1.0E+001 $\mu\text{R/h}$ † *	1.14E+000	2.5E+000
TL-I-16-007	09/30/2004	8.4E+000 $\mu\text{R/h}$ † *	1.16E+000	2.5E+000
TL-I-16-008	12/31/2004	8.8E+000 $\mu\text{R/h}$ † *	8.80E-001	2.5E+000
TL-I-16-009	03/31/2005	8.1E+000 $\mu\text{R/h}$ † *	8.20E-001	2.5E+000
TL-I-16-010	06/30/2005	1.1E+001 $\mu\text{R/h}$ † *	1.14E+000	2.5E+000
TL-I-16-011	09/30/2005	1.0E+001 $\mu\text{R/h}$ † *	1.04E+000	2.5E+000
TL-I-16-012	12/31/2005	1.0E+001 $\mu\text{R/h}$ † *	1.04E+000	2.5E+000
TL-I-16-013	03/31/2006	9.8E+000 $\mu\text{R/h}$ † *	9.80E-001	2.5E+000
TL-I-16-014	06/30/2006	9.6E+000 $\mu\text{R/h}$ † *	9.60E-001	2.5E+000
TL-I-16-015	09/30/2006	1.1E+001 $\mu\text{R/h}$ † *	1.06E+000	2.5E+000
TL-I-16-016	12/31/2006	1.4E+001 $\mu\text{R/h}$ † *	1.36E+000	2.5E+000
TL-I-16-017	03/31/2007	8.6E+000 $\mu\text{R/h}$ † *	8.60E-001	2.5E+000
TL-I-16-018	06/30/2007	9.5E+000 $\mu\text{R/h}$ † *	9.60E-001	2.5E+000
TL-I-16-019	09/30/2007	7.5E+000 $\mu\text{R/h}$ † *	7.60E-001	2.5E+000
TL-I-16-020	12/31/2007	8.1E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-021	03/31/2008	9.9E+000 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-16-022	06/30/2008	8.9E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-023	09/30/2008	7.1E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-024	12/31/2008	8.5E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-025	03/31/2009	8.9E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-026	06/30/2009	7.5E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-027	09/30/2009	6.2E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000
TL-I-16-028	12/31/2009	8.7E+000 $\mu\text{R/h}$ † *	8.00E-001	2.5E+000
TL-I-16-029	03/31/2010	1.1E+001 $\mu\text{R/h}$ † *	1.00E+000	2.5E+000
TL-I-16-030	06/30/2010	6.8E+000 $\mu\text{R/h}$ † *	6.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Indicator Locations - TL-I-16 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-I-16-031	09/30/2010	8.6E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-032	12/31/2010	8.2E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-033	03/31/2011	7.2E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-034	06/30/2011	7.8E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-035	09/30/2011	1.1E+001 μR/h † *	1.00E+000	2.5E+000
TL-I-16-036	12/31/2011	7.8E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-037	03/31/2012	8.8E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-038	06/30/2012	6.9E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-16-039	09/30/2012	7.0E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-16-040	12/31/2012	9.3E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-16-041	03/31/2013	7.7E+000 μR/h † *	8.00E-001	2.5E+000
TL-I-16-042	06/30/2013	9.5E+000 μR/h † *	1.00E+000	2.5E+000
TL-I-16-043	09/30/2013	5.8E+000 μR/h † *	6.00E-001	2.5E+000
TL-I-16-044	12/31/2013	8.0E+000 μR/h † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

MY 2013 Annual REO Report


Figure 4.10
Exposure Rate Trend at Control Location TL-O-36

Trend Report

3/21/2014

Displays: Samples collected between 03/31/2003 and 12/31/2013

Control Location - TL-O-36 : REMP TLD [Exposure Rate]



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-O-36-001	03/31/2003	7.9E+000 µR/h † *	1.68E+000	2.5E+000
TL-O-36-002	06/30/2003	7.5E+000 µR/h † *	1.04E+000	2.5E+000
TL-O-36-003	09/30/2003	7.8E+000 µR/h † *	1.34E+000	2.5E+000
TL-O-36-004	12/31/2003	6.8E+000 µR/h † *	6.80E-001	2.5E+000
TL-O-36-005	03/31/2004	8.6E+000 µR/h † *	6.80E-001	2.5E+000
TL-O-36-006	06/30/2004	6.3E+000 µR/h † *	6.80E-001	2.5E+000
TL-O-36-007	09/30/2004	6.1E+000 µR/h † *	5.60E-001	2.5E+000
TL-O-36-008	12/31/2004	6.1E+000 µR/h † *	4.80E-001	2.5E+000
TL-O-36-009	03/31/2005	8.1E+000 µR/h † *	8.00E-001	2.5E+000
TL-O-36-010	06/30/2005	8.7E+000 µR/h † *	8.60E-001	2.5E+000
TL-O-36-011	09/30/2005	1.0E+001 µR/h † *	1.00E+000	2.5E+000
TL-O-36-012	12/31/2005	8.0E+000 µR/h † *	8.00E-001	2.5E+000
TL-O-36-013	03/31/2006	6.6E+000 µR/h † *	6.60E-001	2.5E+000
TL-O-36-014	06/30/2006	7.7E+000 µR/h † *	7.60E-001	2.5E+000
TL-O-36-015	09/30/2006	7.2E+000 µR/h † *	7.20E-001	2.5E+000
TL-O-36-016	12/31/2006	1.1E+001 µR/h † *	1.12E+000	2.5E+000
TL-O-36-017	03/31/2007	6.8E+000 µR/h † *	6.80E-001	2.5E+000
TL-O-36-018	06/30/2007	7.2E+000 µR/h † *	7.20E-001	2.5E+000
TL-O-36-019	09/30/2007	7.3E+000 µR/h † *	7.20E-001	2.5E+000
TL-O-36-020	12/31/2007	6.8E+000 µR/h † *	6.80E-001	2.5E+000
TL-O-36-021	03/31/2008	7.6E+000 µR/h † *	8.00E-001	2.5E+000
TL-O-36-022	06/30/2008	5.9E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-023	09/30/2008	5.1E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-024	12/31/2008	6.3E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-025	03/31/2009	6.6E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-026	06/30/2009	6.5E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-027	09/30/2009	5.8E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-028	12/31/2009	5.9E+000 µR/h † *	6.00E-001	2.5E+000
TL-O-36-029	03/31/2010	7.4E+000 µR/h † *	8.00E-001	2.5E+000
TL-O-36-030	06/30/2010	5.0E+000 µR/h † *	6.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

Trend Report


Displays: Samples collected between 03/31/2003 and 12/31/2013

3/21/2014

MY ISFSI

Control Location - TL-O-36 : REMP TLD [Exposure Rate]

Continued...



Sample Name	Date Collected	Result	2 Sigma Error	Discrimination Level
TL-O-36-031	09/30/2010	5.2E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-032	12/31/2010	6.4E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-033	03/31/2011	6.7E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-034	06/30/2011	6.2E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-035	09/30/2011	7.7E+000 μ R/h † *	8.00E-001	2.5E+000
TL-O-36-036	12/31/2011	7.1E+000 μ R/h † *	8.00E-001	2.5E+000
TL-O-36-037	03/31/2012	7.5E+000 μ R/h † *	8.00E-001	2.5E+000
TL-O-36-038	06/30/2012	5.2E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-039	09/30/2012	5.9E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-040	12/31/2012	7.7E+000 μ R/h † *	8.00E-001	2.5E+000
TL-O-36-041	03/31/2013	5.7E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-042	06/30/2013	7.6E+000 μ R/h † *	8.00E-001	2.5E+000
TL-O-36-043	09/30/2013	7.0E+000 μ R/h † *	6.00E-001	2.5E+000
TL-O-36-044	12/31/2013	7.1E+000 μ R/h † *	8.00E-001	2.5E+000

Results marked with * are greater than 2 Sigma Error.

Results marked with † are greater than the Discrimination Level

5.0 ANALYSIS OF ENVIRONMENTAL RESULTS

5.1 Sampling Program Deviations

A sampling program deviation is defined as samples that are unobtainable due to hazardous conditions or to malfunction of sampling equipment. Such deviations do not compromise the program's effectiveness and in fact are considered insignificant with respect to what is normally anticipated for this Radiological Environmental Monitoring Program.

Two deviations of the sampling requirements occurred during this monitoring period. Two 4th quarter TLDs; TL-I-06 and TL-O-36, were damaged by water and ice resulting in no data. The 4th quarter doses at TL-I-06 from 2009 through 2012 were reviewed. The four year average dose at TL-I-06 in the 4th quarter is 0.16 mrem. Adding this value to replace the missing data would result in a total dose at TL-I-06 for 2013 equal to 1.31 mrem. Missing data from the control TLD; TL-O-36, did not impact the calculation of the 4th quarter dose because a second TLD was in place at the same location and undamaged.

5.2 Direct Radiation Pathway

5.2.1 Exposure Rates

Direct radiation is continuously measured at 9 indicator locations surrounding the Maine Yankee ISFSI, along with 1 control location (Wiscasset Fire Station) using thermoluminescent dosimeters (TLDs). These dosimeters are collected every calendar quarter for readout at the NVLAP certified dosimetry services vendor.

Review of the data in Tables 4.2 and 4.3 shows that most indicator locations were slightly elevated in comparison to the control location exposure rates. Figures 4.1 through 4.10 provide exposure rate trends of the monitoring locations since 2003. Review of Figures 4.1 through 4.10 shows no significant difference in exposure rates over time at either the indicator or control locations. The data listed under each of the trend graphs show values for the result errors and discrimination levels. Note that these values are estimated and are shown only for information.

5.2.2 Direct Doses from ISFSI Operations

A dose estimate is the potential dose to any real member of the public that could

use portions of the site or be present adjacent to the site for recreational activities throughout the year. Direct exposure above background can be estimated by subtracting the average TLD value of the control station from the indicator location measurements. As in previous years, the 2013 dose estimate assumes a total of 325 hours occupancy for the dose calculation; of which 32.5 hours are used in both the first and fourth quarters and 130 hours are used in both the second and third quarters. The most likely location for exposure to a member of the public from the ISFSI is along the Back River, Bailey Cove or Montsweag Bay for boating and fishing and the mud flats in the Cove or Bay exposed at low tides which is worked by clam diggers and worm diggers; however, the time estimates are conservatively applied to all monitoring locations.

Table 4.4 presents the results of the dose calculations. The highest calculated dose is at Station ID number TL-I-06. The maximum calculated annual dose at that location is 1.15 mrem. Adding in the four year average 4th quarter dose of 0.16 mrem as a substitute for the missing data, results in a total dose of 1.31 mrem. This value is only 5 percent of the 25 mrem per year limit. It is noted that most of the mud flat region in Bailey Cove that is used by the public is situated further away from this Station. As a result, actual exposures from direct radiation would be much less than the maximum calculated value.

6.0 REFERENCES

1. USNRC Radiological Assessment Branch Technical Position, "An Acceptable Radiological Environmental Monitoring Program," Revision 1, November 1979.
2. Maine Yankee Off-site Dose Calculation Manual, Revision 34.
3. 40 CFR Part 190, "Environmental Radiation Protection Standards for Nuclear Power Operation".
4. 10 CFR Part 72.104, "Criteria for Radioactive Materials in Effluents and Direct Radiation from an ISFSI or MRS".