



UNION CARBIDE CORPORATION  
NUCLEAR DIVISION

P.O. BOX X, OAK RIDGE, TENNESSEE 37830

May 2, 1979

50-261

Mr. Homer Lowenberg  
Assistant Director for  
Operating and Technology  
Office of Nuclear Material Safety  
and Safeguards  
Nuclear Regulatory Commission  
Washington, D. C. 20555

Dear Mr. Lowenberg:

In the April 20, 1979 letter to you, I listed various reasons for differences between the experimental and ORIGEN-S computed isotopic compositions of the H. B. Robinson Reactor discharged fuel. An expansion of Table 3 is presented here. The table displays through footnotes the predominant reason (as evaluated) for the deviation in results of each isotope, for which there is an appreciable difference.

A combination of reasons and errors contributes to each set of differences. Thus, the evaluation for determining the most likely reason is somewhat speculative and subject to error. For example, relatively high values of  $^{244}\text{Cm}$  and  $^{243}\text{Am}$  would result from an overestimate of total fissions (or, burnup), or  $\sigma(n,\gamma)$  for  $^{242}\text{Pu}$  being too large, or both. A decreased value of burnup would further decrease the low computed value of the ratio of  $^{242}\text{Pu}/^{241}\text{Pu}$ . Also,  $\sigma(n,\gamma)$  for  $^{242}\text{Pu}$  has been questioned, in the past, as being too large. While both of the above reasons may be significant, there appears to be more evidence that the cross section error is predominant.

The computed results for  $^{243}\text{Cm}$  and  $^{247}\text{Cm}$  were considerably incorrect. This should be attributed to the necessity of using incomplete  $\sigma(n,\gamma)$  values for the two isotopes and their precursors. However, these two isotopes are

DESIGNATED ORIGINAL  
Certified By \_\_\_\_\_

8303030325 790502  
PDR ADOCK 05000261  
P PDR

Mr. Homer Lowenberg

- 2 -

May 2, 1979

usually less important than other heavy isotopes, such as  $^{242}\text{Cm}$  or  $^{244}\text{Cm}$ , in shipping cask evaluations, processing plant studies, and most other analyses.

Sincerely,



O. W. Hermann  
Computer Sciences Division

OWH:bbf

Enclosure

cc w/enc: M. J. Bell (NRC)  
D. O. Nellis (NRC)  
R. H. Odegarden (NRC)  
D. O. Campbell  
A. G. Croff  
R. M. Westfall  
G. E. Whitesides  
M. L. Williams  
File-RC

Table 3. Comparison of Mass Analyses and ORIGEN-S Results  
(Revised, May 2, 1979)

H. B. Robinson Reactor Fuel, Discharged May 6, 1974.  
From Dissolver Run 2 (Assumed from "Full Burnup"  
Region) 31,364 MWD/MTU, Cooled 669 Days (3/16/76).

Isotope	Atom %		Data From ENDF/B-IV
	Found	ORIGEN-S	
$^{234}\text{U}$	0.014	0.014	yes
$^{235}\text{U}$	0.653	0.585 <sup>a</sup>	yes
$^{236}\text{U}$	0.347	0.347	yes
$^{237}\text{U}$	ND	$4.2 \times 10^{-9}$	no
$^{238}\text{U}$	98.99	99.05	yes
$^{238}\text{Pu}$	1.56	1.62	yes
$^{239}\text{Pu}$	55.79	56.51 <sup>b</sup>	yes
$^{240}\text{Pu}$	24.91	22.91 <sup>b</sup>	yes
$^{241}\text{Pu}$	12.29	13.36 <sup>b</sup>	yes
$^{242}\text{Pu}$	5.45	5.60	yes
$^{241}\text{Am}$	62.4	55.8 <sup>c</sup>	yes
$^{242}\text{Am}$	0.312	0.41 <sup>d</sup>	no
$^{243}\text{Am}$	37.29	43.8 <sup>c</sup>	yes
$^{242}\text{Cm}$	3.28	2.42 <sup>c</sup>	no
$^{243}\text{Cm}$	1.21	0.31 <sup>d</sup>	no
$^{244}\text{Cm}$	90.66	92.51 <sup>c</sup>	yes
$^{245}\text{Cm}$	4.43	4.15	no
$^{246}\text{Cm}$	0.453	0.56	no
$^{247}\text{Cm}$	0.004	0.009 <sup>d</sup>	no
$^{248}\text{Cm}$	0.001	0.0008	no

<sup>a</sup>Uncertainty in experimental values of burnup ( $\pm 5\%$ ) and assumed 200 MeV/fission approximation in ORIGEN-S model could lead to differences on this order.

<sup>b</sup>Isotopic distribution in plutonium could be in error due to data for low-energy resonances.

<sup>c</sup> $^{242}\text{Pu} (n, \gamma) \rightarrow ^{243}\text{Am} (n, \gamma) \rightarrow ^{244}\text{Cm}$  transmutations could be too high due to  $\sigma(n, \gamma)$  of  $^{242}\text{Pu}$  being too large. This contributes to low percentages for  $^{241}\text{Am}$  and  $^{242}\text{Cm}$ .

<sup>d</sup>Analytical results are very likely in error due to older, incomplete cross section data.