

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR:8412130047 DOC.DATE: 84/12/07 NOTARIZED: NO DOCKET #
 FACIL:50-261 H. B. Robinson Plant, Unit 2, Carolina Power and Light 05000261
 AUTH.NAME AUTHOR AFFILIATION
 CUTTER,A,B. Carolina Power & Light Co.
 RECIP.NAME RECIPIENT AFFILIATION
 VARGA,S,A. Operating Reactors Branch 1

SUBJECT: Commits to include encl provisions in disposal procedures
 prior to transferring slightly contaminated sediment to
 fossil plant ash pond, per Page 7 stipulation of EIA.

DISTRIBUTION CODE: A001D COPIES RECEIVED:LTR 1 ENCL 1 SIZE: 2
 TITLE: OR Submittal: General Distribution

NOTES:

05000261

OL:07/31/70

	RECIPIENT ID CODE/NAME		COPIES			RECIPIENT ID CODE/NAME		COPIES	
			LTTR	ENCL				LTTR	ENCL
	NRR ORB1 BC 01		7	7					
INTERNAL:	ACRS 09		6	6		ADM/LFMB		1	0
	ELD/HDS1		1	0		NRR/DE/MTEB		1	1
	NRR/DL DIR		1	1		NRR/DL/ORAB		1	0
	NRR/DSI/METB		1	1		NRR/DSI/RAB		1	1
	REG FILE 04		1	1		RGN2		1	1
EXTERNAL:	LPDR 03		1	1		NRC PDR 02		1	1
	NSIC 05		1	1		NTIS		1	1



Carolina Power & Light Company

DEC 07 1984

SERIAL: NLS-84-498

NRC TAC# 54484

Director of Nuclear Reactor Regulation
Attention: Mr. Steven A. Varga, Chief
Operating Reactors Branch No. 1
Division of Licensing
United States Nuclear Regulatory Commission
Washington, DC 20555

H. B. ROBINSON STEAM ELECTRIC PLANT, UNIT NO. 2
DOCKET NO. 50-261/LICENSE NO. DPR-23
DISPOSAL OF SLIGHTLY CONTAMINATED SEDIMENT IN ASH POND

Dear Mr. Varga:

Your letter dated November 8, 1984 provided approval of Carolina Power & Light Company's proposed disposal procedures for transferring slightly contaminated sediment from two settling ponds within the restricted area at H. B. Robinson Steam Electric Plant Unit No. 2 to a fossil plant ash pond. The Company hereby commits to include the five provisions listed in the enclosure to this letter (which were stipulated on page 7 of your Environmental Impact Appraisal) into our procedures prior to transferring any sediment.

Questions regarding this matter should be referred to Mr. S. R. Zimmerman at (919) 836-6242.

Yours very truly,

A. B. Cutter - Vice President
Nuclear Engineering & Licensing

JSK/crs (903JSK)

Enclosure

cc: Mr. J. P. O'Reilly (NRC-RII)
Mr. G. Requa (NRC)
Mr. H. Krug (NRC Resident Inspector - RNP)

8412130047 841207
PDR ADCK 05000261
P PDR

A001
11

ENCLOSURE

NRC-STIPULATED PROVISIONS FOR ASH POND
DISPOSAL OF SLIGHTLY CONTAMINATED MATERIAL

1. Conformance with the concentration limit of 3×10^{-5} $\mu\text{Ci/g}$ will be determined by sampling and analysis of the settling basin sediments before each transfer of their contents to the Ash Pond.
2. The sum of the volumes of settling basin sediment transferred hereafter to the Ash Pond shall not exceed 60,000 m^3 .
3. Not more than 6000 m^3 of settling basin sediment shall be transferred to the Ash Pond in any 12 consecutive months.
4. Upon termination of use of the Ash Pond for disposal of ashes and sediment, it shall have a minimum cover uniformly of at least 6 inches thickness of uncontaminated material above the last addition of contaminated sediment, and shall be revegetated.
5. Any deposition of sediment between the settling basins and the Ash Pond due to spillage or leakage shall be cleaned up and disposed of in the Ash Pond.