

Group C

FOIA/PA NO: 2014-0245

RECORDS BEING RELEASED IN PART

The following types of information are being withheld:

- Ex. 1: ☐ Records properly classified pursuant to Executive Order 13526
- Ex. 2: ☐ Records regarding personnel rules and/or human capital administration
- Ex. 3: ☐ Information about the design, manufacture, or utilization of nuclear weapons
☐ Information about the protection or security of reactors and nuclear materials
☐ Contractor proposals not incorporated into a final contract with the NRC
☐ Other _____
- Ex. 4: ☐ Proprietary information provided by a submitter to the NRC
☐ Other _____
- Ex. 5: ☐ Draft documents or other pre-decisional deliberative documents (D.P. Privilege)
☐ Records prepared by counsel in anticipation of litigation (A.W.P. Privilege)
☐ Privileged communications between counsel and a client (A.C. Privilege)
☐ Other _____
- Ex. 6: ☐ Agency employee PII, including SSN, contact information, birthdates, etc.
☒ Third party PII, including names, phone numbers, or other personal information
- Ex. 7(A): ☐ Copies of ongoing investigation case files, exhibits, notes, ROI's, etc.
☐ Records that reference or are related to a separate ongoing investigation(s)
- Ex. 7(C): ☐ Special Agent or other law enforcement PII
☐ PII of third parties referenced in records compiled for law enforcement purposes
- Ex. 7(D): ☐ Witnesses' and Allegers' PII in law enforcement records
☐ Confidential Informant or law enforcement information provided by other entity
- Ex. 7(E): ☐ Law Enforcement Technique/Procedure used for criminal investigations
☐ Technique or procedure used for security or prevention of criminal activity
- Ex. 7(F): ☐ Information that could aid a terrorist or compromise security

Other/Comments: _____

<u>No.</u>	<u>Date</u>	<u>Description/(Page Count)</u>
1.	No date	Letter: From: Hironori Peterson To: Mr. D. M. Hoots (1 page)
2.	No date	Letter: From: Hironori Peterson To: Mr. D. M. Hoots (1 page)

- | | | |
|-----|----------|--|
| 3. | 09/06/06 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 4. | 10/18/06 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 5. | 04/10/07 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 6. | 04/10/07 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 7. | 10/11/07 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 8. | 12/07/07 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 9. | 12/07/07 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 10. | 12/21/07 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 11. | 08/31/08 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |
| 12. | No date | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page). Undated version of
letter below. |
| 13. | 12/09/08 | Letter: From: Hironori Peterson To:
Mr. D. M. Hoots (1 page) |

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed the (b)(6) documents submitted to us in your letter dated July 7, 2008, regarding (b)(6). Your letter informed us that (b)(6) (b)(6) meets all the conditions of 10 CFR 55.53.

Based on this review, we agree that (b)(6) is able to resume licensed duties. We are not making any changes to his current reactor operator license (b)(6) for the Byron Station (b)(6).

If you have any questions concerning this matter, please contact Ms. Janet R. Kweiser of my staff at 630-829-9711.

Sincerely,

/RA/

Hironori Peterson, Chief
Operations and Emergency Preparedness Branch

Docket Nos. 50-454; 50-455

cc: E. A. Bogue, Training Manager

(b)(6)

DOCUMENT NAME: (b)(6)

To receive a copy of this document, indicate in the box "C" = Copy w/o attach/ent "E" = Copy with attach/ent "N" = No copy

OFFICE	RIII:DRS	N	RIII:DRS	N				
NAME	BBPalagi:jrk		HPeterson					
DATE	07/ /2008		07/ /2008					

OFFICIAL RECORD COPY

C-1

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed your letter dated January 28, 2008, (b)(6) documents included, regarding (b)(6) from performing licensed duties. Based on our review of the documents you provided and (b)(6) (b)(6) we agree that (b)(6) (b)(6) not satisfactory for licensing.

As indicated in the letter (b)(6) (b)(6) dated January 14, 2008, enclosed with your letter, (b)(6) (b)(6) Therefore, we are not conditioning his license at this time. However, (b)(6) (b)(6) he shall not perform licensed duties.

Please advise us when (b)(6) meets all the conditions of 10 CFR 55.53. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) (b)(6) If you determine (b)(6) please notify us within 30 days. (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

/RA/

Hironori Peterson, Chief
Operations Branch

Docket Nos. 50-454; 50-455

cc: W. J. Spahr, Training Director

(b)(6)

DOCUMENT NAME (b)(6)

To receive a copy of this document, indicate in the box "C" = Copy w/o attach/encl "E" = Copy with attach/encl "N" = No copy

OFFICE	RIII:DRS	N	RIII:DRS	N			
NAME	BBPalagi:jrk		HPeterson				
DATE	02/ /2008		02/ /2008				

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

September 6, 2006

Mr. David M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed your letters dated July 19 and August 14, 2006, with (b)(6)

(b)(6) regarding (b)(6)

(b)(6) Based on this review of the documents you provided, we found we need additional information.

Please provide, within 30 days from the date of this letter, a response to the following:

1. (b)(6)
2. (b)(6)

We have amended (b)(6) license, dated August 30, 2006 (b)(6)

(b)(6) We have also requested from him the same information we are requesting of you.

If you have any questions concerning this matter, please contact Mr. Bruce Palagi at 630-829-9611.

Sincerely,

Kironori Peterson, Chief
Operations Branch

Docket Nos.: 50-454; 50-455

cc: S. F. Stimac, Training Director

(b)(6)



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

October 18, 2006

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9784

Dear Mr. Hoots:

We have reviewed your letter dated September 26, 2006, (b)(6) documents included, regarding (b)(6) from performing licensed duties. Based on our review of the documents you provided and an (b)(6) we agree that Mr. Knarr's (b)(6) (b)(6) not satisfactory for licensing.

As stated in the (b)(6) letter dated September 18, 2006, enclosed with your letter, Mr. Knarr's (b)(6) is ongoing. Therefore, we are not conditioning his license at this time. However, (b)(6) (b)(6) he shall not perform licensed duties.

Please advise us when (b)(6) meets all the conditions of 10 CFR 55.53. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) (b)(6) if you determine that (b)(6) please notify us within 30 days (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Honori Peterson, Chief
Operations Branch

Docket Nos. 50-454; 50-455

cc: Stephen Stimac, Training Manager

(b)(6)

C-4



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

April 10, 2007

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed your letter dated March 21, 2007, (b)(6) documents included, regarding (b)(6) from performing licensed duties. Based on our review of the documents you provided and (b)(6) (b)(6) we agree that (b)(6) (b)(6) not satisfactory for licensing. Therefore, we amended (b)(6) current reactor operator license, (b)(6) to restrict him from performing all licensed duties at the Byron Station.

As stated in the letter (b)(6) dated March 13, 2007, enclosed with your letter, (b)(6) is ongoing. Please advise us when (b)(6) (b)(6) meets all the conditions of 10 CFR 55.53. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) If you determine that (b)(6) (b)(6) please notify us within 30 days of learning (b)(6) (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch

Docket Nos. 50-454; 50-455

cc: W. J. Spahr, Training Manager

(b)(6)

C-5



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

April 10, 2007

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed your letter dated March 26, 2007 (b)(6) documents included, regarding (b)(6) (b)(6) from performing licensed duties. Based on our review of the documents you provided (b)(6) we agree that (b)(6) (b)(6) not satisfactory for licensing. Therefore, we amended (b)(6) current reactor operator license (b)(6) to restrict him from performing all licensed duties at the Byron Station.

As stated in the letter from (b)(6) dated March 19, 2007, enclosed with your letter (b)(6) Please advise us when (b)(6) (b)(6) meets all the conditions of 10 CFR 55.53. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) If you determine that (b)(6) please notify us within 30 days (b)(6) (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch

Docket Nos. 50-454; 50-455

cc: W. J. Spahr, Training Manager

(b)(6)



C-6



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

October 11, 2007

Mr. David M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed your letter dated September 17, 2007, (b)(6) documents included, regarding (b)(6). You requested that (b)(6) senior reactor operator license, (b)(6) be amended to include a (b)(6). However, based on our review of the documents you provided (b)(6) we have determined that (b)(6) (b)(6) not satisfactory for licensing.

As indicated in the letter from (b)(6) Exelon Nuclear, dated September 17, 2007, enclosed with your letter (b)(6). Therefore, we are not conditioning his license at this time. However, (b)(6) (b)(6) as stated in 10 CFR 55.21, he shall not perform licensed duties.

Please advise us when (b)(6) meets all the conditions of 10 CFR 55.53. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) (b)(6). If you determine that this disqualifying medical condition is permanent, please notify us within 30 days (b)(6).

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch

Docket Nos. 50-454; 50-455

cc: W. J. Spahr, Training Director

(b)(6)





UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

December 7, 2007

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed (b)(6) renewal application and (b)(6) documents included with your letter of October 30, 2007, and your December 4, 2007, letter informing us that (b)(6) will not be able to meet his biennial (b)(6). Based on our review (b)(6) we agree that (b)(6) not satisfactory for licensing. Therefore, we will not renew his license at this time. Since you submitted a timely renewal application, the license will not expire until disposition has been reached. /

(b)(6)

Please advise us when (b)(6) and provide the certification required (b)(6). If (b)(6) is not resolved by June 7, 2008, please provide an update on his status at that time. Prior to (b)(6) resuming licensed duties, we must agree (b)(6). If you determine that (b)(6) please notify us within 30 days (b)(6). (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch

Docket Nos. 50-456; 50-457

cc: W. J. Spahr, Training Manager

(b)(6)

C-8



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

December 7, 2007

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have received your letter dated December 5, 2007, regarding the two licensed operators who will be unable to meet their biennial (b)(6)

(b)(6)

(b)(6) issue has been addressed in separate correspondence to you. Regarding (b)(6) we will hold any further actions regarding his license until we receive information from you as to whether (b)(6) acceptable for performing licensed duties.

If you have any questions regarding this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch

Docket Nos. 50-456; 50-457

cc: W. J. Spahr, Training Manager

(b)(6)



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

December 21, 2007

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed (b)(6) renewal application and (b)(6) documents included with your letter of October 30, 2007. Based on our review, (b)(6) we agree that (b)(6) (b)(6) not satisfactory for licensing. Therefore, we will not renew his license at this time. Since you submitted a timely renewal application, the license will not expire until disposition has been reached. (b)(6)

(b)(6)

Please advise us when (b)(6) qualified and provide the certification required (b)(6) (b)(6) if (b)(6) is not resolved by June 21, 2008, please provide an update on his status at that time. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) If you determine that (b)(6) (b)(6) please notify us within 30 days (b)(6) (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch

Docket Nos. 60-456; 60-457

cc: W. J. Spahr, Training Manager

(b)(6)

G-10



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

August 31, 2008

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have reviewed your letter dated July 25, 2008, (b)(6) documents included, regarding (b)(6) from performing licensed duties. Based on our review of the documents you provided and an (b)(6) we agree that (b)(6) (b)(6) not satisfactory for licensing.

As indicated in the letter (b)(6) dated July 23, 2008, enclosed with your letter (b)(6). Therefore, we are not conditioning his license at this time. However, (b)(6) (b)(6) he shall not perform licensed duties.

Please advise us when (b)(6) meets all the conditions of 10 CFR 55.53. Prior to (b)(6) resuming licensed duties, we must agree (b)(6) (b)(6) If you determine that (b)(6) please notify us within 30 days. (b)(6)

If you have any questions concerning this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch
Operator Licensing and Emergency Preparedness

(b)(6)

cc: E. A. Bogue, Training Manager

(b)(6)

C-11

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have received your letter dated November 19, 2008, regarding (b)(6).
(b)(6) Your letter also informed us that (b)(6).
(b)(6) will be unable to meet his requalification requirements (both the annual operating examination and the comprehensive written examination) (b)(6).

We will hold any further actions regarding (b)(6) license until we receive information from you (b)(6) that his (b)(6) status is acceptable for performing licensed duties and that he has completed both the annual operating examination and the comprehensive written examination.

If you have any questions regarding this matter, please contact me at 630-829-9707.

Sincerely,

Hironori Peterson, Chief
Operations Branch
Operator Licensing and Emergency Preparedness

Docket Nos. 50-456; 50-457

cc: E. A. Bogue, Training Manager

(b)(6)

G-12



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

December 9, 2008

Mr. D. M. Hoots
Site Vice President
Byron Station
Exelon Generation Company, LLC
4450 North German Church Road
Byron, IL 61010-9794

Dear Mr. Hoots:

We have received your letter dated November 19, 2008, regarding (b)(6).
(b)(6) Your letter also informed us that (b)(6)
(b)(6) will be unable to meet his requalification requirements (both the annual operating
examination and the comprehensive written examination) (b)(6)

We will hold any further actions regarding (b)(6) license until we receive information
from you (b)(6) that his (b)(6) status is acceptable for
performing licensed duties and that he has completed both the annual operating examination
and the comprehensive written examination.

If you have any questions regarding this matter, please contact me at 630-829-9707.

Sincerely,

Mironi Peterson, Chief
Operations Branch
Operator Licensing and Emergency Preparedness

Docket Nos. 50-456; 50-457

cc: E. A. Bogue, Training Manager

(b)(6)