

From: <jack.ramsey@metso.com>
To: "Eric Jameson" <Eric.Jameson@dnr.state.ga.us>
Date: Tuesday, 14 June, 2011 10:02
Subject: Re: draft copy of revised ASM/AMM/BWM certificate

Eric,

Thank you for getting this completed.

I have noticed one error. On the page immediately preceding the signature page, the last referenced bullet point says, "Metso Automation USA Inc. letter with attachments dated September 20, 2011, signed by Jack Ramsey, PE, Sr. Radiation Officer." I believe the letter with attachments should be dated 2010, rather than 2011.

Other than that, I don't yet see any problems with it.

Thanks,
Jack

Jack Ramsey, PE
Sr. Radiation Officer
Metso Automation USA, Inc.
2900 Courtyards Drive
Norcross, GA 30071
770-246-7223 Phone
770-335-6606 Cell
770-441-9652 Fax

From:
"Eric Jameson" <Eric.Jameson@dnr.state.ga.us>
To:
<jack.ramsey@metso.com>
Date:
06/10/2011 04:04 PM
Subject:
draft copy of revised ASM/AMM/BWM certificate

Jack,

Attached is a draft copy of the certificate, reflecting the increase in activity of Pm-147. Additional changes include updating the source listing to reflect the Eckert-Ziegler acquisition of certain QSA sources, and an update of an inactive source.

Note that they're STILL trying to configure the scanner part of our copier. When that is done, I will add the AMM diagrams (the previous version was just the "reduce, paste, and copy" method of adding the images).

I will be in touch next week once I get a feel for concurrence date.

It has the 7th as a date because I was home with a sick child this week.

Sincerely,

Eric T. Jameson
Environmental Compliance Specialist
Radioactive Materials Program
voice: 404-362-2675
fax: 404-362-2653
e-mail: ejameson@dnr.state.ga.us

[attachment "596d113g-09a-increase_pm147_act.docx" deleted by Jack Ramsey/ATL/Automation/METSO]