

August 28, 2014
YRS:14:006

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk (03-H8)
Director, Office of Nuclear Material
Safety and Safeguards
One White Flint North
11555 Rockville Pike
Rockville, Maryland 20852-2738


License SNM-1227
Docket 70-1257

Subject: Required Reporting of Effluents per 10 CFR 70.59

As required by 10 CFR 70.59, AREVA Inc. is reporting discharges of radioactive materials in the effluents from its nuclear fuels fabrication plant on Horn Rapids Road in Richland, Washington for the period from January 1 through June 30, 2014.

If there are any questions, please contact me at (509) 375-8355.

Very truly yours,



Y. R. Sakach
Radiation Protection

Attachments

cc: V. McCree, U.S. Nuclear Regulatory Commission, Region II
P. J. Martell, State of Washington Department of Health
M.G. Crespo, U.S. Nuclear Regulatory Commission, Region II
D.B. Jansen, Director, Office of Radiation Protection (WDOH)

NMSSDI

Gaseous Effluent January 1- June 30, 2014				
Stack	Average Concentration ($\mu\text{Ci/ml}$)	Estimated Average MDC ($\mu\text{Ci/ml}$)*	Quantity ($\mu\text{Ci alpha}$)	Flow (m^3)
Low Enriched Uranium based on alpha				
K03	1.95E-16	2.73E-17	0.05	2.51E+08
K06	2.33E-16	6.93E-17	0.02	9.87E+07
K21	7.89E-16	1.64E-16	0.03	4.17E+07
K25	1.52E-16	3.09E-16	0.00	2.21E+07
K31	5.86E-16	1.13E-16**	0.14	2.43E+08
K37	2.33E-16	7.08E-17	0.02	9.67E+07
K42	4.15E-16	1.58E-16	0.02	4.33E+07
K46	2.43E-16	6.94E-17	0.02	9.86E+07
K47	1.45E-15	1.00E-15	0.01	6.84E+06
K49	8.38E-16	1.15E-16	0.05	5.97E+07
K52	4.53E-16	1.91E-16	0.02	3.58E+07
K56	1.36E-14	2.08E-15	0.04	3.29E+06
K58	2.06E-16	5.66E-17	0.02	1.21E+08
K60	7.23E-16	6.70E-17	0.07	1.02E+08
K62	2.32E-16	1.84E-17	0.09	3.72E+08
K65	3.83E-16	4.49E-16	0.01	1.52E+07
K67	6.22E-16	9.79E-16	0.00	6.99E+06
K72	8.89E-16	3.14E-17	0.19	2.18E+08
K75	1.87E-16	8.01E-16	0.00	8.55E+06
TOTAL			0.81	

* Estimated average minimum detectable concentrations for 7-day sampling.

** There are several sampled effluent streams discharged via this stack, MDC listed is the highest of any sampled effluent stream

Gaseous Effluent January 1- June 30, 2014				
Stack	Average Concentration ($\mu\text{Ci/ml}$)	Average MDC ($\mu\text{Ci/ml}$)*	Quantity ($\mu\text{Ci beta}$)**	Flow (m^3)
Mixed Fission and Activation Corrosion Products- Based upon Gross Beta results				
K52	9.79E-15	4.85E-16	0.35	3.58E+07
TOTAL			0.35	

* Estimated average minimum detectable concentrations for 7-day sampling.

Principal isotopes (by activity) are estimated to be Co-60 (~66%), Mn-54 (~20%), and Sb-125 (~9%).

Stack	Average Concentration ($\mu\text{Ci/ml}$)*	Average MDC ($\mu\text{Ci/ml}$)*	Quantity (μCi)	Flow (m^3)
Radionuclide: Rn-220				
K03	8.13E-10	---	2.04E+05	2.51E+08
K31	8.44E-09	---	2.05E+06	2.43E+08
K72	1.80E-07	---	3.92E+07	2.18E+08
K75	1.40E-07	---	1.20E+06	8.55E+06
TOTAL			4.27E+07	

* Radon concentrations are determined by e-perms, which rely on changes in voltage; not counting instruments.

Liquid Effluent* January 1 – June 30, 2014				
Constituent	Concentration ($\mu\text{Ci/ml}$)	LLD ($\mu\text{Ci/ml}$)	Quantity (Ci)	Liquid Volume (m^3)
Soluble U	3.04E-08	***	0.0012	3.83E+04
Insoluble U**	8.33E-08	***	0.0032	
Tc-99	7.83E-08	***	0.0030	
Total Ci			0.0074	

- * Combined liquid effluent released to City of Richland sewer system.
- ** For each calendar month the average concentration of insoluble uranium was less than 50 ppb.
- *** These constituents are analyzed chemically via Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) as opposed to radiation counting. Laboratory detection limits for uranium and Tc-99 are generally 1 ppb and 5 ppt, respectively.