



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard
Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: September 4, 2014

License No.: 45-23031-01

Docket No.(no hyphens):03020195

Mail Control/Report No.: 584515

Licensee Name: CTI Consultants, Inc.

Participant(s) Name/Title: Joseph Duquette, RSO

Work Telephone No.: 434 244 0011

Business Cellphone No.: 571 237 7639

NRC Representative Name/Title: Sattar Lodhi, Sr. Health Physicist

Subject: Verification of inventory

(This is the title that will be used in ADAMS)

Discussion:

The licensee's renewal application did not include request for Instron Model 3500, which is currently authorized (Amendment 28) on the license. I called the RSO to verify if this was an inadvertent omission or that they do not possess these gauges. The RSO stated that they do not possess this model and his application only included the models that are in the current inventory. The license does not authorize storage of licensed material in any NRC jurisdiction.

Action Required: Document and remove Model 3500 from Item 9 of license.

SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

Document Sensitivity:

(select "1" value to the right)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Non-Sensitive | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive) |
| <input type="checkbox"/> Non-Sensitive Copyright | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related) |
| <input type="checkbox"/> Sensitive – Proprietary | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary) |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act) |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required | <input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal) |

SUNSI Review Completed by: Sattar Lodhi

: If applicable, add OFFICIAL USE ONLY – SECURITY RELATED INFORMATION banners and change SUNSI review to A.3.

