



**PROJECT COMPLETION REPORT  
AND  
REQUEST FOR APPROVAL OF  
UNRESTRICTED USE DESIGNATION**

**AAR CORPORATION  
12633 INKSTER ROAD, LIVONIA, MI 48150**

**WESTERN PARCEL  
STRATEGIC WASTE EXCAVATION  
AND SITE RESTORATION PROJECT**



## **AAR CORPORATION PROJECT COMPLETION REPORT**

### **1.0 SUMMARY**

On 7 August 2013 AAR Corporation submitted "Remedial Work Plan, Revision 1" to the United States Nuclear Regulatory Commission (USNRC), seeking approval for the excavation and disposal of radiologically-contaminated soil and subsequent site restoration activities at 12633 Inkster Road, Livonia, MI 48150. On 30 October 2013 AAR Corporation submitted an "Amendment to the Remedial Work Plan" that addressed issues attendant to the original submittal.

Having completed its review, on 30 December 2013 the USNRC issued its letter of approval of the Remedial Work Plan as amended. Included therewith was the USNRC's Safety Evaluation Report, concluding that the AAR Work Plan was consistent with applicable NRC criteria and guidance, that the EQ Wayne Disposal facility in Belleville, MI was considered acceptable for disposal of the radiologically-contaminated soil and accumulated surface debris, and that the mixing of homogeneous waste streams was within the guidance provided in NUREG-1757 and, therefore, acceptable as well.

While the NRC approved disposal of mulched brush and trees at Sauk Trail Hills solid waste landfill, Republic Services attempted to impose unworkable restrictions on its acceptance; thus, it was decided that this material would be disposed of at the EQ Wayne Disposal facility as well.

Anticipating approval of its Remedial Work Plan, on 1 November 2013 AAR Corp enlisted the services of Solutient Technologies, LLC, North Canton, OH, an Ohio Radioactive Materials licensee, to perform the site work in conformity with the Work Plan once approved.

Solutient submitted separate waste profiles to EQ for (1) TENORM Contaminated Soils and (2) Site Debris. Having completed its review of waste profile forms, the Radioactive Waste Generator Certification Form, the Remedial Work Plan and the NRC's Safety Evaluation Report, the State of Michigan, on 10 March 2014, notified EQ of its determination that the material could be disposed of at the Wayne Disposal facility, Belleville, MI. On 8 April 2014 Solutient received EQ waste approvals for both the TENORM contaminated soils and Site Debris.

On 4 November 2013 Solutient requested that the State of Michigan reactivate the MDEQ Site Identification Number, MID980792212, for use on all manifest documents and related paperwork. MDEQ re-instituted the site ID Number on that same date.

On 31 March 2014 Solutient submitted a Soil Erosion and Sediment Control Application to the City of Livonia. The SESC permit was issued on 14 April 2014.

On 21 April 2014 Solutient applied to the NRC Region III for reciprocity inclusive of the dates 5 May 2014 to 1 August 2014. Approval of same was received on 22 April 2014. On 4 August 2014 Solutient informed the NRC Region III that the project had been completed effective 1 August 2014.

Solutient initiated mobilization and site preparation on 29 April 2014. Site clearing and chipping of trees and scrub brush began on 5 May 2014. Consolidation of site debris led to the initial shipment of same on 12 May 2014. Shipment of site soils began on 2 June 2014 and ended on 25 July 2014. Sampling in the 1-2 meter layer began in Grid 94 on 4 June 2014 and ended in Grid 98 on 28 July 2014.



In all, Solutient shipped to EQ's Wayne Disposal facility a total of 7,349.19 tons of TENORM Contaminated Soil and 236 cubic yards of site debris, with a Thorium 232 average activity of 9.227 pCi/g.



## **2.0 BACKGROUND**

### **A. Operational**

In documents issued by the NRC relative to historical operations conducted at the former Brooks & Perkins facility at 12633 Inkster Road, Livonia, MI, it is noted that in 1957 the AEC issued license number D-547, which was, in August 1961, superseded by license number STB-0362. Said license authorized the possession of up to 15,000 pounds of thorium as contained in 40% thorium master alloy and thorium-magnesium alloy containing not more than 3% thorium. Licensed activities included the rolling, melting, casting, forming, cutting, sanding and welding of manufactured products containing licensed source material.

In 1965 Brooks & Perkins was cited for incineration of approximately 60 pounds of thorium waste per month, consisting primarily of floor sweepings. At the time of discovery, said licensee could produce no definitive records indicating the disposition of the incinerated waste. Apparently Brooks & Perkins was able to add the process of controlled incineration of thorium-bearing waste to their license, with a 1967 letter referencing the burning/burial of ash residue on plant property. Said practice is thought to have continued until license termination in 1981. AAR Corp subsequently acquired the assets of the former Brooks & Perkins, including the property located at 12633 Inkster Road, Livonia, MI.

The NRC conducted a review of terminated license files, utilizing ORNL to conduct said evaluations. As a result, the former Brooks & Perkins site was, based on deficiencies discovered in the retired license file, subjected to closer scrutiny. Said site was added to the Site Decommissioning Management Plan (SDMP) in 1994 following an NRC inspection that concluded that thorium was improperly disposed of at the site and that certain areas of the building and grounds were in excess of the NRC release criteria for release of the facility for unrestricted use.

While operations have ceased at this location, AAR Corp continues to take a proactive approach to remediation of the site.

### **B. Decommissioning**

The 12633 Inkster Road, Livonia, MI property, which is the subject of this Remedial Work Plan (RWP), was formerly owned by Brooks and Perkins, Inc., who conducted licensed activities involving radioactive thorium materials under Atomic Energy Commission (AEC) source materials license No. STB-0362. Brooks and Perkins terminated their license on 17 May 1981. AAR Corporation subsequently purchased the assets of the former Brooks and Perkins, including the property located at 12633 Inkster Road.

Since 1996, AAR Corporation has maintained a proactive approach in negotiations with the NRC regarding remediation of the site. In November 2002, AAR submitted to the USNRC a plan calling for the unrestricted release and use of the eastern portion of the property and for restricted use of the western portion to include a restrictive covenant. Subsequently, the property was legally divided into the Eastern Parcel and the Western Parcel, 12633 Inkster road, Livonia, MI.

In 2006 AAR Corporation enlisted Partners Environmental consulting to prepare and submit to the USNRC a Revised Dose Assessment and Work Plan. Said document was dated 7 August 2006. A Remedial Work Plan, authored by EnergySolutions, was submitted for review on 14 November 2006.

In a letter dated 27 October 2006 the NRC determined that the revised probabilistic dose analysis for the site demonstrated that, contingent upon implementation of the Remedial Work Plan of August 2006, the Eastern Parcel of the site would meet the dose criteria for unrestricted use, per the License Termination Rule (LTR) (10 CFR Part 20, Subpart E). The Western Parcel was deemed to meet the dose criteria for restricted release.

Site remediation activities began in November 2006. A total of six (6) 100m<sup>2</sup> grids of soil in an open land area were excavated to a depth of one (1) meter, loaded out, transported and disposed. Two (2) of the 100m<sup>2</sup> grids were within the Eastern Parcel and four (4) of the 100m<sup>2</sup> grids were within the area designated as the Western Parcel. Excavation cavities were backfilled with clean imported soils. This remedial action was successfully carried out, as evidenced in the Final Site Remediation Report authored by Partners Environmental in April 2007.

In September 2010, the NRC and its consultant performed a radiological survey of the CSXT parcel that runs parallel and contiguous to the southern boundary of the AAR Corporation property. In June 2011 the NRC released its Technical Evaluation Report regarding the radiological status of the contiguous CSXT right-of-way. NRC staff concluded that the CSXT property meets the criteria for unrestricted use and that this parcel requires no additional soil remediation or cleanup.

In August of 2013, AAR submitted the Remedial Work Plan, Revision 1, calling for the excavation of twenty-nine (29) 10m X 10m x 1m grids and three (3) 10m X 5m X 1m grids in a portion of the property referred to and delineated as the Western Parcel. The purpose of this strategic waste excavation, soils management and site restoration plan was to obtain from the NRC an "unrestricted use" designation for said parcel. It is anticipated that use of the site will remain consistent with its current use and that of the neighboring properties (commercial, light industrial, warehousing, trucking).

On 30 December 2013 the NRC issued its remedial Work Plan letter of approval and its Safety Evaluation Report in which the NRC stated that "the NRC staff concludes that the AAR Work Plan is consistent with applicable NRC criteria and guidance. The staff has no objection to AAR proceeding with the remediation as described in the work Plan".

### **3.0 WORK PLAN IMPLEMENTATION**

#### **A. Objectives**

##### **1.0 Primary Objective**

The primary objective for the AAR Western Parcel Strategic Waste Excavation and Site Restoration project is to obtain from the NRC an “unrestricted use” designation for the Western Parcel of the property located at 12633 Inkster Road, Livonia, MI 48150.

##### **2. Secondary Objectives**

###### **(a) Strategic Waste Excavation**

Excavating soils in conformity with those pre-established grids identified in Section 3.1 of the Work Plan

###### **(b) Sampling and Gamma Spectroscopy in the 1-2 Meter Layer**

Evidencing that the soils in the 1-2 meter zone within the pre-established grids meet the proposed DCLG<sub>w</sub> for the 1-2 meter layer

###### **(c) Soils Management**

Managing soils, including blending of high-activity with low-activity materials, in order to meet the disposal facility Waste Acceptance Criteria (WAC)

###### **(d) Site Restoration**

Maintaining existing ecology to as great an extent as possible, while incorporating clean fill material to bring grid excavations to pre-existing grade.

#### **B. Release Criteria**

Regulatory Guidelines and Release Criteria were identified in Section 3 of the Remedial Work Plan, a copy of which is attached hereto.

## **C. Chronological Summary of Work Performed**

### **(i) Summary of Site Preparation Activities**

In July of 2013 Solutient employed the services of AMBIT Land Surveyors (formerly Milletics and Associates, Plymouth, MI), who, in 2006 had performed the grid layout that established the Eastern and Western Parcels at 12633 Inkster Road, Livonia, MI. AMBIT delineated the outer boundaries of the Western Parcel in preparation for clearing and grubbing and for purposes of establishing the exclusion zone, transition zone, haul road locations, equipment staging area and backfill material stockpile area.

In December of 2013 AMBIT performed the initial site surveying work and engineering necessary to submit the Soil Erosion and Sediment Control Plan to the City of Livonia. In March of 2014 AMBIT completed the SESCO documentation that caused the City of Livonia to issue said permit on 14 April 2014.

During the week of 27 April 2014 Solutient (1) set up the instrumentation room and the laboratory, and the multi-channel analyzer (MCA), (2) installed perimeter "Radioactive Materials" signage along the southern, western and northern property boundaries, as well as rad rope and signage to designate the control zone and the transition zone, (3) installed silt fence per SESCO engineering design, (4) performed radiological surveys of incoming heavy equipment, (5) constructed the out-bound truck "mud pad", and (6) laid out the north and south haul roads.

During the week of 4 May 2014 Solutient (1) consolidated surface debris, (2) cleared the control zone of immature trees and scrub brush, (3) performed radiological surveys of incoming roll-off boxes to be used for loadout of surface debris, (4) supervised AMBIT as they performed GPS delineation and pinning of the 10m X 10m grids within the Western Parcel, and (5) installed perched water observation wells to a depth of 1 meter in grids 73, 159, 186 and 282.

During the week of 11 May 2014 Solutient experienced rain events that precluded our initiating grid excavations. We did, however, (1) dispose of roll-off boxes of surface debris, (2) placed 1X3 limestone on designated haul roads, (3) installed excavated trenches to a depth of 1 meter on a line extending from (a) the southwestern boundary of grid 98 to the northwestern boundary of grid 247, (b) the southeastern boundary of grid 285 to the northeastern boundary of grid 315, (c) the northeastern boundary of grid 187 to the northeastern boundary of grid 190, (d) the northeastern boundary of grid 123 to the northeastern boundary of grid 126, and (4) built distinct stockpiles of 1X3 and 21AA stone for later use as backfill material.

During the week of 18 May 2014 the job was shut down due to extensive and severe rain events.

During the week of 25 May 2014 Solutient (1) began the process of site dewatering, including establishing a holding pond in grid 189 and ordering a 21,000 gallon holding tank, pump and hoses as a precautionary measure, (2) installed sumps in trenches, (3) continued stockpiling backfill material, and (4) disposed of surface debris.

(ii) Summary of Work

A daily accounting of the progression of remediation work is as follows:

**6-2-14**

Trenched western boundary of grids 266 and 284  
Concurrently dewatered and excavated grid 94  
Loaded, transported, disposed of grid 94 soils

**6-3-14**

Dewatered grid 94 and trench contiguous to grid 122  
Loaded, transported, disposed of grid 122 soils  
Region III NRC and ORISE imposed new soils sampling and manifesting procedures  
Encountered buried drums, bollards, refractory brick, concrete foundations, pallet wood

**6-4-14**

Dewatered grid 94  
Obtained 1-2 meter samples in grid 94  
Dewatered grid 122 and main north/south trench  
Loaded, transported disposed of grid 122 soils  
Prepared to excavate grid 156

**6-5-14**

Dewatered grids 122, 156 and main north/south trench  
Loaded one truck prior to EQ imposing hold on further shipments  
Dumped contents of truck back into grid 156  
Stopped job until further notice

**6-6-14**

Dewatered grids 122 and 156  
Obtained 1-2 meter samples in grid 122  
Sent e-mail to State of Michigan, EQ, AAR requesting they attend a meeting at the Livonia site on 6-10-14 to review progress to date and impact of EQ-imposed directives  
(a) 24-hour notice prior to shipping Class 7 material  
(b) No acceptance of trailer-loads of material exhibiting > 19.5 pCi/g  
(c) No blending of site soils permitted  
Demobilized

**6-9-14**

Performed analytical on 1-2 meter samples from grids 94 and 122  
Dumped previously loaded truck that exhibited 30 pCi/g on surface of grid 216  
Finalized arrangements for 6-10-14 meeting

**6-10-11**

Meeting with State of Michigan, EQ, AAR, the results of which were:  
(a) No 24-hour notice of Class 7 shipments; call prior to truck leaving site  
(b) Accept truckloads of soils exhibiting < 55 pCi/g Th-232, but average over all Shipments cannot exceed 19.5 pCi/g th-232  
(c) Permit blending, per NRC authorization in Safety Evaluation Report

**6-11-14 thru 6-13-14**

Stand down

**6-16-14**

Trenched from northeastern boundary of grid 126 to southeast boundary of grid 76, from southeast boundary of grid 126 to southwest boundary of grid 375, and from southeast boundary of grid 76 to southwest boundary of grid 370  
Backfilled grids 94 and 122  
Developed procedures for soils blending

**6-17-14**

Dewatered grid 156

**6-17-14 (cont)**

Loaded, transported, disposed of ~ 200 T of soil from grid 156

Loaded out dumped material originating in grid 156

Completed backfill of grid 94

**6-18-14**

Stand down due to high winds and storms

Dewatered grid 156

Obtained 1-2 meter samples in grid 156 between storms

**6-19-14**

Dewatered grid 156 and north/south trenches

Backfilled grid 156

Loaded, transported, disposed of soils in grid 216

Encountered concrete foundation, vehicle parts, 55-gallon drums, bollards, steel I-beams in grid 216

**6-20-14**

Completed loadout, transport, disposal of soils in grid 216

Dewatered grid 157

Dewatered grid 216

Obtained 1-2 meter samples in grid 216

**6-23-14**

Dewatered grid 157

Dewatered grid 216

Loaded, transported, disposed of soils in grid 157

Removed soils in quadrants 3&4 of grid 216

Obtained samples from bottom of 1-2 meter excavation in grid 216

Obtained 1-2 meter samples in grid 157

**6-24-14**

Dewatered grid 157

Dewatered north/south trench

Backfilled grid 216

Rained out at 1115

**6-25-14**

Loaded, transported, disposed of soils from grid 217

Significant rubber debris, 55-gallon drums, I-beams in excavation

Heavy traffic at landfill

Prepared mix pit to blend soils from 247, 217, 187

**6-26-14**

Dewatered grids 217 and 158

Completed backfill of grid 157

Blended soils from grids 247, 217, 187

Obtained composite sample of blended soils to ensure landfill acceptance

Loaded, transported, disposed of soils from mix pit in grid 217

Prepared mix pit for soils in grids 123 & 124

**6-27-14**

Dewatered grids 189 and 158

Blended soils from grids 127, 247, 187 and from grids 123, 124, 187

Obtained composite samples of blended soils from mix pit in grids 217 and 123

Prepared remaining grid 187 soils for loadout

**6-30-14**

Obtained 1-2 meter samples in grids 247, 217 and 187(1&2)

Prepared mix pit for soils in grids 124, 125, 158, 189

Dewatered trenches in southwest corner

Blended soils from grids 124, 125, 158, 189

Obtained composite samples of blended soils from mix pit in grid 158

Loaded, transported, disposed of soils from mix pit in grid 158

**7-1-14**

Dewatered grids 123, 125 and open trenches  
Obtained 1-2 meter samples in grids 123, 187(3&4), 124 (1&2), 125 (1&2)  
Extended north haul road  
Backfilled in grids 217, 247, 187  
Loaded, transported and disposed of soils from grids 124 and 125

**7-2-14**

Dewatered remaining trenches  
Obtained 1-2 meter samples in grid 125 (3&4) and 189  
Loaded, transported, disposed of soils from grid 126  
Prepared mix pit for five northern grids 265, 266, 283, 284, 315

**7-3-14**

Dewatered grid 125  
Obtained 1-2 meter samples in grid 158  
Demolished dog pen and concrete foundation in grid 315  
Backfilled grids 123, 124 (1&2), 125

**7-4-14**

Holiday

**7-7-14**

Removed 1-2 meter soils in quadrant 1 of grid 158  
Obtained sample from bottom of 1-2 meter excavation in quadrant 1 of grid 158  
Backfilled grids 125 and 158(2,3&4)  
Loaded roll-off boxes with debris from grid 315 dog pen and foundation  
Excavated remainder of grid 124 and placed atop grid 99  
Obtained 1-2 meter samples in grid 124(3&4)  
Size-reduced and loaded out buried concrete and rock

**7-8-14**

Backfilled grid 189  
Loaded, transported, disposed of soils from north mix pit and grid 126  
Experienced stand down due to rain event  
SESCP Inspection by City of Livonia

**7-9-14**

Dewatered grid 126 and remaining trenches  
Removed 1-2 meter soils in quadrant 3 of grid 157  
Obtained sample from bottom of 1-2 meter excavation in quadrant 3 of grid 157  
Obtained composite sample from mix pit in 265, 266, 283, 284  
Loaded, transported, disposed of soils from mix pit in 265, 266, 283, 284  
Loaded, transported, disposed of soils from grid 126  
Created southern boundary haul road  
Uncovered pockets of high-activity non-conforming waste in grid 126  
Backfilled grid 158(1)

**7-10-14**

Dewatered grid 126 and remaining trenches  
Moved material from north mix pit to grid 126 for blending  
Blended material from grid 158 with soils from grid 188  
Completed backfill of grid 158

**7-11-14**

Dewatered grid 126  
Loaded, transported, disposed of blended soils from grid 126  
Loaded, transported, disposed of soils from atop grid 99  
Blended soils from grids 101, 368, 369

**7-14-14**

Loaded, transported, disposed of soils from grid 126  
Obtained 1-2 meter samples in grids 265 (1&2), 283, 284



**7-14-14 (cont)**

Loaded, transported, disposed of soils from mix pit in grid 101  
Obtained 1-2 meter samples in grid 126  
Dewatered grid 368

**7-15-14**

Loaded, transported, disposed of soils from grids 98 and 99  
Obtained 1-2 meter samples from grid 99  
Backfilled grid 99  
Loaded, transported, disposed of soils from mix pit in grid 101  
Loaded, transported, disposed of soils from grid 370  
Backfilled grid 126  
Backfilled grids 283,284

**7-16-14**

Obtained 1-2 meter samples in grids 101 and 368(2&4)  
Backfilled grids 101, 368(2&4) and 99  
Loaded, transported and disposed of soils from grids 265, 266, 370  
Discovered asbestos in grid 370

**7-17-14**

Loaded, transported, disposed of soils from grids 370, 266, 188

**7-18-14**

Obtained 1-2 meter samples in grids 265(3&4), 266  
Backfilled grids 265, 266, 283, 284  
Loaded, transported, disposed of soils from grids 370, 188 and 76

**7-21-14**

Loaded, transported, disposed of soils from grids 188, 76, 368, 375, 75 and 37  
Size-reduced and shipped two loads of concrete and stone originating in excavations

**7-22-14**

Obtained 1-2 meter samples in grids 370, 76, 188  
Backfilled grids 370, 76, 188  
Loaded, transported and disposed of soils from grids 368, 369  
Loaded, transported, disposed of soils from grids 37 and 75  
Trammed soils from grid 315 to blend with soils in grid 75  
Moved material from grid 369 to blend with soils in grid 75

**7-23-14**

Obtained 1-2 meter samples in grids 37, 75, 369  
Loaded, transported, disposed of soils from grids 368 and mix pit grid 74

**7-24-14**

Loaded, transported, disposed of soils from grids 74, 36, 98, 368 and 375  
Obtained 1-2 meter samples in grids 74, 36, 368 and 375  
Backfilled in grids 74, 36, 368 and 375

**7-25-14**

Loaded, transported, disposed of soils from grids 98 and 315  
Size-reduced, loaded disposed of concrete and stone from excavations  
Obtained 1-2 meter samples in grids 98 and 315

**7-28-14**

Backfilled grids 98 and 315  
Supervised GPS survey by Ambit  
Loaded roll-off box of site debris

**7-29-14**

Completed backfilling and grading operations  
Shipped final cooler of 1-2 meter samples to ORISE

#### 7-30-14

ORISE discovered elevated levels in grid 72

Solutient obtained 5-gallon bucket sample of material in grid 72 and obtained GS analysis to ensure that the 5-gallon bucket of waste met the EQ WAC

#### (ii)(1) Certain Work Issues Addressed

##### - Dewatering

During site reconnaissance prior to inception of the project, the presence of vegetation associated with a shallow water table indicated to Solutient the probability that we would encounter high-moisture soils and/or perched water during site excavation work, potentially creating the need to stockpile soils for natural decanting.

Due to a series of weather events, it was decided to install four (4) perched water observation wells to a depth of 1 meter. This was done to: (1) gauge the depth to water in specific areas of the Western Parcel, (2) determine the optimal location for a series of 18"W X 39"D trenches to allow soils to shed perched water and (3) assist in redesigning the sequence of grid excavations should such weather events persist.

As noted in the above chronology, on or about 10 June 2014 it was decided to bring on board a 21,000 gallon portable storage tank, pump and hoses as a contingency if trenching proved inadequate. We were able to control dewatering as noted in the chronology, without the need for using the portable storage tank.

##### - Blending of High-activity and Lower-activity Soils to Achieve EQ's Waste Acceptance Criteria

The potential need to blend soils on-site was identified in Section 2.2(B)(2) of the Remedial Work Plan. Potential became reality following our 10 June 2014 meeting at the AAR Livonia site with The State of Michigan and EQ. The establishment of a limit of <55pCi/g per shipment for soils shipped to EQ and the establishment of a maximum of 19.5pCi/g over the total project drove the decision to initiate soils blending.

Thus, a written procedure was established that addressed (1) identification of materials suitable for blending, (2) blending parameters, (3) sampling procedures, and (4) dealing with exceedences. The above chronology describes the location of mix pits and the origin of soils blended in those mix pits.

##### - Sub-surface Debris

Historical documents suggested the probability of encountering decaying drums of ash within the excavations.

As early on as trenching parallel to the eastern border of the Western Parcel and excavating in grid 94, it became readily apparent that the Western Parcel was the site of indiscriminant dumping/burial of voluminous debris, including pallets, rubber hose, steel cable, steel I-beams, bollards, concrete-encased mixer shafts and blades, large steel-encased concrete anchors, concrete foundation block, refractory brick, vehicle parts, sheets of crumpled aluminum, culvert pipe, asbestos, magnesium alloy dross and the like.

Then, on 9 July 20 2014 we encountered numerous high-activity agglomerated "rocks" of a deep blue color and a volume of loosely consolidated white powder, primarily of low activity. This caused us to contact the USNRC for guidance on the handling of same. It was concluded that the rocks were probably furnace slag and that the white material was probably a calcium-containing raw material. Attempting to avoid the creation of a waste stream that would necessitate disposal at a licensed radioactivity landfill, Solutient instructed the equipment operators to crush the material in the excavation and mix the resultant

material with contiguous soils, after which additional blending would take place, along with sampling as appropriate.

(ii)(2) Changes to or Deviations From the Remedial Work Plan

During a site inspection conducted by USNRC, Region III NRC and ORISE on 3 and 4 June 2014, it was determined that the following procedures would be implemented:

- a. Michigan Gravel Trains, consisting of a tractor, a lead trailer and a tag trailer could not be considered as one conveyance and that the contents of each trailer must be sampled and manifested independently
- b. Sampling procedures, as identified in Attachment 2, would be implemented
- c. Full-depth sampling in the 1-2 meter zone would be done with an auger capable of generating sufficient sample material that could be split between Solutient and ORISE. A site specific program was developed which would identify a random sample location within each of the four quadrants in each excavated grid.

Attachment 4 provides the sample results for each trailer load of soils transported to EQ and provides a running average concentration for same.

(ii)(3) Grids/Quadrants Excavated to a Depth of Two Meters

During grid excavations early on, such as grid 216, historical site data specific to the 1-2 meter zone verses actual sample results from the 1-2 meter zone reduced our confidence level in being able to achieve a final average concentration limit of <20pCi/g.

Therefore, when we encountered what we considered to be an elevated sample result in the 1-2 meter zone, we took a proactive approach and removed soils within the affected quadrant. This resulted in excavation to a depth of two meters in the following:

Grid 216, quadrants 3 and 4  
Grid 158, quadrant 1

Attachment 7 provides the results of sampling in the 1-2 meter zone and incorporates the results of samples taken at 2 meters following excavation to that depth in grids 216 and 158.



#### **4.0 CONCLUSIONS**

The following conclusions apply to this project:

A. Solutient deviated from the Remedial Work Plan only as directed by USNRC and/or Region III NRC with two exceptions, which were: (1) the implementation of observation wells, trenching and dewatering procedures designed to allow the project to proceed, and (2) the excavation to a depth of two (2) meters in certain quadrants of Grids 158 and 216.

B. Sampling procedures were conducted with strict conformity to those procedures introduced or approved by the USNRC and/or Region III NRC.

C. Truck loadout and manifesting procedures were performed in strict conformity with MDOT regulations and EQ Waste Acceptance Criteria.

D. Soil sample results support having achieved per load concentrations of <55pCi/g Th-232.

E. Soil sample results support having achieved a disposal project average concentration of <19.5 pCi/g Th-232. (Attachment 4)

F. Sample results in the 1-2 meter zone support having achieved an average concentration of <20 pCi/g total thorium. (Attachment 7)

The goals of the project having been met, AAR is positioned to receive from the USNRC an "unrestricted use" designation for the Western Parcel of the property located at 12633 Inkster Road, Livonia, MI.

- Attachment 1 Remedial Work Plan Section 3.0 "Regulatory Guidelines/Release Criteria"
- Attachment 2 Gamma Spectrometry Daily Operating Procedure
- Attachment 3 Soils Blending to Achieve Waste Acceptance Criteria
- Attachment 4 Summary of Waste Manifests Evidencing Having Achieved WAC
- Attachment 5 Procedures for Drying Samples Preparatory to Gamma Spectrometric Analysis
- Attachment 6 Calculations of 1-2 Meter Total Thorium
- Attachment 7 Results for 1-2 Meter Per Sample and Overall Average Concentration
- Attachment 8 Random Locations of the 1-2 Meter Soil Samples for Each Grid/Quadrant
- Attachment 9 Gamma Spectroscopy 1-2 Meter Grid Sample Results
- Attachment 10 Site Photos

# **ATTACHMENT # 1**

**AAR Western Parcel Strategic Waste Excavation and Site Restoration RWP**

**3.0 REGULATORY GUIDELINES/RELEASE CRITERIA**

**3.1 REVISED PROBABALISTIC DOSE ANALYSIS/ BASIS FOR UNRESTRICTED RELEASE**

The License Termination Rule (LTR), 10 CFR 20, Subpart E, states that a site will be considered acceptable for unrestricted use if the residual radioactivity that is distinguishable from background radiation results in a TEDE to an average member of the critical group that does not exceed 25 mrem (0.25 mSv) per year, including that from groundwater sources of drinking water, and the residual radioactivity has been reduced to levels that are as low as reasonably achievable (ALARA). ...

In a letter dated, October 27, 2006, the NRC stated that the radiological analysis submitted by AAR demonstrates that it fulfilled the dose requirement of the LTR for unrestricted release of the eastern parcel of the site, contingent on the completion of the remedial action. Remedial activities were completed in January, 2007 and a final report submitted to the NRC in April, 2007.

The radiological analysis previously submitted and approved by the NRC was used to evaluate what further soil removal from the western and eastern parcels would be required to reduce the radiation dose consistent with the LTR for unrestricted release of the entire site. The probabilistic dose assessment yielded a dose source ratio (DSR) for the resident farmer scenario of 2.4 mrem/year per pCi/g, assuming a 10,000 m<sup>2</sup> "area of contaminated zone" and a 2 m "depth of contaminated zone." A 10,000 m<sup>2</sup> contaminated zone was used because it is the value recommended by the NRC for the AAR dose assessment. Based on the calculated DSR, the average thorium concentration in the site soils must be  $\leq 10$  pCi/g to meet the limit established in LTR for unrestricted release.

Excavating the soil and replacing it with uncontaminated material from the 32 grids listed below, results in an average concentration, in the top one meter of soil within the western most 10,000 m<sup>2</sup> area of the site (155W to 60W) of 6 pCi/g. The specific grids recommended for removal are as follows (see Figure 3a, Site Characterization Report, Phase II of B. Koh 1999 for grid locations): 36, 37, 74, 75, 76, 94, 98, 99, 101, 122, 123, 124, 125, 126, 156, 157, 158, 187, 188, 189, 216, 217, 247, 265, 266, 283, 284, 315, 368, 369, 370, 375.

Table 3.1, shows the grids to be removed and the resulting average thorium concentration after grid removal.

**3.2 EXCAVATION DEPTH**

No excavation is required below a depth of one meter provided the average thorium concentration in the 1-2 meter layer does not cause the resulting dose to exceed the LTR limit for unrestricted release. At the time of maximum dose for the 0 to 1 meter layer the Dose Source Ratios are as follows: DSR (0-1 m) = 2.4 mrem/year per pCi/g and DSR (1-2 m) = 0.13 mrem/year per pCi/g. Therefore, at this time, the average concentration in the 0 to 1 meter layer of 6 pCi/g would equate to a dose rate of 14.4 mrem/year, and the average concentration in the 1 to 2 meter layer would have to be at or below 82 pCi/g for the total dose rate not to exceed the 25 mrem/year criteria.

However, at the time of the maximum dose for the 1 to 2 meter layer which occurs several hundred years later, the Dose Source Ratios are as follows: DSR (0-1 m) = 1.2 mrem/year per pCi/g and DSR (1-2 m) = 0.65 mrem/year per pCi/g. Therefore, at the time in question, the average concentration in the 0 to 1 meter layer of 6 pCi/g would equate to a dose rate of 7.2 mrem/year, and the average concentration in the 1 to 2 meter layer would have to be at or below 27 pCi/g for the total dose rate not to exceed the 25 mrem/year criteria.

### 3.3 REAL-TIME CONFIRMATORY SAMPLING

After excavating soil to a depth of one meter, the average concentration in the 1-2 meter level will be verified by removing and analyzing soil samples. Four samples will be removed from each 100 square meter grid as described in Site Characterization Report, Phase II, Former Brooks and Perkins, Site, Inc., Revision 0, August 1999, prepared by B.Koh and Associates. The concentration of the four grid samples will be added to the existing data for the 1-2 meter layer and a new layer average calculated. The existing data for the 1-2 meter layer is presented in the attached spreadsheet, Table 3.4.

If the average thorium concentration of an exposed grid in the 1-2 meter layer causes the average concentration in the entire 1-2 meter layer to exceed 20 pCi/g, AAR will remove the exposed grid to an appropriate depth and replace it with clean fill.

## **ATTACHMENT # 2**



SOLUTIENT TECHNOLOGIES LLC.

GAMMA SPEC DAILY OPERATING PROCEDURE

\*\*\*\*BEFORE USE\*\*\*\*

LIQUID NITROGEN MUST COOL SYSTEM FOR A MINIMUM OF 24 HOURS

- 1.) Open gamma acquisition & analysis. (If High Voltage is already on skip step 2 & 3.)
- 2.) FILE > OPEN DATASOURCE
  - Source: >Detector > RE1A > Open
- 3.) MCA > ADJUST > HVPS > ON (Let the high voltage ramp up and read ready.)
- 4.) Perform Daily background count and compare to the QC Chart.
- 5.) EDIT > SAMPLE INFO
  - Sample Title : (Daily Source Check)
  - Sample I.D.: (Monazite Standard)
  - Collector Name: (N/A)
  - Type: (Th-232 73 pCi/g)
  - Sample Description: (Source Reference Material)
  - Quantity: (200.3g)
  - Units : (Grams)
  - Sample Date: (?)
  - Sample Time: (?)
  - Sample Geometry: (8oz. Can)
- 6.) Place the "Source Reference Standard" on detector and close lid.
- 7.) ANALYZE > EXECUTE SEQUENCE >
  - "H" DAILY QC
- 8.) Once the count is complete and the report prints,
  - FILE > SAVE AS >: Save in proper folder designated for the project "DAILY QC".
- 9.) Review the report print out page "PEAK ANALYSIS REPORT". Check the lower end of the spectrum at 93.35 keV to ensure it is between 93.0 – 93.6 keV, then check the upper end of the spectrum at 911.6 keV to ensure it is between 911.2 – 911.8. Once this is verified to be correct refer to the "INTERFERENCE CORRECTED REPORT". Verify that the Ac-228 activity falls within 2 pCi/g +/- of the known activity of 73.0 pCi/g Th-232 Source Reference Standard.
- 10.) Once the system is determined to be in proper operating parameters the samples then can be analyzed. Return the "Source Reference Standard" to its storage area.

## SOLUTIENT TECHNOLOGIES LLC.

11.) Samples will be collected per the AAR Livonia Sampling Protocols submittal. The amount of material placed in the sample container will be as close to 200.3 grams as possible. The samples shall be representative of the material being analyzed. Large stones, sticks or other debris which can affect a homogenous sample will be removed. Once the desired weight is obtained, a lid will be secured on the sample can and it will be labeled using the site labeling protocol.

The analysis sequence is described below.

### 12.) EDIT > SAMPLE INFO

- Sample Title : (PROJECT)
- Sample I.D.: (NOMENCLATURE)
- Sample Description: (GRID I.D. & DEPTH)
- Collector Name: (?)
- Type: (SOIL)
- Quantity: (200.3g)
- Units : (Grams)
- Sample Date: (?)
- Sample Time: (?)
- Sample Geometry: (8oz. Can)

13.) Place the next sample for analysis on the detector and close lid.

### 14.) ANALYZE > EXECUTE SEQUENCE > (Count times may vary based on activities.)

- "G" Soil W MDA 20 Minutes
- "N" Soil W MDA 15 Minutes

15.) Once the count is complete and the report prints,

- FILE > SAVE AS >: Save in proper folder designated for the project analytical data

### 16.) Refer to the report print out "INTERFERENCE CORRECTED REPORT"

- Review and determine if the activity pCi/g concentration in the sample is over the DCGL set for the site remediation.
- The data should then be transferred to an Excel spreadsheet archiving the activity levels of each isotope of concern in the sample.

17.) Return to step # (10.) for the next sample analysis count.

## **ATTACHMENT # 3**

## SOILS BLENDING TO ACHIEVE WASTE ACCEPTANCE CRITERIA

The following procedures were developed to ensure, to as great an extent as practicable, that on-site blending of Thorium-contaminated soils produces material that, when sampled via Gamma Spectroscopy, meets DOT criteria of <27.5 pCi/g and WAC criteria of <54 pCi/g.

### IDENTIFICATION OF MATERIALS SUITABLE FOR BLENDING

Solutient utilized the 1999 site characterization data contained in a schematic entitled "AAR Project Site, 0-1 Meter Increment Soil Sample Results Total Thorium (pCi/g)" to identify those grids/quadrants of highest activity and those grids/quadrants exhibiting relatively low levels of activity that suggest their candidacy for blending to achieve the criteria identified above.

Additionally, Solutient utilized simplistic arithmetic calculations of activities and soil volumes to determine what combination of same will provide the desired results. An example of same is as follows:

Soils in Grid 158 will be manipulated, excavated and loaded out, thereby creating a "mix pit". Soils from Grids 189 and 125 will be blended as follows:

$$189 (3+4) + 125 (1 \times .5 + 2) = 41.98 \text{ pCi/g}$$

$$189 (1+2) + 125 (1 \times .5 + 3+4) = 43.39 \text{ pCi/g}$$

### BLENDING PARAMETERS

All blending operations will be conducted within a "mix pit" that results from the excavation to a depth of 1 (one) meter and the load-out of these soils originating in those grids/quadrants previously identified for removal. Mix pits will be located in or contiguous to those grids exhibiting the highest levels of activity. The attached schematic provides an example of same.

There will be no tramping of highest-activity soils. When required, a specific volume of low-activity soils may be trammed to a mix pit to affect blending to achieve the acceptance criteria. This, however, represents an exception to the proposed methodology that calls for blending of materials that exist within contiguous grids.

One or more excavators will load the mix pit with previously-identified soils. Mixing buckets with teeth will be utilized to mix the soils within the confines of the mix pit. The volume of material and the extent of mixing that takes place will be determined by the current site manager.

Once sufficient mixing has been completed, the blended material will be available for sampling.

## **SAMPLING**

Solutient is currently utilizing sampling procedures that call for the following:

- When loading Michigan Gravel Trains with soil, each trailer is sampled and the resultant sample analyzed independent of the other
- Every fifth excavator bucket of soil is dumped in the excavation for purposes of improved mixing. This bucket load of material is once again retrieved and positioned so that the sampler can access the material for sampling purposes.
- A beaker of soil will be extracted from every fifth bucket of soil and placed in a five-gallon bucket
- A beaker of soil will also be extracted from the last bucket of material to be loaded into the conveyance and said material placed in the five-gallon bucket
- On average the lead trailer will accommodate 20-23 buckets of soil and the tag trailer will accommodate 15-17 buckets of soil
- Soils in the five-gallon bucket will be reasonably homogenized
- A sample will be loaded into a Zip-Lock plastic bag, properly identified, and transported to the on-site laboratory for preparation and analysis via Gamma Spectroscopy
- Resultant analytical data determines DOT shipping status and achievement of the WAC

Sampling of blended soils calls for the following:

- A series of grab samples will be extracted from the pile of blended soils corresponding to the number of samples that would have resulted from loading a conveyance.
- Grab samples will be placed in a five-gallon bucket and composited
- A sample will be loaded into a Zip-Lock plastic bag, properly identified, and transported to the on-site laboratory for preparation and analysis via Gamma Spectroscopy.

NOTE: This procedure does not replace the load-out sampling procedures currently in place, but will be used to corroborate achievement of the DOT and WAC criteria and reduce the probability for the need to dump loaded exceedence soils for re-blending.

## **DEALING WITH EXCEEDENCES**

Should sampling of in-place blended soils identify an exceedence, additional in-place blending will be performed utilizing pre-qualified low-activity soils, followed by additional sampling as appropriate.


Should sampling of soils during load-out identify an exceedence, loaded soils will be returned to the mix pit for additional in-place blending utilizing pre-qualified low-activity soils, followed by additional sampling as appropriate.



Figure 3a

AAR I  
0-1 METER INCREM  
TOTAL

Left Portion of Site



## **ATTACHMENT # 4**

Manifest Number	Date	Truck number	Trailler number	Grid	Est weight	Material	Activity pCi/g
79804	5/12/2014				40000	debris	1
79805	5/12/2014				40000	debris	1
79806	5/12/2014				40000	debris	1
79807	5/12/2014				40000	debris	1
79808	5/12/2014				40000	debris	1
79809	5/13/2014				40000	debris	1
79810	5/29/2014				40000	debris	1
79816	6/2/2014	132	32A & B	94	110000	soil	5
79817	6/2/2014	131	33A & 33B	94	104000	soil	5
79818	6/2/2014	132	198 & 199	94	104000	soil	5
79819	6/2/2014	109	31A & 31B	94	102000	soil	5
79820	6/3/2014	131	33A & 33B	122	104000	soil	10
79821	6/3/2014	132	198 & 199	122	105000	soil	14.46
79822	6/4/2014	132	198 & 199	122	104000	soil	12.92
79823	6/4/2014	131	1 & 2	122	100000	soil	4.1
60514	6/5/2014	131	1 & 2	156	100000	soil	16.24
1	6/17/2014	132	29A	156	61500	soil	22.55
2		132	29B	156	44800	soil	11.36
3	6/17/2014	131	1	156	61500	soil	12.36
4		131	2	156	44800	soil	4.98
5	6/17/2014	132	29A	156	61500	soil	17.69
6		132	29B	156	44800	soil	16.77
7	6/17/2014	131	1	156	61500	soil	3.1
8		131	2	156	44800	soil	15.27
1	6/19/2014	132	29A	156 / 216	61500	soil	6.5
2		132	29B	216	44800	soil	4.57
3	6/19/2014	109	1	216	61500	soil	9.1
4		109	2	216	44800	soil	7.95
5	6/19/2014	132	29A	216	61500	soil	4.35
6		132	29B	216	44800	soil	6.63
7	6/19/2014	109	1	216	61500	soil	2.94
8		109	2	216	44800	soil	6.54
1	6/20/2014	132	29A	216	61500	soil	1.15
2		132	29B	216	44800	soil	0.91
3	6/20/2014	109	1	157	61500	soil	7.48
4		109	2	157	44800	soil	14.81
5	6/20/2014	132	29A	157	61500	soil	7.67
6		132	29B	157	44800	soil	6.44
7	6/20/2014	109	1	157	61500	soil	8.53
8		109	2	157	44800	soil	9.83
1	6/23/2014	109	1	157	61500	soil	4.63
2		109	2	157	44800	soil	18.85
3	6/23/2014	142	29A	123	61500	soil	13.39
4		142	29B	123	44800	soil	16.24
5	6/23/2014	109	1	216	61500	soil	7.9
6		109	2	216	44800	soil	15.92
7	6/23/2014	142	29A	216	61500	soil	13.38
8		142	29B	216	44800	soil	14.01
1	6/24/2014	109	1	216	61500	soil	6.67
2		109	2	217/247	44800	soil	3.39
1	6/25/2014	109	1	157	61500	soil	3.89
3		109	2	123	44800	soil	11.02
2	6/25/2014	132	29A	217-247	61500	soil	16.7
4		132	29B	217-247	44800	soil	13.93
5	6/25/2014	132	29A	217/247	61500	soil	24.89
7		132	29B	123	44800	soil	19.75
6	6/25/2014	109	1	123	61500	soil	12.51
8		109	2	123/124	44800	soil	10.28
1	6/26/2014	132	29A	217	61500	soil	35.96
7		132	29B	127-247	44800	soil	8.56
2	6/26/2014	109	1	217	61500	soil	11.73
4		109	2	124	44800	soil	9.37
5	6/26/2014	142	9	124	61500	soil	7.08
6		142	10	124-189	44800	soil	2.43



Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
9	6/26/2014	109	1	217-247	61500	soil	12.11
10		109	2	214-247	44800	soil	11.39
11	6/26/2014	142	9	189	61500	soil	2.86
12		142	10	189	44800	soil	9.95
13	6/26/2014	132	29A	158	61500	soil	21.61
14		132	29B	156	44800	soil	11.77
1	6/27/2014	142	9	217-247-187	61500	soil	18.02
3		142	10	158	44800	soil	14.82
2	6/27/2014	109	1	217-247-187	61500	soil	13.51
4		109	2	158	44800	soil	21.6
5	6/27/2014	126	29A	158	61500	soil	10.89
6		126	29B	158	44800	soil	12
9	6/27/2014	126	29A	158	61500	soil	17.25
10		126	29B	158-189	44800	soil	5.37
11	6/27/2014	142	9	127-247-187	61500	soil	26.54
12		142	10	127-247-187	44800	soil	17.22
13	6/27/2014	109	1	217-247-187	61500	soil	12.59
14		109	2	127-247-187	44800	soil	14.23
1	6/30/2014	109	1	123-124-158	61500	soil	19.45
2		109	2	123-124-158	44800	soil	15.19
3	6/30/2014	142	9	247-217-187	61500	soil	18.66
4		142	10	247-217-187	44800	soil	9.44
8	6/30/2014	109	1	123-124-158	61500	soil	18.66
9		109	2	123-124-158	44800	soil	18.48
5	6/30/2014	132	29A	127-247-187	61500	soil	7.08
6		132	29B	127-247-187	44800	soil	6.54
10	6/30/2014	142	9	187	61500	soil	8.18
11		142	10	187	44800	soil	15.29
12	6/30/2014	132	29A	187	61500	soil	3.15
13		132	29B	187	44800	soil	4.48
1	7/1/2014	109	1	187	61500	soil	4.64
3		109	2	187	44800	soil	4.08
2	7/1/2014	132	29A	189-125	61500	soil	17.89
4		132	29B	189-125	44800	soil	14.54
5	7/1/2014	131	9	189-125	61500	soil	20.81
6		131	10	187	44800	soil	5.94
7	7/1/2014	109	1	189-125	61500	soil	12.39
8		109	2	189-125	44800	soil	12.21
9	7/1/2014	132	29A	189-125	61500	soil	17.5
10		132	29B	189-125	44800	soil	8.52
11	7/1/2014	131	9	189-125	61500	soil	11.58
12		131	10	189-125	44800	soil	13.46
1	7/2/2014	109	1	125	61500	soil	48.76
2		109	2	125-189	44800	soil	13.83
3	7/2/2014	131	9	125	61500	soil	19.92
4		131	10	125-189	44800	soil	6.53
5	7/2/2014	109	1	125	61500	soil	19.07
6		109	2	265-6 283-4	44800	soil	6.44
7	7/2/2014	131	9	125	61500	soil	20.65
8		131	10	265-6 283-4	44800	soil	8.91
1	7/8/2014	132	29A	265-6 283-4	61500	soil	11.94
2		132	29B	265-6 283-4	44800	soil	7.34
3	7/8/2014	109	1	126	61500	soil	2.92
4		109	2	126	44800	soil	3.79
5	7/8/2014	132	29A	265-6 283-4	61500	soil	11.54
6		132	29B	265-6 283-4	44800	soil	10.67
8	7/8/2014	109	1	126	61500	soil	11.58
7		109	2	265-6 283-4	44800	soil	13.58
10	7/8/2014	132	29A	265-6 283-4	61500	soil	9.21
9		132	29B	126	44800	soil	10.37
4	7/9/2014	109	1	1&2	61500	soil	6.69
3		109	2	126 1&2	44800	soil	6.21
1	7/9/2014	132	9	265-6 283-4	61500	soil	8.33
2		132	10	265-6 283-4	44800	soil	7.13

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
5	7/9/2014	109	29A	265-6 283-4	61500	soil	5.04
9		109	29B	265-6 283-4	44800	soil	2.29
8	7/9/2014	132	1	265-6 283-4	61500	soil	3.01
10			2	265-6 283-4	44800	soil	5.63
11	7/9/2014		9	265-6 283-4	61500	soil	4.74
12			10	265-6 283-4	44800	soil	6.38
3	7/10/2014		29A	265-6 283-4	61500	soil	3.69
4			29b	126 284	44800	soil	12.6
5	7/10/2014		1	265-6 283-4	61500	soil	5.82
6			2	126 284	44800	soil	9.19
9	7/10/2014		9	265-6 283-4	61500	soil	4.11
10			10	265-6 283-4	44800	soil	10.14
11	7/10/2014		29a	265-6 283-4	61500	soil	7.52
12			29b	158	44800	soil	8.91
13	7/10/2014		1	265-6 283-4	61500	soil	7.71
14			2	158	44800	soil	17.32
1	7/11/2014		9	265-6 283-4	61500	soil	4.53
2			10	124	44800	soil	13.5
3	7/11/2014		29A	265-6 283-4	61500	soil	14.86
4			29B	124 & 4	44800	soil	15.03
6	7/11/2014		9	125	61500	soil	13.76
8			10	125	44800	soil	16.52
5	7/11/2014		1	265-6 283-4	61500	soil	12.46
7			2	265-6 283-4	44800	soil	11.62
10	7/11/2014		29A	265-6 283-4	61500	soil	14.2
13			29B	265-6 283-4	44800	soil	11.95
11	7/11/2014		9	368	61500	soil	3.23
12			10	368	44800	soil	7.5
1	7/14/2014		9	265-6 283-4	61500	soil	19.89
2			10	265-6 283-4	44800	soil	5.09
4	7/14/2014		29A	368	61500	soil	5.78
3			29B	368	44800	soil	8.91
5	7/14/2014		1	98-99	61500	soil	3.09
6			2	98-99	44800	soil	4.32
7	7/14/2014		9	98-99	61500	soil	10.63
8			10	98-99	44800	soil	8.32
9	7/14/2014		29A	98-99	61500	soil	7.73
10			29B	98-99	44800	soil	11.35
1	7/15/2014		1	98-99	61500	soil	9.15
2			2	98-99	44800	soil	9.32
4	7/15/2014		9	101	61500	soil	8.91
3			10	101	44800	soil	8.93
5	7/15/2014		29A	101	61500	soil	3.99
6			29B	101	44800	soil	4.32
7	7/15/2014		1	98-99	61500	soil	6.16
8			2	98-99	44800	soil	7.44
9	7/15/2014	141	29A	101	61500	soil	13.29
10		141	29B	101	44800	soil	15.2
11	7/15/2014		9	101	61500	soil	7.89
12	7/16/2014		10	101	44800	soil	16.63
1	7/16/2014		1	265-266	61500	soil	12.19
2			2	265-266	44800	soil	10.4
3	7/16/2014		29A	101	61500	soil	15.36
4			29B	101	44800	soil	14.07
5	7/16/2014		1	370	61500	soil	4.47
7			2	255-6	44800	soil	11.74
8	7/16/2014		9	370	61500	soil	0.2
6			10	265-6	44800	soil	13.96
9	7/16/2014		29A	265-6	61500	soil	11.58
10			29B	265-6	44800	soil	11.76
1	7/17/2014		1	265-6	61500	soil	13.53
2			2	265-6	44800	soil	11.86
3	7/17/2014		9	370	61500	soil	3.91
4			10	370	44800	soil	3.66

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
5	7/17/2014		29A	265-6	61500	soil	19.99
6			29B	265-6	44800	soil	16.55
7	7/17/2014		11	265-6	61500	soil	27.17
8			12	265-6	44800	soil	22.76
9	7/17/2014		1	370	61500	soil	3.6
10			2	370	44800	soil	-0.073
11	7/17/2014		9	370	61500	soil	2.7
12			10	370	44800	soil	4.28
1	7/18/2014		11	370	61500	soil	-0.87
2			12	370	44800	soil	3.54
3	7/18/2014		29A	188	61500	soil	4.3
4			29B	188	44800	soil	6.57
5	7/18/2014		1	370-376	61500	soil	4.2
6			2	76	44800	soil	5.09
7	7/18/2014		9	188	61500	soil	5.88
8			10	188	44800	soil	5.5
9	7/18/2014		11	76	61500	soil	4.29
10			12	76	44800	soil	1.9
11	7/18/2014		29A	188	61500	soil	8.08
12			29B	188	44800	soil	10.33
13	7/18/2014		1	76	61500	soil	6.67
14			2	76	44800	soil	11.93
79812	7/21/2014		Bln 3	Debris		soil	1
1	7/21/2014		29A	188	61500	soil	6.19
9			29B	188	44800	soil	9.1
2	7/21/2014		1	76	61500	soil	9.27
4			2	76	44800	soil	8.28
5	7/21/2014		9	188	61500	soil	13.51
6			10	188	44800	soil	5.97
7	7/21/2014		11	75-76	61500	soil	16.26
8			12	75-76	44800	soil	10.81
79811	7/21/2014		2	Debris		soil	1
10	7/21/2014		198	188	61500	soil	7.97
12			199	188	44800	soil	7.59
11	7/21/2014		1	37-75	61500	soil	8.65
13			2	37-75	44800	soil	9.25
14	7/21/2014		29A	37-75	61500	soil	15.24
15			29B	37-75	44800	soil	11.38
16	7/21/2014		11	368-369	61500	soil	4.14
17			12	368-369	44800	soil	3.11
2	7/22/2014	109	11	369-368	61500	soil	1.37
3		109	12	369-368	44800	soil	3.72
1	7/22/2014	132	198	75-37-315	61500	soil	12.56
4		132	199	75-35-315	44800	soil	15.06
5	7/22/2014	111	29A	368-369	61500	soil	2.74
6		111	29B	368-369	44800	soil	0.57
7	7/22/2014	111	1	75-315-37	61500	soil	20.77
8		111	2	75-315-37	44800	soil	20.16
9	7/22/2014	109	11	368-375	61500	soil	4.37
10		109	12	368-375	44800	soil	4.84
11	7/22/2014	132	198	75-369	61500	soil	10.81
12		132	199	75-369	44800	soil	10.75
13	7/22/2014	111	29A	368-369	61500	soil	2.78
14		111	29B	368-369	44800	soil	1.6
15	7/22/2014	143	1	75-369	61500	soil	9.06
16		143	2	75-369	44800	soil	13.64
1	7/23/2014	132	9	368-369	61500	soil	1.14
3		132	10	368-369-375	44800	soil	1.87
2	7/23/2014	109	11	315-369	61500	soil	9.56
4		109	12	75-315-369	44800	soil	8.72
5	7/23/2014	111	29A	368-375	61500	soil	0.4
6		111	29B	368-375	44800	soil	1.64
7	7/23/2014	143	1	368-375	61500	soil	-1.09
8		143	2	368-375	44800	soil	-0.53

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
9	7/23/2014	132	9	368-375	61500	soil	1.59
10		132	10	368-375	44800	soil	2.81
11	7/23/2014	109	11	74-36-315	61500	soil	10.9
12		109	12	74-36-315	44800	soil	11.05
13	7/23/2014	111	29A	368-375	61500	soil	0.57
14		111	29B	368-375	44800	soil	2.36
15	7/23/2014	143	1	74-36-315	61500	soil	3.77
16		143	2	74-36-315	44800	soil	6.01
1	7/24/2014	109	11	368-375	61500	soil	3.93
2		109	12	368-375	44800	soil	2.96
3	7/24/2014	132	198	75-36-368	61500	soil	4.34
4		132	199	75-36-368	44800	soil	3.63
5	7/24/2014	111	29A	75-36-368	61500	soil	7.38
6		111	29B	75-36-368	44800	soil	7.87
7	7/24/2014	125	1	315	61500	soil	3.60
8		125	2	315	44800	soil	7.17
9	7/24/2014	109	11	74	61500	soil	3.07
10		109	12	74	44800	soil	3.41
11	7/24/2014	132	198	74	61500	soil	5.76
12		132	199	74	44800	soil	5.44
13	7/24/2014	111	29A	315	61500	soil	8.98
14		111	29B	315	44800	soil	2.92
15	7/24/2014	125	1	98	61500	soil	4.12
16		125	2	98	44800	soil	8.51
17	7/24/2014	109	11	315	61500	soil	3.07
18		109	12	315	44800	soil	2.93
19	7/24/2014	132	198	315	61500	soil	6.12
20		132	199	98	44800	soil	18.53
1	7/25/2014	111	29A	98-315	61500	soil	10.79
2		111	29B	98-315	44800	soil	18.61
3	7/25/2014	143	1	98-315	61500	soil	12.42
4		143	2	98-315	44800	soil	7.03
5	7/25/2014	109	11	98-315	61500	soil	9.43
6		109	12	98-315	44800	soil	9.8
7	7/25/2014	132	198	98-315	61500	soil	3.92
8		132	199	98-315	44800	soil	4.28
9	7/25/2014	109	12	98-315	44800	soil	2.41
7/28/2014	7/28/2014	sample	-	98	8oz	soil	3.02

Ave pCi/g 9.205805122

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
79804	5/12/2014				40000	debris	1
79805	5/12/2014				40000	debris	1
79806	5/12/2014				40000	debris	1
79807	5/12/2014				40000	debris	1
79808	5/12/2014				40000	debris	1
79809	5/13/2014				40000	debris	1
79810	5/29/2014				40000	debris	1
79816	6/2/2014	132	32A & B	94	110000	soil	5
79817	6/2/2014	131	33A & 33B	94	104000	soil	5
79818	6/2/2014	132	198 & 199	94	104000	soil	5
79819	6/2/2014	109	31A & 31B	94	102000	soil	5
79820	6/3/2014	131	33A & 33B	122	104000	soil	10
79821	6/3/2014	132	198 & 199	122	106000	soil	14.46
79822	6/4/2014	132	198 & 199	122	104000	soil	12.92
79823	6/4/2014	131	1 & 2	122	100000	soil	4.1
60514	6/5/2014	131	1 & 2	156	100000	soil	16.24
1	6/17/2014	132	29A	156	61500	soil	22.55
2		132	29B	156	44800	soil	11.36
3	6/17/2014	131	1	156	61500	soil	12.38
4		131	2	156	44800	soil	4.98
5	6/17/2014	132	29A	156	61500	soil	17.69
6		132	29B	156	44800	soil	16.77
7	6/17/2014	131	1	156	61500	soil	3.1
8		131	2	156	44800	soil	15.27
1	6/19/2014	132	29A	156 / 216	61500	soil	6.5
2		132	29B	216	44800	soil	4.57
3	6/19/2014	109	1	216	61500	soil	9.1
4		109	2	216	44800	soil	7.95
5	6/19/2014	132	29A	216	61500	soil	4.35
6		132	29B	216	44800	soil	6.63
7	6/19/2014	109	1	216	61500	soil	2.94
8		109	2	216	44800	soil	6.54
1	6/20/2014	132	29A	216	61500	soil	1.15
2		132	29B	216	44800	soil	0.91
3	6/20/2014	109	1	157	61500	soil	7.48
4		109	2	157	44800	soil	14.81
5	6/20/2014	132	29A	157	61500	soil	7.67
6		132	29B	157	44800	soil	6.44
7	6/20/2014	109	1	157	61500	soil	8.53
8		109	2	157	44800	soil	9.83
1	6/23/2014	109	1	157	61500	soil	4.63
2		109	2	157	44800	soil	18.85
3	6/23/2014	142	29A	123	61500	soil	13.39
4		142	29B	123	44800	soil	16.24
5	6/23/2014	109	1	216	61500	soil	7.9
6		109	2	216	44800	soil	15.92
7	6/23/2014	142	29A	216	61500	soil	13.38
8		142	29B	216	44800	soil	14.01
1	6/24/2014	109	1	216	61500	soil	6.67
2		109	2	217/247	44800	soil	3.39
1	6/25/2014	109	1	157	61500	soil	3.89
3		109	2	123	44800	soil	11.02
2	6/25/2014	132	29A	217-247	61500	soil	16.7
4		132	29B	217-247	44800	soil	13.93
5	6/25/2014	132	29A	217/247	61500	soil	24.89
7		132	29B	123	44800	soil	19.75
6	6/25/2014	109	1	123	61500	soil	12.51
8		109	2	123/124	44800	soil	10.28
1	6/26/2014	132	29A	217	61500	soil	35.96
7		132	29B	127-247	44800	soil	8.56
2	6/26/2014	109	1	217	61500	soil	11.73
4		109	2	124	44800	soil	9.37
5	6/26/2014	142	9	124	61500	soil	7.08
6		142	10	124-189	44800	soil	2.43

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
9	6/26/2014	109	1	217-247	61500	soil	12.11
10		109	2	214-247	44800	soil	11.39
11	6/26/2014	142	9	189	61500	soil	2.86
12		142	10	189	44800	soil	9.95
13	6/26/2014	132	29A	158	61500	soil	21.61
14		132	29B	156	44800	soil	11.77
1	6/27/2014	142	9	217-247-187	61500	soil	18.02
3		142	10	158	44800	soil	14.82
2	6/27/2014	109	1	217-247-187	61500	soil	13.51
4		109	2	158	44800	soil	21.6
5	6/27/2014	126	29A	158	61500	soil	10.89
6		126	29B	158	44800	soil	12
9	6/27/2014	126	29A	158	61500	soil	17.25
10		126	29B	158-189	44800	soil	5.37
11	6/27/2014	142	9	127-247-187	61500	soil	26.54
12		142	10	127-247-187	44800	soil	17.22
13	6/27/2014	109	1	217-247-187	61500	soil	12.59
14		109	2	127-247-187	44800	soil	14.23
1	6/30/2014	109	1	123-124-158	61500	soil	19.45
2		109	2	123-124-158	44800	soil	15.19
3	6/30/2014	142	9	247-217-187	61500	soil	18.66
4		142	10	247-217-187	44800	soil	9.44
8	6/30/2014	109	1	123-124-158	61500	soil	18.66
9		109	2	123-124-158	44800	soil	18.48
5	6/30/2014	132	29A	127-247-187	61500	soil	7.08
6		132	29B	127-247-187	44800	soil	6.54
10	6/30/2014	142	9	187	61500	soil	8.18
11		142	10	187	44800	soil	15.29
12	6/30/2014	132	29A	187	61500	soil	3.15
13		132	29B	187	44800	soil	4.48
1	7/1/2014	109	1	187	61500	soil	4.64
3		109	2	187	44800	soil	4.08
2	7/1/2014	132	29A	189-125	61500	soil	17.89
4		132	29B	189-125	44800	soil	14.54
5	7/1/2014	131	9	189-125	61500	soil	20.81
6		131	10	187	44800	soil	5.94
7	7/1/2014	109	1	189-125	61500	soil	12.39
8		109	2	189-125	44800	soil	12.21
9	7/1/2014	132	29A	189-125	61500	soil	17.5
10		132	29B	189-125	44800	soil	8.52
11	7/1/2014	131	9	189-125	61500	soil	11.58
12		131	10	189-125	44800	soil	13.46
1	7/2/2014	109	1	125	61500	soil	48.76
2		109	2	125-189	44800	soil	13.83
3	7/2/2014	131	9	125	61500	soil	19.92
4		131	10	125-189	44800	soil	6.53
5	7/2/2014	109	1	125	61500	soil	19.07
6		109	2	265-6 283-4	44800	soil	6.44
7	7/2/2014	131	9	125	61500	soil	20.65
8		131	10	265-6 283-4	44800	soil	8.91
1	7/8/2014	132	29A	265-6 283-4	61500	soil	11.94
2		132	29B	265-6 283-4	44800	soil	7.34
3	7/8/2014	109	1	126	61500	soil	2.92
4		109	2	126	44800	soil	3.79
5	7/8/2014	132	29A	265-6 283-4	61500	soil	11.54
6		132	29B	265-6 283-4	44800	soil	10.67
8	7/8/2014	109	1	126	61500	soil	11.58
7		109	2	265-6 283-4	44800	soil	13.58
10	7/8/2014	132	29A	265-6 283-4	61500	soil	9.21
9		132	29B	126	44800	soil	10.37
4	7/9/2014	109	1	182	61500	soil	6.69
3		109	2	126 182	44800	soil	6.21
1	7/9/2014	132	9	265-6 283-4	61500	soil	8.33
2		132	10	265-6 283-4	44800	soil	7.13

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
5	7/9/2014	109	29A	265-6 283-4	61500	soil	5.04
9		109	29B	265-6 283-4	44800	soil	2.20
8	7/9/2014	132	1	265-6 283-4	61500	soil	3.01
10			2	265-6 283-4	44800	soil	5.63
11	7/9/2014		9	265-6 283-4	61500	soil	4.74
12			10	265-6 283-4	44800	soil	6.38
3	7/10/2014		29A	265-6 283-4	61500	soil	3.69
4			29b	126 284	44800	soil	12.6
5	7/10/2014		1	265-6 283-4	61500	soil	5.82
6			2	126 284	44800	soil	9.19
9	7/10/2014		9	265-6 283-4	61500	soil	4.11
10			10	265-6 283-4	44800	soil	10.14
11	7/10/2014		29a	265-6 283-4	61500	soil	7.52
12			29b	158	44800	soil	8.91
13	7/10/2014		1	265-6 283-4	61500	soil	7.71
14			2	158	44800	soil	17.32
1	7/11/2014		9	265-6 283-4	61500	soil	4.53
2			10	124	44800	soil	13.5
3	7/11/2014		29A	265-6 283-4	61500	soil	14.86
4			29B	124 & 4	44800	soil	15.03
6	7/11/2014		9	125	61500	soil	13.76
8			10	125	44800	soil	16.52
5	7/11/2014		1	265-6 283-4	61500	soil	12.46
7			2	265-6 283-4	44800	soil	11.62
10	7/11/2014		29A	265-6 283-4	61500	soil	14.2
13			29B	265-6 283-4	44800	soil	11.95
11	7/11/2014		9	368	61500	soil	3.23
12			10	368	44800	soil	7.5
1	7/14/2014		9	265-6 283-4	61500	soil	19.89
2			10	265-6 283-4	44800	soil	5.09
4	7/14/2014		29A	368	61500	soil	5.78
9			29B	368	44800	soil	8.91
5	7/14/2014		1	98-99	61500	soil	3.09
6			2	98-99	44800	soil	4.32
7	7/14/2014		9	98-99	61500	soil	10.63
8			10	98-99	44800	soil	8.32
9	7/14/2014		29A	98-99	61500	soil	7.73
10			29B	98-99	44800	soil	11.35
1	7/15/2014		1	98-99	61500	soil	9.15
2			2	98-99	44800	soil	9.32
4	7/15/2014		9	101	61500	soil	8.91
3			10	101	44800	soil	8.93
5	7/15/2014		29A	101	61500	soil	3.99
6			29B	101	44800	soil	4.32
7	7/15/2014		1	98-99	61500	soil	6.16
8			2	98-99	44800	soil	7.44
9	7/15/2014	141	29A	101	61500	soil	13.29
10		141	29B	101	44800	soil	15.2
11	7/15/2014		9	101	61500	soil	7.89
12	7/16/2014		10	101	44800	soil	16.63
1	7/16/2014		1	265-266	61500	soil	12.19
2			2	265-266	44800	soil	10.4
3	7/16/2014		29A	101	61500	soil	15.36
4			29B	101	44800	soil	14.07
5	7/16/2014		1	370	61500	soil	4.47
7			2	255-6	44800	soil	11.74
8	7/16/2014		9	370	61500	soil	0.2
6			10	265-6	44800	soil	19.96
9	7/16/2014		29A	265-6	61500	soil	11.58
10			29B	265-6	44800	soil	11.76
1	7/17/2014		1	265-6	61500	soil	19.53
2			2	265-6	44800	soil	11.86
3	7/17/2014		9	370	61500	soil	3.91
4			10	370	44800	soil	3.66

Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
5	7/17/2014		29A	265-6	61500	soil	19.99
6			29B	265-6	44800	soil	16.55
7	7/17/2014		11	265-6	61500	soil	27.17
8			12	265-6	44800	soil	22.76
9	7/17/2014		1	370	61500	soil	3.6
10			2	370	44800	soil	-0.073
11	7/17/2014		9	370	61500	soil	2.7
12			10	370	44800	soil	4.28
1	7/18/2014		11	370	61500	soil	-0.67
2			12	370	44800	soil	3.58
3	7/18/2014		29A	188	61500	soil	4.3
4			29B	188	44800	soil	6.57
5	7/18/2014		1	370-376	61500	soil	4.2
6			2	76	44800	soil	5.03
7	7/18/2014		9	188	61500	soil	5.88
8			10	188	44800	soil	5.5
9	7/18/2014		11	76	61500	soil	4.29
10			12	76	44800	soil	1.9
11	7/18/2014		29A	188	61500	soil	8.08
12			29B	188	44800	soil	10.33
13	7/18/2014		1	76	61500	soil	6.67
14			2	76	44800	soil	11.93
79812	7/21/2014		Bin 3	Debris		soil	1
1	7/21/2014		29A	188	61500	soil	6.19
2			29B	188	44800	soil	9.1
3	7/21/2014		1	76	61500	soil	9.27
4			2	76	44800	soil	8.20
5	7/21/2014		9	188	61500	soil	13.51
6			10	188	44800	soil	5.97
7	7/21/2014		11	75-76	61500	soil	16.26
8			12	75-76	44800	soil	10.81
79811	7/21/2014		2	Debris		soil	1
10	7/21/2014		198	188	61500	soil	7.97
12			199	188	44800	soil	7.59
11	7/21/2014		1	37-75	61500	soil	8.65
13			2	37-75	44800	soil	9.25
14	7/21/2014		29A	37-75	61500	soil	15.24
15			29B	37-75	44800	soil	11.33
16	7/21/2014		11	368-369	61500	soil	4.14
17			12	368-369	44800	soil	3.11
2	7/22/2014	109	11	369-368	61500	soil	1.37
3		109	12	369-368	44800	soil	3.77
1	7/22/2014	132	198	75-37-315	61500	soil	12.56
4		132	199	75-35-315	44800	soil	15.05
5	7/22/2014	111	29A	368-369	61500	soil	2.74
6		111	29B	368-369	44800	soil	0.57
7	7/22/2014	111	1	75-315-37	61500	soil	20.77
8		111	2	75-315-37	44800	soil	20.16
9	7/22/2014	109	11	368-375	61500	soil	4.37
10		109	12	368-375	44800	soil	4.84
11	7/22/2014	132	198	75-369	61500	soil	10.81
12		132	199	75-369	44800	soil	10.75
13	7/22/2014	111	29A	368-369	61500	soil	2.78
14		111	29B	368-369	44800	soil	1.6
15	7/22/2014	143	1	75-369	61500	soil	9.06
16		143	2	75-369	44800	soil	13.64
1	7/23/2014	132	9	368-369	61500	soil	1.14
3		132	10	368-369-375	44800	soil	1.87
2	7/23/2014	109	11	315-369	61500	soil	9.56
4		109	12	75-315-369	44800	soil	8.72
5	7/23/2014	111	29A	368-375	61500	soil	0.4
6		111	29B	368-375	44800	soil	1.64
7	7/23/2014	143	1	368-375	61500	soil	-1.09
8		143	2	368-375	44800	soil	-0.53



Manifest Number	Date	Truck number	Trailer number	Grid	Est weight	Material	Activity pCi/g
9	7/23/2014	132	9	368-375	61500	soil	1.59
10		132	10	368-375	44800	soil	2.81
11	7/23/2014	109	11	74-36-315	61500	soil	10.9
12		109	12	74-36-315	44800	soil	11.05
13	7/23/2014	111	29A	368-375	61500	soil	0.57
14		111	29B	368-375	44800	soil	2.36
15	7/23/2014	143	1	74-36-315	61500	soil	3.77
16		143	2	74-36-315	44800	soil	6.01
1	7/24/2014	109	11	368-375	61500	soil	3.93
2		109	12	368-375	44800	soil	2.96
3	7/24/2014	132	198	75-36-368	61500	soil	4.34
4		132	199	75-36-368	44800	soil	3.63
5	7/24/2014	111	29A	75-36-368	61500	soil	7.38
6		111	29B	75-36-368	44800	soil	7.87
7	7/24/2014	125	1	315	61500	soil	3.68
8		125	2	315	44800	soil	7.17
9	7/24/2014	109	11	74	61500	soil	3.07
10		109	12	74	44800	soil	3.41
11	7/24/2014	132	198	74	61500	soil	5.76
12		132	199	74	44800	soil	5.44
13	7/24/2014	111	29A	315	61500	soil	8.93
14		111	29B	315	44800	soil	2.92
15	7/24/2014	125	1	98	61500	soil	4.12
16		125	2	98	44800	soil	8.51
17	7/24/2014	109	11	315	61500	soil	3.07
18		109	12	315	44800	soil	2.93
19	7/24/2014	132	198	315	61500	soil	6.12
20		132	199	98	44800	soil	18.53
1	7/25/2014	111	29A	98-315	61500	soil	10.79
2		111	29B	98-315	44800	soil	18.63
3	7/25/2014	143	1	98-315	61500	soil	12.42
4		143	2	98-315	44800	soil	7.03
5	7/25/2014	109	11	98-315	61500	soil	9.43
6		109	12	98-315	44800	soil	9.8
7	7/25/2014	132	198	98-315	61500	soil	3.92
8		132	199	98-315	44800	soil	4.28
9	7/25/2014	109	12	98-315	44800	soil	2.41
7/28/2014	7/28/2014	sample	-	98	8oz	soil	3.02

Ave pCi/g 9.205805122

## **ATTACHMENT # 5**

## **Procedure for Drying Soil Samples Preparatory to Gamma Spectrometry Analysis**

Following grid excavation to a depth of one meter, an auger drill will be used to obtain a composite soil sample in each of the grid quadrants within the 1-2 meter zone. Random sample point locations will be identified utilizing a computer-based program introduced to Solutient by ORAU.

Resultant samples will be placed in one-gallon polypropylene lock-tight bags. Each bag will be labelled with the sample date, the grid and the quadrant from which it originates. Samples will be transported to the on-site laboratory in preparation for Gamma Spectroscopy analysis.

The following procedures apply to sample preparation:

- Utilize the information on each sample bag with which to assign and log a discrete sample identification number. This same identifying information will be written on the exterior of the 7.5cm D X 5.0cm H metal sample container, utilizing a fine-point black-ink permanent marker.
- A digital scale, capable of measurements in 0.1 gram increments, will be utilized to weigh each empty sample container/lid combination. The resultant weight will be recorded on the sample container using a fine-point black-ink permanent marker.
- With the lid placed under the sample container, the scale will be set to zero, following which the sample container will be filled with an aliquot of sample material.
- The filled sample container will be placed in a drying oven set at 350 degrees F. Following appropriate dwell time (normally 2-3 hours), the container will be removed from the oven.
- Utilizing a knife-like instrument, the sample material will be aerated and manipulated to enhance thorough dehydration, following which it will be returned to the drying oven.
- Once the sample appears optimally dry, the container will be removed from the oven and allowed to cool for an unspecified time period.
- Following cooling, the sample container/lid combination will be placed atop the digital scale. The resultant gross weight will be recorded on the sample container utilizing a fine-point black-ink permanent marker.
- An aliquot equal to 200.3 grams will be retained in the sample container, with the subsequent gross weight of sample material and container/lid approximating 211.8 grams.
- Place and seal the lid on the sample container and stage said sample in queue for MCA Gamma Spectroscopy analysis.

## **ATTACHMENT # 6**

**TABLE 3.4**

**Description**

- 1) Obtain the data from the gamma spec printout by finding the Ac-228 (911.07 energy peak) which represents Th-232
- 2) **Type** this value into column "H" of the spreadsheet.
- 3) The spreadsheet formula in column "E" doubles this value to represent the inclusion of Th-228.
- 4) Column "F" removes the background value of 1.3 pCi/g from column "E".
- 5) The formula in column "I" doubles the value from column "E" to represent inclusion of Th-230, along with Th-232, Th-228 for the Total Thorium value.
- 6) **Type** the value from column "I" into column "G" for the final Total Thorium value. (Note- This extra step was performed so the formulas throughout the spreadsheet could be pasted initially and all of the zeros in column "I" would not affect the running average as data was entered.
- 7) Cell # 447 in Column "G" averages the data in column "D" from the original samples and column "G" from the Solutient samples.

NOTE: With respect to establishing the background value of 1.3pCi/g, reference is made to the "Site Characterization Report Phase II, Former Brooks and Perkins, Inc. Site, AAR Manufacturing Group, Inc., Livonia, Michigan, Revision 0, August 1999" page 2 (subsequent), which notes that sample results were corrected for background (1.3 pCi/g).

---

---

**SITE CHARACTERIZATION REPORT  
PHASE II  
FORMER BROOKS AND PERKINS, INC. SITE  
AAR MANUFACTURING GROUP, INC.  
LIVONIA, MICHIGAN**

**Revision 0, August 1999**

**Prepared by**

**— B. KOH & ASSOCIATES, INC. —**

**11 West Main Street  
Springville, New York 14141**

**9199 Reisterstown Road  
Owings Mills, Maryland 21117-4520**

---

---

**AAR PROJECT SITE  
1-2 METER INCREMENT  
GRID QUADRANTS AVERAGING  $\leq$  13 pCi/g TOTAL THORIUM  
UTILIZING NEIGHBORING GRID QUADRANTS**

	<b>*Total Th</b>
266A2	34.9
358B2	2.2
357D2	-0.33
284C2	-0.03
<b>Average</b>	<b>9.2</b>

**\*Sample results have been corrected for background (1.3 pCi/g)**

# **ATTACHMENT # 7**



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
31	0.94	-0.36	0	0.00	0.00			0
31	0.94	-0.36	0	0.00	0.00			0
32	0.88	-0.42	0	0.00	0.00			0
32	0.88	-0.42	0	0.00	0.00			0
33	0.82	-0.48	0	0.00	0.00			0
33	0.82	-0.48	0	0.00	0.00			0
34	0.86	-0.44	0	0.00	0.00			0
34	0.86	-0.44	0	0.00	0.00			0
35	1.47	0.17	0.34	0.00	0.00			0
35	1.47	0.17	0.34	0.00	0.00			0
36	4.56	3.26	6.52	3.14	1.84	3.68	1.57	3.68
36	4.56	3.26	6.52	4.96	3.66	7.32	2.48	7.32
37	10.5	9.2	18.4	2.90	1.60	3.2	1.45	3.2
37	11.2	9.9	19.8	2.78	1.48	2.96	1.39	2.96
38	4.32	3.02	6.04	0.00	0.00			0
38	4.72	3.42	6.84	0.00	0.00			0
69	1.11	-0.19	0	0.00	0.00			0
69	1.11	-0.19	0	0.00	0.00			0
69	1.11	-0.19	0	0.00	0.00			0
69	1.11	-0.19	0	0.00	0.00			0
70	1.16	-0.14	0	0.00	0.00			0
70	1.16	-0.14	0	0.00	0.00			0
70	1.16	-0.14	0	0.00	0.00			0
70	1.16	-0.14	0	0.00	0.00			0
71	0.66	-0.64	0	0.00	0.00			0
71	0.66	-0.64	0	0.00	0.00			0
71	0.66	-0.64	0	0.00	0.00			0
71	0.66	-0.64	0	0.00	0.00			0
72	0.89	-0.41	0	0.00	0.00			0
72	0.89	-0.41	0	0.00	0.00			0
72	0.89	-0.41	0	0.00	0.00			0

Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
72	0.89	-0.41	0	0.00	0.00			0
73	1.02	-0.28	0	0.00	0.00			0
73	1.02	-0.28	0	0.00	0.00			0
73	1.02	-0.28	0	0.00	0.00			0
73	1.02	-0.28	0	0.00	0.00			0
74	3.88	2.58	5.16	2.90	1.60	3.2	1.45	3.2
74	3.88	2.58	5.16	7.10	5.80	11.6	3.55	11.6
74	3.88	2.58	5.16	3.00	1.70	3.4	1.5	3.4
74	3.88	2.58	5.16	3.38	2.08	4.16	1.69	4.16
75	38	36.7	73.4	7.32	6.02	12.04	3.66	12.04
75	10.2	8.9	17.8	2.96	1.66	3.32	1.48	3.32
75	3.32	2.02	4.04	2.82	1.52	3.04	1.41	3.04
75	2.92	1.62	3.24	2.46	1.16	2.32	1.23	2.32
76	4.74	3.44	6.88	4.12	2.82	5.64	2.06	5.64
76	4.74	3.44	6.88	7.02	5.72	11.44	3.51	11.44
76	2.86	1.56	3.12	3.14	1.84	3.68	1.57	3.68
76	2.86	1.56	3.12	2.94	1.64	3.28	1.47	3.28
94	1.8	0.5	1	3.58	2.28	4.56	1.79	4.56
94	1.8	0.5	1	4.80	3.50	7	2.4	7
94	1.8	0.5	1	3.30	2.00	4	1.65	4
94	1.8	0.5	1	3.58	2.28	4.56	1.79	4.56
95	1.08	-0.22	0	0.00	0.00			0
95	1.08	-0.22	0	0.00	0.00			0
95	1.08	-0.22	0	0.00	0.00			0
95	1.08	-0.22	0	0.00	0.00			0
96	1.2	-0.1	0	0.00	0.00			0
96	1.2	-0.1	0	0.00	0.00			0
96	1.2	-0.1	0	0.00	0.00			0
96	1.2	-0.1	0	0.00	0.00			0
97	1.04	-0.26	0	0.00	0.00			0
97	1.04	-0.26	0	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
97	1.04	-0.26	0	0.00	0.00			0
97	1.04	-0.26	0	0.00	0.00			0
98	1.52	0.22	0.44	4.30	3.00	6	2.15	6
98	1.52	0.22	0.44	4.30	3.00	6	2.15	6
98	1.52	0.22	0.44	3.14	1.84	3.68	1.57	3.68
98	1.52	0.22	0.44	3.18	1.88	3.76	1.59	3.76
99	0.96	-0.34	0	2.56	1.26	2.52	1.28	2.52
99	0.96	-0.34	0	3.00	1.70	3.4	1.5	3.4
99	3.7	2.4	4.8	3.46	2.16	4.32	1.73	4.32
99	1.02	-0.28	0	3.44	2.14	4.28	1.72	4.28
100	32.8	31.5	63	0.00	0.00			0
100	10.2	8.9	17.8	0.00	0.00			0
100	51	49.7	99.4	0.00	0.00			0
100	15.8	14.5	29	0.00	0.00			0
101	8.36	7.06	14.12	4.04	2.74	5.48	2.02	5.48
101	1.09	-0.21	0	3.10	1.80	3.6	1.55	3.6
101	1.56	0.26	0.52	3.32	2.02	4.04	1.66	4.04
101	1.56	0.26	0.52	2.90	1.60	3.2	1.45	3.2
119	1.66	0.36	0.72	0.00	0.00			0
119	1.66	0.36	0.72	0.00	0.00			0
119	1.66	0.36	0.72	0.00	0.00			0
119	1.66	0.36	0.72	0.00	0.00			0
120	1.13	-0.17	0	0.00	0.00			0
120	1.13	-0.17	0	0.00	0.00			0
120	1.13	-0.17	0	0.00	0.00			0
120	1.13	-0.17	0	0.00	0.00			0
121	1.13	-0.17	0	0.00	0.00			0
121	1.13	-0.17	0	0.00	0.00			0
121	1.13	-0.17	0	0.00	0.00			0
122	1.52	0.22	0.44	7.52	6.22	12.44	3.76	12.44
122	1.52	0.22	0.44	3.38	2.08	4.16	1.69	4.16



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
122	1.52	0.22	0.44	4.08	2.78	5.56	2.04	5.56
122	1.52	0.22	0.44	3.38	2.08	4.16	1.69	4.16
123	1.52	0.22	0.44	4.38	3.08	6.16	2.19	6.16
123	9.2	7.9	15.8	3.74	2.44	4.88	1.87	4.88
123	1.8	0.5	1	5.40	4.10	8.2	2.7	8.2
123	5.18	3.88	7.76	3.26	1.96	3.92	1.63	3.92
124	1.57	0.27	0.54	6.82	5.52	11.04	3.41	11.04
124	1.57	0.27	0.54	5.70	4.40	8.8	2.85	8.8
124	1.57	0.27	0.54	2.90	1.60	3.2	1.45	3.2
124	1.57	0.27	0.54	3.86	2.56	5.12	1.93	5.12
125	3.22	1.92	3.84	35.58	34.28	68.56	17.79	68.56
125	3.22	1.92	3.84	2.96	1.66	3.32	1.48	3.32
125	3.22	1.92	3.84	3.08	1.78	3.56	1.54	3.56
125	3.22	1.92	3.84	3.10	1.80	3.6	1.55	3.6
126	6.2	4.9	9.8	3.14	1.84	3.68	1.57	3.68
126	6.2	4.9	9.8	4.68	3.38	6.76	2.34	6.76
126	3.12	1.82	3.64	3.00	1.70	3.4	1.5	3.4
126	3.12	1.82	3.64	3.26	1.96	3.92	1.63	3.92
152	0.99	-0.31	0	0.00	0.00			0
152	0.99	-0.31	0	0.00	0.00			0
152	0.99	-0.31	0	0.00	0.00			0
152	0.99	-0.31	0	0.00	0.00			0
153	0.99	-0.31	0	0.00	0.00			0
153	0.99	-0.31	0	0.00	0.00			0
153	0.99	-0.31	0	0.00	0.00			0
153	0.99	-0.31	0	0.00	0.00			0
154	1.05	-0.25	0	0.00	0.00			0
154	1.05	-0.25	0	0.00	0.00			0
154	1.05	-0.25	0	0.00	0.00			0
154	1.05	-0.25	0	0.00	0.00			0
155	0.89	-0.41	0	0.00	0.00			0

Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
155	0.89	-0.41	0	0.00	0.00			0
155	0.89	-0.41	0	0.00	0.00			0
155	0.89	-0.41	0	0.00	0.00			0
156	9.94	8.64	17.28	9.90	8.60	17.2	4.95	17.2
156	1.18	-0.12	0	5.36	4.06	8.12	2.68	8.12
156	5	3.7	7.4	17.84	16.54	33.08	8.92	33.08
156	1.02	-0.28	0	3.50	2.20	4.4	1.75	4.4
157	1.44	0.14	0.28	32.86	31.56	63.12	16.43	63.12
157	1.44	0.14	0.28	13.36	12.06	24.12	6.68	24.12
157	1.44	0.14	0.28	43.32	42.02	84.04	21.66	84.04
157	1.44	0.14	0.28	5.48	4.18	8.36	2.74	8.36
158	1.87	0.57	1.14	2.82	1.52	3.04	1.41	3.04
158	1.87	0.57	1.14	5.22	3.92	7.84	2.61	7.84
158	1.87	0.57	1.14	50.84	49.54	99.08	25.42	99.08
158	1.87	0.57	1.14	18.90	17.60	35.2	9.45	35.2
159	1.08	-0.22	0	0.00	0.00			0
159	1.08	-0.22	0	0.00	0.00			0
159	1.08	-0.22	0	0.00	0.00			0
159	1.08	-0.22	0	0.00	0.00			0
183	0.8	-0.5	0	0.00	0.00			0
183	0.8	-0.5	0	0.00	0.00			0
183	0.8	-0.5	0	0.00	0.00			0
183	0.8	-0.5	0	0.00	0.00			0
184	1.17	-0.13	0	0.00	0.00			0
184	1.17	-0.13	0	0.00	0.00			0
184	1.17	-0.13	0	0.00	0.00			0
184	1.17	-0.13	0	0.00	0.00			0
185	1.16	-0.14	0	0.00	0.00			0
185	1.16	-0.14	0	0.00	0.00			0
185	1.16	-0.14	0	0.00	0.00			0
185	1.16	-0.14	0	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
186	1.42	0.12	0.24	0.00	0.00			0
186	1.42	0.12	0.24	0.00	0.00			0
186	1.42	0.12	0.24	0.00	0.00			0
186	1.42	0.12	0.24	0.00	0.00			0
187	1.28	-0.02	0	21.14	19.84	39.68	10.57	39.68
187	3.5	2.2	4.4	21.80	20.50	41	10.9	41
187	0.92	-0.38	0	7.46	6.16	12.32	3.73	12.32
187	4.38	3.08	6.16	19.54	18.24	36.48	9.77	36.48
188	9.18	7.88	15.76	4.58	3.28	6.56	2.29	6.56
188	3.26	1.96	3.92	3.24	1.94	3.88	1.62	3.88
188	5.66	4.36	8.72	4.20	2.90	5.8	2.1	5.8
188	21	19.7	39.4	3.82	2.52	5.04	1.91	5.04
189	11.1	9.8	19.6	3.66	2.36	4.72	1.83	4.72
189	24.8	23.5	47	12.16	10.86	21.72	6.08	21.72
189	3.28	1.98	3.96	28.44	27.14	54.28	14.22	54.28
189	3.28	1.98	3.96	30.40	29.10	58.2	15.2	58.2
190	0.88	-0.42	0	0.00	0.00			0
190	0.88	-0.42	0	0.00	0.00			0
190	0.88	-0.42	0	0.00	0.00			0
190	0.88	-0.42	0	0.00	0.00			0
213	0.76	-0.54	0	0.00	0.00			0
213	0.76	-0.54	0	0.00	0.00			0
213	0.76	-0.54	0	0.00	0.00			0
213	0.76	-0.54	0	0.00	0.00			0
214	7.96	6.66	13.32	0.00	0.00			0
214	5.54	4.24	8.48	0.00	0.00			0
214	0.86	-0.44	0	0.00	0.00			0
214	2.16	0.86	1.72	0.00	0.00			0
215	2.94	1.64	3.28	0.00	0.00			0
215	5.4	4.1	8.2	0.00	0.00			0
215	1.18	-0.12	0	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
215	126	124.7	249.4	0.00	0.00			0
216	4.08	2.78	5.56	3.60	2.30	4.6	1.8	4.6
216	1.02	-0.28	0	5.64	4.34	8.68	2.82	8.68
216	30.6	29.3	58.6	13.48	12.18	24.36	6.74	24.36
216	2.18	0.88	1.76	14.72	13.42	26.84	7.36	26.84
217	1.11	-0.19	0	5.34	4.04	8.08	2.67	8.08
217	6.62	5.32	10.64	18.38	17.08	34.16	9.19	34.16
217	22.6	21.3	42.6	20.10	18.80	37.6	10.05	37.6
217	9.26	7.96	15.92	41.14	39.84	79.68	20.57	79.68
218	6.5	5.2	10.4	0.00	0.00			0
218	4.46	3.16	6.32	0.00	0.00			0
218	2.52	1.22	2.44	0.00	0.00			0
218	8.3	7	14	0.00	0.00			0
219	19.6	18.3	36.6	0.00	0.00			0
219	20	18.7	37.4	0.00	0.00			0
219	4.22	2.92	5.84	0.00	0.00			0
219	114	112.7	225.4	0.00	0.00			0
220	0.86	-0.44	0	0.00	0.00			0
220	1.2	-0.1	0	0.00	0.00			0
220	1.14	-0.16	0	0.00	0.00			0
220	1.17	-0.13	0	0.00	0.00			0
243	0.83	-0.47	0	0.00	0.00			0
243	0.83	-0.47	0	0.00	0.00			0
243	0.83	-0.47	0	0.00	0.00			0
243	0.83	-0.47	0	0.00	0.00			0
244	1.07	-0.23	0	0.00	0.00			0
244	1.07	-0.23	0	0.00	0.00			0
244	1.07	-0.23	0	0.00	0.00			0
244	1.07	-0.23	0	0.00	0.00			0
245	0.83	-0.47	0	0.00	0.00			0
245	0.83	-0.47	0	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
245	0.83	-0.47	0	0.00	0.00			0
245	0.83	-0.47	0	0.00	0.00			0
246	1.4	0.1	0.2	0.00	0.00			0
246	1.4	0.1	0.2	0.00	0.00			0
246	1.4	0.1	0.2	0.00	0.00			0
246	1.4	0.1	0.2	0.00	0.00			0
247	1.64	0.34	0.68	3.04	1.74	3.48	1.52	3.48
247	1.64	0.34	0.68	11.30	10.00	20	5.65	20
247	1.64	0.34	0.68	2.96	1.66	3.32	1.48	3.32
247	1.64	0.34	0.68	5.08	3.78	7.56	2.54	7.56
248	1.23	-0.07	0	0.00	0.00			0
248	1.07	-0.23	0	0.00	0.00			0
248	6.82	5.52	11.04	0.00	0.00			0
248	1.4	0.1	0.2	0.00	0.00			0
249	31	29.7	59.4	0.00	0.00			0
249	13.7	12.4	24.8	0.00	0.00			0
249	250	248.7	497.4	0.00	0.00			0
249	33	31.7	63.4	0.00	0.00			0
260	0.94	-0.36	0	0.00	0.00			0
260	0.94	-0.36	0	0.00	0.00			0
260	0.94	-0.36	0	0.00	0.00			0
260	0.94	-0.36	0	0.00	0.00			0
261	1.16	-0.14	0	0.00	0.00			0
261	1.16	-0.14	0	0.00	0.00			0
261	1.16	-0.14	0	0.00	0.00			0
261	1.16	-0.14	0	0.00	0.00			0
262	0.81	-0.49	0	0.00	0.00			0
262	0.81	-0.49	0	0.00	0.00			0
262	0.81	-0.49	0	0.00	0.00			0
262	0.81	-0.49	0	0.00	0.00			0
263	0.99	-0.31	0	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
263	0.99	-0.31	0	0.00	0.00			0
263	0.99	-0.31	0	0.00	0.00			0
263	0.99	-0.31	0	0.00	0.00			0
264	1.3	0	0	0.00	0.00			0
264	1.3	0	0	0.00	0.00			0
264	1.3	0	0	0.00	0.00			0
264	1.3	0	0	0.00	0.00			0
265	0.97	-0.33	0	3.84	2.54	5.08	1.92	5.08
265	0.97	-0.33	0	6.76	5.46	10.92	3.38	10.92
265	0.97	-0.33	0	7.26	5.96	11.92	3.63	11.92
265	0.97	-0.33	0	10.12	8.82	17.64	5.06	17.64
266	36.2	34.9	69.8	5.34	4.04	8.08	2.67	8.08
266	17.2	15.9	31.8	3.36	2.06	4.12	1.68	4.12
266	21.8	20.5	41	6.30	5.00	10	3.15	10
266	3.98	2.68	5.36	4.60	3.30	6.6	2.3	6.6
278	0.89	-0.41	0	0.00	0.00			0
278	0.89	-0.41	0	0.00	0.00			0
278	0.89	-0.41	0	0.00	0.00			0
278	0.89	-0.41	0	0.00	0.00			0
279	1.07	-0.23	0	0.00	0.00			0
279	1.07	-0.23	0	0.00	0.00			0
279	1.07	-0.23	0	0.00	0.00			0
279	1.07	-0.23	0	0.00	0.00			0
280	1.12	-0.18	0	0.00	0.00			0
280	1.12	-0.18	0	0.00	0.00			0
280	1.12	-0.18	0	0.00	0.00			0
280	1.12	-0.18	0	0.00	0.00			0
281	1.14	-0.16	0	0.00	0.00			0
281	1.14	-0.16	0	0.00	0.00			0
281	1.14	-0.16	0	0.00	0.00			0
281	1.14	-0.16	0	0.00	0.00			0

Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
282	1.04	-0.26	0	0.00	0.00			0
282	1.04	-0.26	0	0.00	0.00			0
282	1.04	-0.26	0	0.00	0.00			0
282	1.04	-0.26	0	0.00	0.00			0
283	0.95	-0.35	0	4.28	2.98	5.96	2.14	5.96
283	0.95	-0.35	0	3.22	1.92	3.84	1.61	3.84
283	0.95	-0.35	0	3.24	1.94	3.88	1.62	3.88
283	0.95	-0.35	0	3.22	1.92	3.84	1.61	3.84
284	1.04	-0.26	0	3.34	2.04	4.08	1.67	4.08
284	1.04	-0.26	0	2.88	1.58	3.16	1.44	3.16
284	1.04	-0.26	0	2.90	1.60	3.2	1.45	3.2
284	1.04	-0.26	0	3.08	1.78	3.56	1.54	3.56
310	0.9	-0.4	0	0.00	0.00			0
310	0.9	-0.4	0	0.00	0.00			0
310	0.9	-0.4	0	0.00	0.00			0
310	0.9	-0.4	0	0.00	0.00			0
311	0.92	-0.38	0	0.00	0.00			0
311	0.92	-0.38	0	0.00	0.00			0
311	0.92	-0.38	0	0.00	0.00			0
311	0.92	-0.38	0	0.00	0.00			0
312	0.85	-0.45	0	0.00	0.00			0
312	0.85	-0.45	0	0.00	0.00			0
312	0.85	-0.45	0	0.00	0.00			0
312	0.85	-0.45	0	0.00	0.00			0
313	1.47	0.17	0.34	0.00	0.00			0
313	1.47	0.17	0.34	0.00	0.00			0
313	1.47	0.17	0.34	0.00	0.00			0
313	1.47	0.17	0.34	0.00	0.00			0
314	1.36	0.06	0.12	0.00	0.00			0
314	1.36	0.06	0.12	0.00	0.00			0
314	1.36	0.06	0.12	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
314	1.36	0.06	0.12	0.00	0.00			0
315	0.93	-0.37	0	3.20	1.90	3.8	1.6	3.8
315	0.93	-0.37	0	3.32	2.02	4.04	1.66	4.04
315	0.93	-0.37	0	2.96	1.66	3.32	1.48	3.32
315	0.93	-0.37	0	3.48	2.18	4.36	1.74	4.36
316	1.075	-0.225	0	0.00	0.00			0
316	1.075	-0.225	0	0.00	0.00			0
316	1.075	-0.225	0	0.00	0.00			0
316	1.075	-0.225	0	0.00	0.00			0
348	1.17	-0.13	0	0.00	0.00			0
348	1.17	-0.13	0	0.00	0.00			0
349	1.19	-0.11	0	0.00	0.00			0
349	1.19	-0.11	0	0.00	0.00			0
350	1.13	-0.17	0	0.00	0.00			0
350	1.13	-0.17	0	0.00	0.00			0
351	1.34	0.04	0.08	0.00	0.00			0
351	1.34	0.04	0.08	0.00	0.00			0
352	3.78	2.48	4.96	0.00	0.00			0
352	3.78	2.48	4.96	0.00	0.00			0
352	3.78	2.48	4.96	0.00	0.00			0
352	3.78	2.48	4.96	0.00	0.00			0
353	1.21	-0.09	0	0.00	0.00			0
353	1.21	-0.09	0	0.00	0.00			0
353	1.21	-0.09	0	0.00	0.00			0
353	1.21	-0.09	0	0.00	0.00			0
354	3.44	2.14	4.28	0.00	0.00			0
354	3.44	2.14	4.28	0.00	0.00			0
354	3.44	2.14	4.28	0.00	0.00			0
354	3.44	2.14	4.28	0.00	0.00			0
355	1.08	-0.22	0	0.00	0.00			0
355	1.08	-0.22	0	0.00	0.00			0

Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
355	1.08	-0.22	0	0.00	0.00			0
355	1.08	-0.22	0	0.00	0.00			0
356	1.22	-0.08	0	0.00	0.00			0
356	1.22	-0.08	0	0.00	0.00			0
356	1.22	-0.08	0	0.00	0.00			0
356	1.22	-0.08	0	0.00	0.00			0
357	0.97	-0.33	0	0.00	0.00			0
357	0.97	-0.33	0	0.00	0.00			0
357	0.97	-0.33	0	0.00	0.00			0
357	0.97	-0.33	0	0.00	0.00			0
358	3.52	2.22	4.44	0.00	0.00			0
358	3.52	2.22	4.44	0.00	0.00			0
358	3.52	2.22	4.44	0.00	0.00			0
358	3.52	2.22	4.44	0.00	0.00			0
359	1.12	-0.18	0	0.00	0.00			0
359	1.12	-0.18	0	0.00	0.00			0
359	1.12	-0.18	0	0.00	0.00			0
359	1.12	-0.18	0	0.00	0.00			0
360	1.58	0.28	0.56	0.00	0.00			0
360	1.58	0.28	0.56	0.00	0.00			0
360	1.58	0.28	0.56	0.00	0.00			0
360	1.58	0.28	0.56	0.00	0.00			0
361	1.58	0.28	0.56	0.00	0.00			0
361	1.58	0.28	0.56	0.00	0.00			0
361	1.58	0.28	0.56	0.00	0.00			0
361	1.58	0.28	0.56	0.00	0.00			0
362	1.93	0.63	1.26	0.00	0.00			0
362	1.93	0.63	1.26	0.00	0.00			0
362	1.93	0.63	1.26	0.00	0.00			0
362	1.93	0.63	1.26	0.00	0.00			0
363	1.55	0.25	0.5	0.00	0.00			0



Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
363	1.55	0.25	0.5	0.00	0.00			0
363	1.55	0.25	0.5	0.00	0.00			0
363	1.55	0.25	0.5	0.00	0.00			0
364	1.55	0.25	0.5	0.00	0.00			0
364	1.55	0.25	0.5	0.00	0.00			0
364	1.55	0.25	0.5	0.00	0.00			0
364	1.55	0.25	0.5	0.00	0.00			0
365	0.92	-0.38	0	0.00	0.00			0
365	0.92	-0.38	0	0.00	0.00			0
365	0.92	-0.38	0	0.00	0.00			0
365	0.92	-0.38	0	0.00	0.00			0
366	8.06	6.76	13.52	0.00	0.00			0
366	8.46	7.16	14.32	0.00	0.00			0
366	11.1	9.8	19.6	0.00	0.00			0
366	8.08	6.78	13.56	0.00	0.00			0
367	0.48	-0.82	0	0.00	0.00			0
367	0.48	-0.82	0	0.00	0.00			0
367	0.48	-0.82	0	0.00	0.00			0
367	0.48	-0.82	0	0.00	0.00			0
368	37	35.7	71.4	3.70	2.40	4.8	1.85	4.8
368	37	35.7	71.4	3.00	1.70	3.4	1.5	3.4
368	37	35.7	71.4	6.08	4.78	9.56	3.04	9.56
368	37	35.7	71.4	2.94	1.64	3.28	1.47	3.28
369	13.1	11.8	23.6	0.00	0.00			0
369	16.4	15.1	30.2	0.00	0.00			0
369	10.8	9.5	19	0.00	0.00			0
369	15.8	14.5	29	0.00	0.00			0
370	21.4	20.1	40.2	7.38	6.08	12.16	3.69	12.16
370	31.2	29.9	59.8	3.32	2.02	4.04	1.66	4.04
370	22.8	21.5	43	9.28	7.98	15.96	4.64	15.96
370	21.4	20.1	40.2	4.56	3.26	6.52	2.28	6.52

Original Sample Results				New Sample Results				
Grid #	Th232/Th228 pCi/g	Th232/Th228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Th-232/Th-228 pCi/g	Th-232/Th-228 bkg sub pCi/g	Total Thorium (Th-230 added) pCi/g	Type in Th-232 value in pCi/g	Total Thorium (Th-230 added) Type this value in Column G
371	2.22	0.92	1.84	0.00	0.00			0
371	2.22	0.92	1.84	0.00	0.00			0
371	4.32	3.02	6.04	0.00				0
371	4.32	3.02	6.04	0.00				0
372	0.84	-0.46	0	0.00	0.00			0
372	0.84	-0.46	0	0.00	0.00			0
373	2.78	1.48	2.96	0.00	0.00			0
373	2.78	1.48	2.96	0.00	0.00			0
374	3	1.7	3.4	0.00	0.00			0
374	3	1.7	3.4	0.00	0.00			0
375	31.6	30.3	60.6	3.48	2.18	4.36	1.74	4.36
375	50.6	49.3	98.6	3.44	2.14	4.28	1.72	4.28
Average Total Thorium Concentration				7.6		8.64		

#### Section 3.3 Work Plan

After excavating soil to a depth of one meter, the average concentration in the 1-2 meter level will be verified by removing and analyzing soil samples. Four samples will be removed from each 100 square meter grid. The concentration of the four grid samples will be added to the existing data for the 1-2 meter layer presented in Table 3.4. If the average thorium concentration of an exposed grid in the 1-2 meter layer causes the average concentration in **the entire 1-2 meter layer to exceed 20 pCi/g**, AAR will remove the exposed grid to an appropriate depth and replace it with clean fill.

## **ATTACHMENT # 8**

Quadrant Length

5 m

Grid #	Random Coordinate	Random		Coordinate (m)	
		X	Y	X	Y
94	1	0.344156	0.961364	1.7	4.8
94	2	0.52305	0.952092	2.6	4.8
94	3	0.88099	0.984744	4.4	4.9
94	4	0.651309	0.482088	3.3	2.4
122	5	0.498395	0.176127	2.5	0.9
122	6	0.832182	0.018862	4.2	0.1
122	7	0.271283	0.989585	1.4	4.9
122	8	0.621844	0.521496	3.1	2.6
156	9	0.844736	0.920334	4.2	4.6
156	10	0.309281	0.437501	1.5	2.2
156	11	0.054359	0.807579	0.3	4.0
156	12	0.738915	0.376241	3.7	1.9
216	13	0.891283	0.456715	4.5	2.3
216	14	0.80213	0.437171	4.0	2.2
216	15	0.158756	0.991226	0.8	5.0
216	16	0.222436	0.183413	1.1	0.9
216 (alt)	17	0.606336	0.437948	3.0	2.2
216 (alt)	18	0.482816	0.217706	2.4	1.1
216 (alt)	19	0.364397	0.062635	1.8	0.3
216 (alt)	20	0.496519	0.241848	2.5	1.2
216 (alt)	21	0.167482	0.683406	0.8	3.4
216 (alt)	22	0.932731	0.307419	4.7	1.5
216 (alt)	23	0.795872	0.108046	4.0	0.5
216 (alt)	24	0.404483	0.827311	2.0	4.1
216 (alt)	25	0.600817	0.184213	3.0	0.9
216 (alt )	26	0.827592	0.972375	4.1	4.9
157	27	0.133566	0.362095	0.7	1.8
157	28	0.331605	0.551568	1.7	2.8
157	29	0.086971	0.791948	0.4	4.0
157	30	0.296869	0.156368	1.5	0.8
217	31	0.521721	0.800375	2.6	4.0
217	32	0.076398	0.137253	0.4	0.7
217	33	0.926158	0.329441	4.6	1.6
217	34	0.349143	0.743322	1.7	3.7
247	35	0.688725	0.231306	3.4	1.2
247	36	0.079367	0.759592	0.4	3.8
247	37	0.595865	0.099869	3.0	0.5
247	38	0.541816	0.712874	2.7	3.6
187	39	0.030097	0.694415	0.2	3.5
187	40	0.117372	0.069884	0.6	0.3
187	41	0.580359	0.091652	2.9	0.5
187	42	0.554488	0.71086	2.8	3.6



123	43	0.858538	0.414102	4.3	2.1
123	44	0.110942	0.697049	0.6	3.5
123	45	0.972316	0.176233	4.9	0.9
123	46	0.807098	0.287055	4.0	1.4
124	47	0.063393	0.577473	0.3	2.9
124	48	0.681516	0.258875	3.4	1.3
125	49	0.618399	0.849545	3.1	4.2
125	50	0.749316	0.0376	3.7	0.2
158	51	0.545315	0.67179	2.7	3.4
158	52	0.561291	0.749901	2.8	3.7
158	53	0.25914	0.232379	1.3	1.2
158	54	0.420818	0.666748	2.1	3.3
189	55	0.302333	0.330081	1.5	1.7
189	56	0.845553	0.05868	4.2	0.3
189	57	0.380722	0.29009	1.9	1.5
189	58	0.466551	0.571757	2.3	2.9
125	59	0.772139	0.434429	3.9	2.2
125	60	0.326964	0.968589	1.6	4.8
124	61	0.428004	0.826342	2.1	4.1
124	62	0.85492	0.807241	4.3	4.0
126	63	0.443572	0.928908	2.2	4.6
126	64	0.11878	0.056862	0.6	0.3
126	65	0.253828	0.029873	1.3	0.1
126	66	0.250727	0.849026	1.3	4.2
368	67	0.26993	0.621173	1.3	3.1
368	68	0.487021	0.189866	2.4	0.9
368	69	0.323927	0.380068	1.6	1.9
368	70	0.02635	0.071952	0.1	0.4
283	71	0.790946	0.54814	4.0	2.7
283	72	0.043744	0.298322	0.2	1.5
284	73	0.348318	0.215246	1.7	1.1
284	74	0.041128	0.013278	0.2	0.1
284	75	0.193071	0.870889	1.0	4.4
284	76	0.348798	0.072475	1.7	0.4
265	77	0.726901	0.787361	3.6	3.9
265	78	0.478587	0.206893	2.4	1.0
265	79	0.03253	0.315397	0.2	1.6
265	80	0.612023	0.423267	3.1	2.1
283	81	0.66022	0.051435	3.3	0.3
283	82	0.055731	0.67328	0.3	3.4
99	83	0.075042	0.767285	0.4	3.8
99	84	0.396029	0.205392	2.0	1.0
99	85	0.7023	0.234285	3.5	1.2
99	86	0.679827	0.745169	3.4	3.7
101	87	0.672118	0.29618	3.4	1.5
101	88	0.433659	0.866236	2.2	4.3
101	89	0.584418	0.507652	2.9	2.5

101	90	0.043656	0.940121	0.2	4.7
266	91	0.545975	0.030947	2.7	0.2
266	92	0.906895	0.57984	4.5	2.9
266	93	0.480634	0.178638	2.4	0.9
266	94	0.07669	0.962097	0.4	4.8
188	95	0.691357	0.296083	3.5	1.5
188	96	0.195146	0.737974	1.0	3.7
188	97	0.671081	0.668178	3.4	3.3
188	98	0.210033	0.653219	1.1	3.3
76	99	0.29047	0.04337	1.5	0.2
76	100	0.374231	0.675679	1.9	3.4
76	101	0.580589	0.74815	2.9	3.7
76	102	0.591302	0.489848	3.0	2.4
370	103	0.316555	0.531534	1.6	2.7
370	104	0.545632	0.148572	2.7	0.7
370	105	0.439419	0.983714	2.2	4.9
370	106	0.529081	0.942948	2.6	4.7
369	107	0.898267	0.756075	4.5	3.8
369	108	0.404094	0.307813	2.0	1.5
369	109	0.287838	0.297512	1.4	1.5
369	110	0.891333	0.41404	4.5	2.1
75	111	0.641067	0.480097	3.2	2.4
75	112	0.598143	0.614359	3.0	3.1
75	113	0.563487	0.223309	2.8	1.1
75	114	0.710989	0.472595	3.6	2.4
37	115	0.768433	0.663762	3.8	3.3
37	116	0.394806	0.180759	2.0	0.9
37	117	0.675856	0.028664	3.4	0.1
37	118	0.008633	0.136524	0.0	0.7
375	119	0.329733	0.618166	1.6	3.1
375	120	0.293888	0.849738	1.5	4.2
74	121	0.702632	0.219462	3.5	1.1
74	122	0.085376	0.54581	0.4	2.7
74	123	0.235456	0.064521	1.2	0.3
74	124	0.704696	0.3376	3.5	1.7
36	125	0.727269	0.167426	3.6	0.8
36	126	0.901791	0.608375	4.5	3.0
98	127	0.914747	0.332548	4.6	1.7
98	128	0.378438	0.40738	1.9	2.0
98	129	0.600813	0.63451	3.0	3.2
98	130	0.952382	0.563998	4.8	2.8
315	131	0.441082	0.100264	2.2	0.5
315	132	0.99403	0.637936	5.0	3.2
315	133	0.344156	0.961364	1.7	4.8
315	134	0.52305	0.952092	2.6	4.8

## ATTACHMENT # 9

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: C:\My Documents\AAR\AAR\Grid Samples\AAR72414 GRID 36-1.CNF

Report Generated On : 10/8/2014 11:27:15 AM

Sample Location : AAR072414-36-1  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 36-1  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/25/2014 1:05:00 PM  
Acquisition Started : 7/25/2014 1:06:02 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K   A N A L Y S I S   R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: REL1A  
Sample Title: AAR072414-36-1  
Peak Analysis Performed on: 10/8/2014 11:27:16 AM  
Peak Analysis From Channel: 40  
Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7992-	8025	8008.66	1462.93	0.38	8.70E+001	18.28	0.00E+000

M = First peak in a multiplet region  
m = Other peak in a multiplet region  
F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR072414-36-1  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 11:27:16 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1462.93	9.6667E-002	21.01

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A ' R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR072414-36-1  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.4960E+001	2.80E+000	3.9622E+000
		727.17	11.80	2.7999E+000		-3.3331E+000
		785.42	2.00	1.5787E+001		7.3533E+000
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.9524E+000	5.96E-001	-1.2977E+000
		77.11	17.50	1.0511E+000		-9.5288E-001
		87.20	6.30	3.0210E+000		2.0906E-002
		89.80	1.75	1.0704E+001		-1.2211E+000
		115.19	0.60	3.3465E+001		1.4435E+001
		238.63	44.60	5.9622E-001		-2.3108E-001
		300.09	3.41	7.8719E+000		3.3282E+000
	BI-214	609.31	46.30	9.0705E-001	9.07E-001	9.3989E-001
		768.36	5.04	8.1706E+000		5.8580E+000
		806.17	1.23	2.8963E+001		-7.2052E+000
		934.06	3.21	1.1846E+001		-6.8682E+000
		1120.29	15.10	3.8425E+000		5.5676E+000
		1155.19	1.69	2.5148E+001		2.4209E+001
		1238.11	5.94	9.9390E+000		-2.3972E+000
		1280.96	1.47	3.6002E+001		-5.8916E+000
		1377.67	4.11	1.1034E+001		7.9578E-001
		1385.31	0.78	6.1141E+001		5.3437E+001
		1401.50	1.39	3.4752E+001		3.0373E+001
		1407.98	2.48	1.8730E+001		1.5481E+001
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.9610E+000	7.94E-001	-1.9681E+000
		77.11	10.70	1.7191E+000		-1.5584E+000
		87.20	3.70	5.1438E+000		3.5596E-002
		89.80	1.03	1.8187E+001		-2.0746E+000
		241.98	7.49	3.7213E+000		4.2317E+000
		295.21	19.20	1.4428E+000		-8.0153E-001
		351.92	37.20	7.9399E-001		3.8925E-001
		785.91	1.10	2.8719E+001		7.7586E-001
	AC-228	338.32	11.40	2.2992E+000	1.57E+000	-6.9314E-001
		911.07	27.70	1.5737E+000		-7.1918E-001
		969.11	16.60	2.8401E+000		2.4619E+000

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated



@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/28/2014 7:47:38 AM

Sample Location : AAR07241-36-2  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 36-2  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : MONAZITE SAND  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 6:41:00 AM  
Acquisition Started : 7/28/2014 7:32:37 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RE1A  
Sample Title: AAR07241-36-2  
Peak Analysis Performed on: 7/28/2014 7:47:38 AM  
Peak Analysis From Channel: 40  
Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7986	8019	8002.49	1461.80	1.36	6.88E+001	20.71	8.20E+000

M = First peak in a multiplet region  
m = Other peak in a multiplet region  
F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR07241-36-2  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 7/28/2014 7:47:38 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1461.80	7.6443E-002	30.11

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
\*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RE1A  
Sample Geometry: 8 Oz. Can  
Sample Title: AAR07241-36-2  
Nuclide Library Used: C:\GENIE2K\CAMFILES\COPY of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.2212E+001	2.87E+000	5.9540E+000
		727.17	11.80	2.8681E+000		-1.3996E+000
		785.42	2.00	1.5287E+001		-6.7080E+000
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.9670E+000	6.25E-001	8.8363E-001
		77.11	17.50	1.0673E+000		8.0586E-001
		87.20	6.30	2.8673E+000		3.1609E-004
		89.80	1.75	1.0547E+001		-6.1055E+000
		115.19	0.60	2.8395E+001		-1.0467E+000
		238.63	44.60	6.2453E-001		8.9070E-002
		300.09	3.41	8.0523E+000		-6.6008E-001
	BI-214	609.31	46.30	7.9278E-001	7.93E-001	5.3036E-001
		768.36	5.04	6.6070E+000		2.3447E+000
		806.17	1.23	2.7061E+001		-3.8908E+001
		934.06	3.21	1.3150E+001		1.6147E+001
		1120.29	15.10	3.0920E+000		-3.4642E+000
		1155.19	1.69	2.6884E+001		-5.7860E+001
		1238.11	5.94	1.0542E+001		4.0711E+000
		1280.96	1.47	3.6508E+001		-2.7870E+001
		1377.67	4.11	1.2465E+001		2.2176E+000
		1385.31	0.78	6.8406E+001		6.8705E+001
		1401.50	1.39	3.3247E+001		2.7480E+001
		1407.98	2.48	1.8730E+001		1.7904E+000
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.9831E+000	7.58E-001	1.3401E+000
		77.11	10.70	1.7455E+000		1.3180E+000
		87.20	3.70	4.8822E+000		5.3821E-004
		89.80	1.03	1.7920E+001		-1.0373E+001
		241.98	7.49	3.8518E+000		3.2620E+000
		295.21	19.20	1.4195E+000		1.1284E+000
		351.92	37.20	7.5755E-001		-6.6607E-001
		785.91	1.10	2.7809E+001		-2.1006E+001
	AC-228	89.95	2.10	8.9842E+000	1.71E+000	-3.7375E+000
		93.35	3.50	5.6097E+000		7.3993E-001
		129.08	2.80	6.3565E+000		-4.6562E+000
		209.28	4.40	5.0594E+000		3.4719E+000
		270.23	3.60	5.7407E+000		-6.1813E+000

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.1778E+000	1.71E+000	3.6303E+000
	338.32	11.40	2.1005E+000		-3.0053E+000
	409.51	2.13	1.2172E+001		2.0578E+000
	463.00	4.40	5.7706E+000		3.8180E+000
	583.20	0.14	2.0571E+002		-2.3527E+001
	794.70	4.60	7.4520E+000		6.3543E-001
	911.07	27.70	1.7148E+000		2.4846E+000
	964.60	5.20	9.3802E+000		5.3901E+000
	969.11	16.60	2.8963E+000		3.9788E+000
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: C:\My Documents\AAR\AAR\Grid Samples\AAR-37-1.CNF

Report Generated On : 10/8/2014 9:57:04 AM

Sample Location : AAR-37-1  
Sample Identification : AAR-37-1  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 3:13:00 PM  
Acquisition Started : 7/23/2014 3:13:48 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



```
*****
*****      P E A K      A N A L Y S I S      R E P O R T      *****
*****
```

Detector Name: RE1A  
Sample Title: AAR-37-1  
Peak Analysis Performed on: 10/8/2014 9:57:05 AM  
Peak Analysis From Channel: 40  
Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7986-	8019	8002.62	1461.82	0.76	9.60E+001	19.20	0.00E+000

M = First peak in a multiplet region  
m = Other peak in a multiplet region  
F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR-37-1  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution

X = nuclide rejected by the interference analysis

@ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 9:57:05 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1461.82	1.0667E-001	20.00

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR-37-1  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
BI-212	39.86	1.10	1.3889E+001	2.34E+000	3.0405E+000
	727.17	11.80	2.3450E+000		-1.4131E+000
	785.42	2.00	1.6270E+001		1.5638E+000
	1620.56	2.75	0.0000E+000		0.0000E+000
> PB-212	74.81	9.60	1.9670E+000	6.62E-001	1.0124E+000
	77.11	17.50	1.0429E+000		-1.2231E-001
	87.20	6.30	2.9779E+000		-4.7546E-001
	89.80	1.75	1.0307E+001		-6.2944E+000
	115.19	0.60	3.0344E+001		-7.4987E+000
	238.63	44.60	6.6202E-001		6.1121E-001
	300.09	3.41	6.6258E+000		4.1495E+000
	609.31	46.30	8.6542E-001	8.65E-001	2.7897E-001
BI-214	768.36	5.04	6.6070E+000		7.5291E+000
	806.17	1.23	2.9687E+001		-3.2805E+001
	934.06	3.21	9.2932E+000		-5.8539E+000
	1120.29	15.10	3.1342E+000		1.6391E+000
	1155.19	1.69	2.5148E+001		-9.9257E+000
	1238.11	5.94	8.8338E+000		-1.5936E+000
	1280.96	1.47	3.2211E+001		7.4420E+000
	1377.67	4.11	1.0774E+001		8.6399E+000
	1385.31	0.78	5.9834E+001		5.0892E+001
	1401.50	1.39	3.3247E+001		-5.3286E-001
	1407.98	2.48	1.8730E+001		-3.8424E+001
	1509.19	2.19	0.0000E+000		0.0000E+000
>	1661.28	1.15	0.0000E+000		0.0000E+000
>	1729.60	3.05	0.0000E+000		0.0000E+000
>	1764.49	15.80	0.0000E+000		0.0000E+000
>	1847.44	2.12	0.0000E+000		0.0000E+000
>	2118.54	1.21	0.0000E+000		0.0000E+000
> PB-214	74.81	6.33	2.9831E+000	6.52E-001	1.5354E+000
	77.11	10.70	1.7057E+000		-2.0003E-001
	87.20	3.70	5.0706E+000		-8.0958E-001
	89.80	1.03	1.7511E+001		-1.0694E+001
	241.98	7.49	3.8996E+000		2.7316E+000
	295.21	19.20	1.2338E+000		9.2147E-001
	351.92	37.20	6.5152E-001		1.7819E-001
	785.91	1.10	2.9598E+001		2.8448E+000
AC-228	338.32	11.40	2.2992E+000	1.45E+000	-1.0158E+000
	911.07	27.70	1.4536E+000		2.4770E-001
	969.11	16.60	2.7826E+000		-3.0754E-001

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

ename: C:\My Documents\AAR\AAR\Grid Samples\AAR-37-2.CNF

Report Generated On : 10/8/2014 9:57:40 AM

Sample Location : AAR-37-2  
 Sample Identification : AAR-37-2  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID CLEARANCE  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : SOIL WASTE  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 2:54:00 PM  
 Acquisition Started : 7/23/2014 2:55:30 PM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RE1A

Sample Title: AAR-37-2

Peak Analysis Performed on: 10/8/2014 9:57:40 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7987-	8020	8003.02	1461.90	1.51	1.10E+002	20.56	0.00E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR-37-2  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma



\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 9:57:40 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1461.90	1.2222E-001	18.69

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
\*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RE1A  
Sample Geometry: 8 Oz. Can  
Sample Title: AAR-37-2  
Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.1126E+001	3.30E+000	-3.5579E+000
		727.17	11.80	3.3029E+000		-2.3809E-001
		785.42	2.00	1.7414E+001		4.4071E+000
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.8775E+000	6.46E-001	1.5149E-001
		77.11	17.50	1.0753E+000		3.2177E-001
		87.20	6.30	3.0423E+000		1.4619E+000
		89.80	1.75	1.1087E+001		-9.8493E-001
		115.19	0.60	2.9387E+001		-2.0278E-001
		238.63	44.60	6.4624E-001		1.0627E+000
		300.09	3.41	6.9468E+000		3.5386E-001
	BI-214	609.31	46.30	7.6286E-001	7.63E-001	5.7315E-001
		768.36	5.04	6.9506E+000		5.0932E+000
		806.17	1.23	2.4998E+001		-2.7883E+001
		934.06	3.21	1.2018E+001		1.3249E+001
		1120.29	15.10	3.1342E+000		1.9558E+000
		1155.19	1.69	2.8108E+001		1.1136E+001
		1238.11	5.94	8.8338E+000		4.8265E+000
		1280.96	1.47	3.9855E+001		-4.5117E+000
		1377.67	4.11	1.1774E+001		1.5218E+000
		1385.31	0.78	5.9834E+001		7.3158E+000
		1401.50	1.39	3.0831E+001		-3.3627E+001
		1407.98	2.48	1.6887E+001		1.2222E+001
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.8475E+000	6.99E-001	2.2975E-001
		77.11	10.70	1.7586E+000		5.2626E-001
		87.20	3.70	5.1801E+000		2.4891E+000
		89.80	1.03	1.8837E+001		-1.6734E+000
		241.98	7.49	3.7544E+000		1.4488E+000
		295.21	19.20	1.2873E+000		8.7991E-001
		351.92	37.20	6.9908E-001		1.8822E-001
		785.91	1.10	3.1678E+001		2.0826E+001
	AC-228	338.32	11.40	1.9932E+000	1.40E+000	3.9157E-001
		911.07	27.70	1.3987E+000		9.1382E-001
		969.11	16.60	2.6635E+000		-7.8435E-001

+ = Nuclide identified during the nuclide identification  
\* = Energy line found in the spectrum  
> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: C:\My Documents\AAR\AAR\Grid Samples\AAR072414 GRID 74-1.CNF

Report Generated On : 10/8/2014 11:24:52 AM

Sample Location : AAR07242014 74-1  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE 74-1  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/25/2014 10:51:00 AM  
Acquisition Started : 7/25/2014 11:18:24 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RE1A

Sample Title: AAR07242014 74-1

Peak Analysis Performed on: 10/8/2014 11:24:53 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7988-	8021	8004.86	1462.23	0.23	8.18E+001	19.96	4.19E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
\*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Sample Title: AAR07242014 74-1  
Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
@ = Energy line not used for Weighted Mean Activity  
Energy Tolerance : 3.000 keV  
Nuclide confidence index threshold = 0.30  
Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution

X = nuclide rejected by the interference analysis

@ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 11:24:53 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1462.23	9.0904E-002	24.40

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma



\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR07242014 74-1  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.5165E+001	2.73E+000	8.3303E+000
		727.17	11.80	2.7299E+000		-1.6144E+000
		785.42	2.00	1.8062E+001		1.3866E+001
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	2.1995E+000	6.05E-001	1.9773E-001
		77.11	17.50	1.1810E+000		8.7841E-001
		87.20	6.30	3.0210E+000		1.9298E+000
		89.80	1.75	1.0626E+001		-1.6819E+000
		115.19	0.60	2.8896E+001		-2.0036E+001
		238.63	44.60	6.0486E-001		-2.6537E-001
		300.09	3.41	7.3022E+000		3.4739E-001
	BI-214	609.31	46.30	8.1587E-001	8.16E-001	-6.4005E-001
		768.36	5.04	6.6070E+000		-7.6561E+000
		806.17	1.23	3.0391E+001		-2.2049E+000
		934.06	3.21	1.0558E+001		-3.1224E+000
		1120.29	15.10	3.4518E+000		2.5480E+000
		1155.19	1.69	3.0758E+001		3.7766E+001
		1238.11	5.94	8.0907E+000		8.2902E+000
		1280.96	1.47	3.4965E+001		9.3129E+000
		1377.67	4.11	1.0774E+001		8.6399E+000
		1385.31	0.78	5.5701E+001		-7.8584E+001
		1401.50	1.39	3.0831E+001		-1.2429E+001
		1407.98	2.48	1.9159E+001		-4.5262E+001
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	3.3358E+000	7.62E-001	2.9988E-001
		77.11	10.70	1.9315E+000		1.4366E+000
		87.20	3.70	5.1438E+000		3.2859E+000
		89.80	1.03	1.8054E+001		-2.8577E+000
		241.98	7.49	3.6879E+000		3.0211E+000
		295.21	19.20	1.3046E+000		4.3600E-001
		351.92	37.20	7.6221E-001		4.1582E-001
		785.91	1.10	3.2858E+001		1.1121E+001
	AC-228	338.32	11.40	2.3461E+000	1.45E+000	6.0650E-001
		911.07	27.70	1.4536E+000		-1.1017E+000
		969.11	16.60	2.5703E+000		-8.5915E-001

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: C:\My Documents\AAR\AAR\Grid Samples\AAR72414 GRID74-2.CNF

Report Generated On : 10/8/2014 11:26:26 AM

Sample Location : AAR07242014 74-2  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE 74-2  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/25/2014 11:50:00 AM  
Acquisition Started : 7/25/2014 11:50:38 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RE1A  
Sample Title: AAR07242014 74-2  
Peak Analysis Performed on: 10/8/2014 11:26:27 AM  
Peak Analysis From Channel: 40  
Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	1299-	1317	1307.44	238.81	1.17	3.01E+002	44.30	5.95E+001
2	1844-	1862	1852.49	338.37	0.35	7.68E+001	21.95	1.43E+001
3	3183-	3205	3194.93	583.60	1.16	1.11E+002	25.34	1.45E+001
4	4980-	5005	4992.98	912.05	0.93	7.65E+001	20.00	6.50E+000
5	5295-	5322	5308.95	969.77	1.15	5.30E+001	21.11	1.40E+001
6	7990-	8023	8006.73	1462.58	0.93	7.82E+001	23.70	1.28E+001

M = First peak in a multiplet region  
m = Other peak in a multiplet region  
F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR07242014 74-2  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
AC-228	0.989	338.32*	11.40	4.29668E+000	1.27845E+000
		911.07*	27.70	3.58990E+000	9.48605E-001
		969.11*	16.60	4.39606E+000	1.75805E+000

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
AC-228	0.989	3.928623E+000	6.989971E-001

? = nuclide is part of an undetermined solution

X = nuclide rejected by the interference analysis

@ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 11:26:27 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	238.81	3.3394E-001	14.74
3	583.60	1.2278E-001	22.93
6	1462.58	8.6847E-002	30.32

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR07242014 74-2  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.9540E+001	3.63E+000	9.1186E+000
		727.17	11.80	3.6315E+000		-4.0769E+000
		785.42	2.00	2.2033E+001		-4.5727E+001
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	3.0550E+000	1.26E+000	-2.9511E+000
		77.11	17.50	1.7384E+000		2.5257E-001
		87.20	6.30	4.3224E+000		-6.9849E-001
		89.80	1.75	1.5272E+001		-2.3041E+001
		115.19	0.60	4.2367E+001		1.3445E+001
		238.63	44.60	1.2566E+000		3.9480E+000
		300.09	3.41	9.9526E+000		4.6686E+000
	BI-214	609.31	46.30	9.2215E-001	9.22E-001	7.5006E-001
		768.36	5.04	9.2809E+000		5.8137E+000
		806.17	1.23	3.3676E+001		-2.7821E+001
		934.06	3.21	1.1130E+001		1.1179E+001
		1120.29	15.10	3.7056E+000		5.1474E+000
		1155.19	1.69	2.8503E+001		1.3983E+001
		1238.11	5.94	8.8338E+000		4.0711E+000
		1280.96	1.47	3.7007E+001		2.0456E+001
		1377.67	4.11	1.3326E+001		-1.3465E+001
		1385.31	0.78	6.8406E+001		2.2784E+001
		1401.50	1.39	3.2464E+001		7.4325E-001
		1407.98	2.48	1.7369E+001		-4.9524E+000
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	4.6331E+000	8.66E-001	-4.4756E+000
		77.11	10.70	2.8431E+000		4.1309E-001
		87.20	3.70	7.3598E+000		-1.1893E+000
		89.80	1.03	2.5947E+001		-3.9148E+001
		241.98	7.49	7.5606E+000		2.4423E+001
		295.21	19.20	1.7545E+000		1.8439E+000
		351.92	37.20	8.6607E-001		8.3260E-001
		785.91	1.10	4.2780E+001		4.7466E+001
+	AC-228	338.32*	11.40	1.4357E+000	9.38E-001	4.2967E+000
		911.07*	27.70	9.3846E-001		3.5899E+000
		969.11*	16.60	2.3904E+000		4.3961E+000

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated



@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

lename: RE1A

Report Generated On : 7/25/2014 12:43:37 PM

Sample Location : AAR072414-74-3  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 74-3  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/25/2014 12:28:00 AM  
Acquisition Started : 7/25/2014 12:28:36 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: REIA  
Sample Title: AAR072414-74-3  
Peak Analysis Performed on: 7/25/2014 12:43:37 PM  
Peak Analysis From Channel: 40  
Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7992-	8025	8008.23	1462.85	1.29	9.96E+001	21.79	4.40E+000

M = First peak in a multiplet region  
m = Other peak in a multiplet region  
F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*  
\*\*\*\*\*

Sample Title: AAR072414-74-3  
Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
@ = Energy line not used for Weighted Mean Activity  
Energy Tolerance : 3.000 keV  
Nuclide confidence index threshold = 0.30  
Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 7/25/2014 12:43:37 PM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1462.85	1.1067E-001	21.88

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR072414-74-3  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
BI-212	39.86	1.10	1.1951E+001	3.00E+000	-1.2707E+000
	727.17	11.80	2.9993E+000		2.5005E+000
	785.42	2.00	1.5787E+001		1.6491E+001
	1620.56	2.75	0.0000E+000		0.0000E+000
> PB-212	74.81	9.60	1.8153E+000	6.11E-001	-1.5426E-001
	77.11	17.50	9.5696E-001		-3.2457E-001
	87.20	6.30	2.7519E+000		-5.4936E-001
	89.80	1.75	1.0626E+001		-1.4170E+000
	115.19	0.60	2.9629E+001		3.4521E+000
	238.63	44.60	6.1055E-001		5.4502E-001
	300.09	3.41	6.3450E+000		-3.0295E-001
	609.31	46.30	7.5054E-001		3.7833E-001
	768.36	5.04	6.5180E+000		7.3077E+000
	806.17	1.23	2.7453E+001		9.9014E-001
BI-214	934.06	3.21	1.1130E+001	7.51E-001	-2.1161E+000
	1120.29	15.10	3.5630E+000		-5.5967E-001
	1155.19	1.69	2.9654E+001		-1.7558E+001
	1238.11	5.94	7.4078E+000		1.5930E+000
	1280.96	1.47	2.9165E+001		4.3722E+000
	1377.67	4.11	1.1533E+001		-1.5428E-001
	1385.31	0.78	5.5701E+001		4.3259E+001
	1401.50	1.39	3.6187E+001		-2.3503E+001
	1407.98	2.48	2.0386E+001		1.8740E+001
	1509.19	2.19	0.0000E+000		0.0000E+000
	1661.28	1.15	0.0000E+000		0.0000E+000
	1729.60	3.05	0.0000E+000		0.0000E+000
	1764.49	15.80	0.0000E+000		0.0000E+000
	1847.44	2.12	0.0000E+000		0.0000E+000
	2118.54	1.21	0.0000E+000		0.0000E+000
> PB-214	74.81	6.33	2.7530E+000	7.53E-001	-2.3395E-001
	77.11	10.70	1.5651E+000		-5.3084E-001
	87.20	3.70	4.6856E+000		-9.3539E-001
	89.80	1.03	1.8054E+001		-2.4076E+000
	241.98	7.49	3.5336E+000		2.7193E+000
	295.21	19.20	1.1967E+000		3.4148E-001
	351.92	37.20	7.5286E-001		4.9759E-001
	785.91	1.10	2.8268E+001		-1.5166E+001
	89.95	2.10	8.6555E+000		-7.0693E+000
	93.35	3.50	5.1861E+000		-2.1059E+000
AC-228	129.08	2.80	7.5080E+000	1.51E+000	-9.6027E-001
	209.28	4.40	4.8943E+000		2.1124E+000
	270.23	3.60	6.2853E+000		2.2560E+000

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.6032E+000	1.51E+000	-3.4708E+000
	338.32	11.40	2.1179E+000		1.8758E-001
	409.51	2.13	1.2065E+001		-8.6134E+000
	463.00	4.40	5.6459E+000		3.5180E+000
	583.20	0.14	2.4805E+002		-1.3969E+002
	794.70	4.60	7.4520E+000		1.3113E+000
	911.07	27.70	1.5064E+000		4.5708E-001
	964.60	5.20	9.0263E+000		3.7541E+000
	969.11	16.60	2.7237E+000		-1.7476E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction



\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: C:\My Documents\AAR\AAR\Grid Samples\AAR072414 GRID 74-4.CNF

Report Generated On : 10/8/2014 11:25:38 AM

Sample Location : AAR072414-74-4  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 74-4  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/25/2014 12:48:00 AM  
Acquisition Started : 7/25/2014 12:49:03 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: RELA

Sample Title: AAR072414-74-4

Peak Analysis Performed on: 10/8/2014 11:25:38 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7991-	8024	8007.94	1462.80	0.34	9.10E+001	18.70	0.00E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*  
\*\*\*\*\*

Sample Title: AAR072414-74-4  
Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
@ = Energy line not used for Weighted Mean Activity  
Energy Tolerance : 3.000 keV  
Nuclide confidence index threshold = 0.30  
Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* INTERFERENCE CORRECTED REPORT \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* UNIDENTIFIED PEAKS \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 11:25:38 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1462.80	1.0111E-001	20.55

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR072414-74-4  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.2717E+001	2.80E+000	1.3314E+000
		727.17	11.80	2.7999E+000		-1.4600E+000
		785.42	2.00	1.6506E+001		-6.2463E+000
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.8153E+000	5.84E-001	3.2959E-001
		77.11	17.50	9.2013E-001		-5.2900E-002
		87.20	6.30	2.6060E+000		-1.3440E+000
		89.80	1.75	1.0143E+001		-8.1673E+000
		115.19	0.60	2.7885E+001		1.4480E+001
		238.63	44.60	5.8449E-001		2.5040E-001
		300.09	3.41	7.2026E+000		3.6751E+000
	BI-214	609.31	46.30	8.0442E-001	8.04E-001	1.0464E+000
		768.36	5.04	7.6628E+000		4.2628E+000
		806.17	1.23	2.7839E+001		1.8902E+001
		934.06	3.21	1.0156E+001		1.2138E+000
		1120.29	15.10	3.1758E+000		-1.5457E-001
		1155.19	1.69	2.7298E+001		-2.0231E+001
		1238.11	5.94	9.4042E+000		6.4207E+000
		1280.96	1.47	3.4434E+001		1.8156E+001
		1377.67	4.11	1.0232E+001		-6.2099E+000
		1385.31	0.78	5.7117E+001		4.5803E+001
		1401.50	1.39	3.0832E+001		2.3141E+001
		1407.98	2.48	1.5874E+001		-3.3281E+001
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.7530E+000	7.09E-001	4.9986E-001
		77.11	10.70	1.5049E+000		-8.6519E-002
		87.20	3.70	4.4373E+000		-2.2885E+000
		89.80	1.03	1.7233E+001		-1.3876E+001
		241.98	7.49	3.5858E+000		5.2314E+000
		295.21	19.20	1.3046E+000		4.5694E-001
		351.92	37.20	7.0918E-001		-5.2791E-002
		785.91	1.10	3.0027E+001		-2.3777E+001
	AC-228	338.32	11.40	2.2674E+000	1.70E+000	1.7073E+000
		911.07	27.70	1.6998E+000		1.0151E+000
		969.11	16.60	2.7533E+000		-3.6482E-001

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: C:\My Documents\AAR\AAR\Grid Samples\AAR-75-01.CNF

Report Generated On : 10/8/2014 9:52:32 AM

Sample Location : AAR-75-01  
Sample Identification : AAR-75-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/29/2014 2:01:00 AM  
Acquisition Started : 7/29/2014 2:02:23 PM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



```
*****
***** P E A K   A N A L Y S I S   R E P O R T *****
*****
```

Detector Name: RE1A

Sample Title: AAR-75-01

Peak Analysis Performed on: 10/8/2014 9:52:32 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	1295-	1316	1306.65	238.67	0.87	3.14E+002	50.64	9.37E+001
2	1844-	1862	1852.83	338.44	0.41	7.92E+001	23.94	2.09E+001
3	3182-	3204	3192.71	583.19	1.14	9.99E+001	27.88	2.61E+001
4	4977-	5002	4989.40	911.40	0.70	7.20E+001	16.63	0.00E+000
5	5294-	5321	5307.86	969.57	0.28	5.77E+001	16.64	3.29E+000
6	7986-	8019	8002.82	1461.86	0.30	9.78E+001	21.45	4.20E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E   I D E N T I F I C A T I O N   R E P O R T   \*\*\*\*\*  
 \*\*\*\*\*

Sample Title:                    AAR-75-01  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
AC-228	0.998	338.32*	11.40	4.43145E+000	1.38909E+000
		911.07*	27.70	3.37648E+000	7.90636E-001
		969.11*	16.60	4.78605E+000	1.39028E+000

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance :      3.000 keV  
 Nuclide confidence index threshold =    0.30  
 Errors quoted at    1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
AC-228	0.998	3.860669E+000	6.160009E-001

? = nuclide is part of an undetermined solution

X = nuclide rejected by the interference analysis

@ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 9:52:32 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	238.67	3.4921E-001	16.11
3	583.19	1.1099E-001	27.91
6	1461.86	1.0867E-001	21.94

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR-75-01  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.7062E+001	3.83E+000	-7.9243E+000
		727.17	11.80	3.8339E+000		2.3564E-001
		785.42	2.00	2.5055E+001		1.5132E+001
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	3.3337E+000	1.33E+000	-2.0187E+000
		77.11	17.50	2.0042E+000		2.4008E+000
		87.20	6.30	4.5913E+000		5.2791E-001
		89.80	1.75	1.6205E+001		4.6915E-001
		115.19	0.60	4.3984E+001		1.9638E+000
		238.63	44.60	1.3342E+000		3.8315E+000
		300.09	3.41	9.9526E+000		4.9418E+000
	BI-214	609.31	46.30	9.5640E-001	9.56E-001	-1.0001E-001
		768.36	5.04	8.7772E+000		-1.1156E+001
		806.17	1.23	3.1416E+001		-1.3306E+002
		934.06	3.21	1.3151E+001		9.9366E+000
		1120.29	15.10	3.4518E+000		-8.1694E+000
		1155.19	1.69	2.9654E+001		3.4861E+001
		1238.11	5.94	8.8338E+000		1.0067E+001
		1280.96	1.47	3.2783E+001		3.2249E+001
		1377.67	4.11	1.2240E+001		-1.0110E+001
		1385.31	0.78	6.1141E+001		-7.1795E+000
		1401.50	1.39	2.9977E+001		2.1695E+001
		1407.98	2.48	1.5337E+001		-5.5508E+000
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	5.0559E+000	9.32E-001	-3.0615E+000
		77.11	10.70	3.2779E+000		3.9266E+000
		87.20	3.70	7.8176E+000		8.9887E-001
		89.80	1.03	2.7532E+001		7.9711E-001
		241.98	7.49	8.0305E+000		3.1132E+000
		295.21	19.20	1.7794E+000		7.2371E-001
		351.92	37.20	9.3229E-001		1.7646E+000
		785.91	1.10	4.5580E+001		3.5791E+001
+	AC-228	338.32*	11.40	1.6931E+000	1.27E-001	4.4315E+000
		911.07*	27.70	1.2690E-001		3.3765E+000
		969.11*	16.60	1.2573E+000		4.7860E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: C:\My Documents\AAR\AAR\Grid Samples\AAR-75-2.CNF

Report Generated On : 10/8/2014 9:53:05 AM

Sample Location : AAR-75-2  
Sample Identification : AAR-75-2  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 3:29:00 PM  
Acquisition Started : 7/23/2014 3:30:29 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

\*\*\*\*\*  
\*\*\*\*\* P E A K A N A L Y S I S R E P O R T \*\*\*\*\*  
\*\*\*\*\*

Detector Name: REL1A

Sample Title: AAR-75-2

Peak Analysis Performed on: 10/8/2014 9:53:05 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7986	8019	8002.92	1461.88	0.43	8.16E+001	22.01	8.39E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR-75-2  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma



\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 9:53:05 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1461.88	9.0679E-002	26.96

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR-75-2  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.2467E+001	2.47E+000	2.0793E+000
		727.17	11.80	2.4675E+000		-6.0805E+000
		785.42	2.00	1.7633E+001		-3.2621E+001
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.9228E+000	6.33E-001	6.8236E-001
		77.11	17.50	1.1066E+000		-9.9909E-002
		87.20	6.30	2.6800E+000		-3.2571E+000
		89.80	1.75	9.8916E+000		-1.0383E+001
		115.19	0.60	2.9387E+001		8.8244E+000
		238.63	44.60	6.3276E-001		1.0013E+000
		300.09	3.41	7.0503E+000		4.7048E+000
	BI-214	609.31	46.30	7.8690E-001	7.87E-001	1.2401E+000
		768.36	5.04	6.6070E+000		1.3840E+000
		806.17	1.23	2.8963E+001		-3.3845E+001
		934.06	3.21	9.9481E+000		-9.8627E+000
		1120.29	15.10	3.0491E+000		1.7300E+000
		1155.19	1.69	2.4228E+001		-1.1862E+001
		1238.11	5.94	9.4042E+000		5.8153E+000
		1280.96	1.47	3.1033E+001		4.0446E+000
		1377.67	4.11	9.9484E+000		7.1999E+000
		1385.31	0.78	4.9574E+001		-6.6552E+000
		1401.50	1.39	2.5194E+001		1.4463E+001
		1407.98	2.48	1.3578E+001		-7.1747E+000
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.9161E+000	6.52E-001	1.0349E+000
		77.11	10.70	1.8098E+000		-1.6340E-001
		87.20	3.70	4.5633E+000		-5.5459E+000
		89.80	1.03	1.6806E+001		-1.7642E+001
		241.98	7.49	3.8518E+000		2.3062E+000
		295.21	19.20	1.1680E+000		-3.1683E-001
		351.92	37.20	6.5152E-001		4.7949E-001
		785.91	1.10	3.3992E+001		1.4409E+000
	AC-228	338.32	11.40	2.3920E+000	1.49E+000	1.6621E+000
		911.07	27.70	1.4890E+000		1.1819E+000
		969.11	16.60	2.7237E+000		-3.8781E-001

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

.ename: C:\My Documents\AAR\AAR\Grid Samples\AAR-75-3.CNF

Report Generated On : 10/8/2014 9:53:43 AM

Sample Location : AAR-75-3  
Sample Identification : AAR-75-3  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 4:03:00 PM  
Acquisition Started : 7/23/2014 4:04:05 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

```
*****
***** P E A K   A N A L Y S I S   R E P O R T *****
*****
```

Detector Name: RE1A

Sample Title: AAR-75-3

Peak Analysis Performed on: 10/8/2014 9:53:43 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7986-	8019	8002.71	1461.84	0.61	8.49E+001	20.21	4.14E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR-75-3  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\COPY of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/Gram)	Wt mean Activity Uncertainty
-----------------	-----------------------------	-----------------------------------	------------------------------------

? = nuclide is part of an undetermined solution

X = nuclide rejected by the interference analysis

@ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 9:53:43 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty
1	1461.84	9.4288E-002	23.82

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR-75-3  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.3889E+001	3.12E+000	3.5987E+000
		727.17	11.80	3.1246E+000		-2.1431E+000
		785.42	2.00	1.7192E+001		-5.3982E+000
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.7340E+000	5.93E-001	-4.0166E-001
		77.11	17.50	9.2948E-001		4.5469E-001
		87.20	6.30	2.5808E+000		-2.3970E+000
		89.80	1.75	1.0225E+001		2.2441E+000
		115.19	0.60	2.8647E+001		1.0942E+001
		238.63	44.60	5.9331E-001		-1.4819E-001
		300.09	3.41	6.9988E+000		1.2486E+000
	BI-214	609.31	46.30	7.2521E-001	7.25E-001	3.8080E-002
		768.36	5.04	6.6947E+000		4.3656E+000
		806.17	1.23	2.8219E+001		1.9194E+000
		934.06	3.21	1.1846E+001		-1.0351E-001
		1120.29	15.10	3.0491E+000		1.0981E+000
		1155.19	1.69	2.8892E+001		3.2924E+001
		1238.11	5.94	9.5138E+000		1.1843E+001
		1280.96	1.47	3.6508E+001		-2.9712E+001
		1377.67	4.11	1.1533E+001		1.2171E+000
		1385.31	0.78	5.9834E+001		9.3197E+000
		1401.50	1.39	2.8177E+001		-9.4568E+000
		1407.98	2.48	1.5337E+001		9.7775E+000
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.6298E+000	6.84E-001	-6.0916E-001
		77.11	10.70	1.5202E+000		7.4366E-001
		87.20	3.70	4.3944E+000		-4.0813E+000
		89.80	1.03	1.7373E+001		3.8128E+000
		241.98	7.49	3.6542E+000		2.6967E+000
		295.21	19.20	1.2246E+000		6.9610E-001
		351.92	37.20	6.8362E-001		4.6526E-001
		785.91	1.10	3.1678E+001		8.0172E+000
	AC-228	338.32	11.40	2.2674E+000	1.42E+000	1.6984E+000
		911.07	27.70	1.4173E+000		8.8335E-001
		969.11	16.60	2.5060E+000		1.3949E+000

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated



@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: C:\My Documents\AAR\AAR\Grid Samples\AAR-75-4.CNF

Report Generated On : 10/8/2014 9:54:23 AM

Sample Location : AAR-75-4  
Sample Identification : AAR-75-4  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 3:46:00 PM  
Acquisition Started : 7/23/2014 3:47:43 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

```
*****
***** P E A K   A N A L Y S I S   R E P O R T *****
*****
```

Detector Name: RE1A

Sample Title: AAR-75-4

Peak Analysis Performed on: 10/8/2014 9:54:24 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
1	7985-	8018	8001.71	1461.66	1.00	7.77E+001	21.59	8.29E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E I D E N T I F I C A T I O N R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Sample Title: AAR-75-4  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

..... IDENTIFIED NUCLIDES .....

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/Gram)	Activity Uncertainty
-----------------	------------------	-----------------	--------------	------------------------	-------------------------

\* = Energy line found in the spectrum.  
 @ = Energy line not used for Weighted Mean Activity  
 Energy Tolerance : 3.000 keV  
 Nuclide confidence index threshold = 0.30  
 Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* I N T E R F E R E N C E C O R R E C T E D R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Nuclide	Nuclide	Wt mean	Wt mean
Name	Id	Activity	Activity
	Confidence	(pCi/Gram)	Uncertainty

? = nuclide is part of an undetermined solution  
 X = nuclide rejected by the interference analysis  
 @ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

\*\*\*\*\* U N I D E N T I F I E D P E A K S \*\*\*\*\*

Peak Locate Performed on: 10/8/2014 9:54:24 AM  
 Peak Locate From Channel: 40  
 Peak Locate To Channel: 8192

Peak	Energy	Peak Size in	Peak CPS
No.	(keV)	Counts per Second	% Uncertainty
1	1461.66	8.6344E-002	27.78

M = First peak in a multiplet region  
 m = Other peak in a multiplet region  
 F = Fitted singlet

Errors quoted at 1.960 sigma

\*\*\*\*\*  
 \*\*\*\*\* N U C L I D E M D A R E P O R T \*\*\*\*\*  
 \*\*\*\*\*

Detector Name: RE1A  
 Sample Geometry: 8 Oz. Can  
 Sample Title: AAR-75-4  
 Nuclide Library Used: C:\GENIE2K\CAMFILES\Copy of Stdlib.nlb

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	BI-212	39.86	1.10	1.1951E+001	2.87E+000	-1.0610E+000
		727.17	11.80	2.8681E+000		1.0610E+000
		785.42	2.00	1.4768E+001		-2.5459E+001
>		1620.56	2.75	0.0000E+000		0.0000E+000
	PB-212	74.81	9.60	1.9524E+000	6.46E-001	1.2607E-002
		77.11	17.50	1.0095E+000		-2.2011E-001
		87.20	6.30	2.5808E+000		4.1536E-001
		89.80	1.75	9.8063E+000		-8.1350E+000
		115.19	0.60	3.2167E+001		-5.4130E-001
		238.63	44.60	6.4624E-001		7.1256E-001
		300.09	3.41	6.6258E+000		3.4172E+000
	BI-214	609.31	46.30	8.0442E-001	8.04E-001	8.0506E-001
		768.36	5.04	6.5180E+000		7.3077E+000
		806.17	1.23	2.9687E+001		2.3023E+001
		934.06	3.21	1.2186E+001		8.2554E+000
		1120.29	15.10	3.1342E+000		-1.5448E-003
		1155.19	1.69	2.8503E+001		-1.8414E+001
		1238.11	5.94	8.9511E+000		4.4581E+000
		1280.96	1.47	2.4164E+001		1.6124E+001
		1377.67	4.11	9.3512E+000		-3.5446E+000
		1385.31	0.78	5.1185E+001		-2.1993E+001
		1401.50	1.39	2.9093E+001		-6.3277E+000
		1407.98	2.48	1.6887E+001		1.2222E+001
>		1509.19	2.19	0.0000E+000		0.0000E+000
>		1661.28	1.15	0.0000E+000		0.0000E+000
>		1729.60	3.05	0.0000E+000		0.0000E+000
>		1764.49	15.80	0.0000E+000		0.0000E+000
>		1847.44	2.12	0.0000E+000		0.0000E+000
>		2118.54	1.21	0.0000E+000		0.0000E+000
	PB-214	74.81	6.33	2.9610E+000	7.39E-001	1.9119E-002
		77.11	10.70	1.6510E+000		-3.5999E-001
		87.20	3.70	4.3944E+000		7.0724E-001
		89.80	1.03	1.6661E+001		-1.3822E+001
		241.98	7.49	3.9154E+000		2.2154E+000
		295.21	19.20	1.2608E+000		3.0644E-001
		351.92	37.20	7.3861E-001		7.8678E-001
		785.91	1.10	2.7809E+001		1.3831E+001
	AC-228	338.32	11.40	2.1350E+000	1.24E+000	2.1778E+000
		911.07	27.70	1.2391E+000		4.6610E-001
		969.11	16.60	2.7533E+000		2.2501E+000

+ = Nuclide identified during the nuclide identification  
 \* = Energy line found in the spectrum  
 > = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/22/2014 4:06:37 PM

Sample Location : AAR-76-01  
Sample Identification : AAR 76-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 3:33:00 PM  
Acquisition Started : 7/22/2014 3:51:36 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.7778E+000	1.57E+000	9.0905E+000
	338.32	11.40	2.2188E+000		-2.3042E+000
	409.51	2.13	1.1287E+001		-8.4244E+000
	463.00	4.40	6.0117E+000		2.8758E+000
	583.20	0.14	2.2583E+002		-1.5168E+002
	794.70	4.60	8.2963E+000		-4.8065E-001
	911.07	27.70	1.5737E+000		2.0627E+000
	964.60	5.20	8.4652E+000		2.1734E+000
	969.11	16.60	2.6017E+000		5.1807E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

```

*****
*****  G A M M A   S P E C T R U M   A N A L Y S I S  *****
*****

```

ename: RE1A

Report Generated On : 7/22/2014 5:02:59 PM

Sample Location : AAR-76-02  
 Sample Identification : AAR 76-02  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID CLEARANCE  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 4:29:00 PM  
 Acquisition Started : 7/22/2014 4:47:57 PM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	9.8420E+000	2.02E+000	7.7737E-001
	338.32	11.40	3.1439E+000		2.3231E+000
	409.51	2.13	1.4038E+001		7.2630E+000
	463.00	4.40	7.6090E+000		8.9370E-001
	583.20	0.14	3.3535E+002		1.2164E+002
	794.70	4.60	9.2155E+000		1.9149E+000
	911.07	27.70	2.0158E+000		3.5160E+000
	964.60	5.20	1.0048E+001		5.9184E+000
	969.11	16.60	3.0845E+000		1.9238E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/22/2014 4:45:42 PM

Sample Location : AAR-76-03  
Sample Identification : AAR 76-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 4:29:00 PM  
Acquisition Started : 7/22/2014 4:30:40 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.1778E+000	1.57E+000	9.9041E-002
	338.32	11.40	2.2351E+000		1.1097E+000
	409.51	2.13	1.1848E+001		6.6802E+000
	463.00	4.40	5.7086E+000		-3.5180E+000
	583.20	0.14	2.6295E+002		1.4611E+002
	794.70	4.60	6.8251E+000		6.9934E+000
	911.07	27.70	1.5737E+000		-7.7352E-001
	964.60	5.20	9.2931E+000		8.8415E+000
	969.11	16.60	2.7826E+000		6.6972E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/22/2014 4:24:10 PM

Sample Location : AAR-76-04  
Sample Identification : AAR 76-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 4:08:00 PM  
Acquisition Started : 7/22/2014 4:09:09 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.9221E+000	1.47E+000	4.4863E+000
	338.32	11.40	2.3461E+000		2.9808E+000
	409.51	2.13	1.2065E+001		-7.0664E+000
	463.00	4.40	5.5824E+000		5.0360E+000
	583.20	0.14	2.4417E+002		1.9934E+002
	794.70	4.60	7.2497E+000		8.1174E-001
	911.07	27.70	1.4715E+000		1.0915E+000
	964.60	5.20	8.1688E+000		5.7068E+000
	969.11	16.60	2.3716E+000		-1.1926E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* GAMMA SPECTRUM ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/4/2014 3:06:26 PM

Sample Location : AAR  
Sample Identification : APR-94-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 94 clear  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : clear area  
Sample Geometry : 8 Oz. Can

*18.8% moisture*

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/4/2014 2:55:00 PM  
Acquisition Started : 6/4/2014 2:56:25 PM

Live Time : 600.0 seconds  
Real Time : 600.3 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.2977E+000	1.79E+000	-3.7333E+000
	338.32	11.40	2.9339E+000		4.0304E+000
	409.51	2.13	1.4692E+001		-3.2444E+000
	463.00	4.40	6.2615E+000		3.1209E+000
	583.20	0.14	2.9776E+002		3.5530E+002
	911.07	27.70	1.7931E+000		1.6877E+000
	964.60	5.20	1.1790E+001		-4.4776E+000
	969.11	16.60	3.3976E+000		3.4814E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* GAMMA SPECTRUM ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

Rename: RE1A

Report Generated On : 6/4/2014 3:28:55 PM

Sample Location : AAR 94-02

Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 94 clear  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : clear area  
Sample Geometry : 8 Oz. Can

16.2% moisture

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/4/2014 2:55:00 PM  
Acquisition Started : 6/4/2014 3:18:54 PM

Live Time : 600.0 seconds  
Real Time : 600.3 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0577E+001	2.41E+000	2.1585E+000
	338.32	11.40	3.2785E+000		-5.1619E-002
	409.51	2.13	1.6402E+001		6.0789E+000
	463.00	4.40	8.4688E+000		2.7426E+000
	583.20	0.14	3.3874E+002		-9.5587E+001
	794.70	4.60	9.0019E+000		2.4218E+000
	911.07	27.70	2.4093E+000		1.0678E+000
	964.60	5.20	1.0444E+001		1.0274E+001
	969.11	16.60	2.9236E+000		-1.8806E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* GAMMA SPECTRUM ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 6/4/2014 4:06:13 PM

Sample Location : AAR grid sample  
Sample Identification : AAR-94-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 94 clear -03  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : clear area  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/4/2014 3:56:00 PM  
Acquisition Started : 6/4/2014 3:56:12 PM

Live Time : 600.0 seconds  
Real Time : 600.3 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

13.4% moisture

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.6441E+000	1.65E+000	-2.7963E+000
	338.32	11.40	2.5385E+000		7.0053E-001
	409.51	2.13	1.1737E+001		1.2479E-001
	463.00	4.40	6.7676E+000		6.5149E+000
	583.20	0.14	2.6241E+002		1.2269E+002
	794.70	4.60	9.3737E+000		-1.2925E+001
	911.07	27.70	1.6535E+000		-1.9180E+000
	964.60	5.20	8.8699E+000		5.9275E-001
	969.11	16.60	2.7217E+000		-2.1101E+000
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* GAMMA SPECTRUM ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

30% mistake

Sample Name: REL1A

Report Generated On : 6/4/2014 2:28:57 PM

Sample Location : AAR  
Sample Identification : AAR-94-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 94 clear  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : clear area  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/4/2014 2:17:00 PM  
Acquisition Started : 6/4/2014 2:18:56 PM

Live Time : 600.0 seconds  
Real Time : 600.3 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	9.0136E+000	1.79E+000	7.9473E+000
	338.32	11.40	2.8187E+000		7.7670E-001
	409.51	2.13	1.3640E+001		-2.5403E+000
	463.00	4.40	7.0054E+000		4.6376E+000
	583.20	0.14	2.6241E+002		1.5819E+002
	794.70	4.60	1.0875E+001		-2.9855E-001
	911.07	27.70	1.7931E+000		-4.3950E-001
	964.60	5.20	9.8870E+000		9.0888E+000
	969.11	16.60	3.1706E+000		-9.3252E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/28/2014 11:34:32 AM

Sample Location : AAR072514-98-1  
 Sample Identification : CLEARANCE  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID 98-1  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : SOIL  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 11:18:00 AM  
 Acquisition Started : 7/28/2014 11:19:32 AM

Live Time : 900.0 seconds  
 Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.3634E+000	1.61E+000	-2.3513E+000
	338.32	11.40	2.0476E+000		4.9852E-001
	409.51	2.13	1.0569E+001		-3.9313E+000
	463.00	4.40	5.6459E+000		-5.4354E+000
	583.20	0.14	2.5375E+002		2.9672E+001
	794.70	4.60	7.7447E+000		-5.1202E+000
	911.07	27.70	1.6062E+000		2.1565E+000
	964.60	5.20	8.7506E+000		-9.5330E+000
	969.11	16.60	2.8401E+000		1.1812E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/28/2014 11:51:47 AM

Sample Location : AAR072514-98-2  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 98-2  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 11:36:00 AM  
Acquisition Started : 7/28/2014 11:36:46 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.9870E+000	1.61E+000	-5.9477E+000
	338.32	11.40	2.1857E+000		9.2410E-001
	409.51	2.13	1.1171E+001		-8.2094E+000
	463.00	4.40	6.5190E+000		7.8589E+000
	583.20	0.14	2.2153E+002		2.2270E+002
	794.70	4.60	8.2963E+000		-4.3854E-001
	911.07	27.70	1.6062E+000		2.1565E+000
	964.60	5.20	8.5615E+000		2.4369E+000
	969.11	16.60	2.6017E+000		5.1807E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: RE1A

Report Generated On : 7/28/2014 12:15:19 PM

Sample Location : AAR072514-98-3  
Sample Identification : CLEARENCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 98-3  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 11:59:00 AM  
Acquisition Started : 7/28/2014 12:00:18 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.2403E+000	1.57E+000	-1.0237E+001
	338.32	11.40	2.3920E+000		1.6752E+000
	409.51	2.13	1.1171E+001		-2.1289E+000
	463.00	4.40	6.4100E+000		-3.3338E+000
	583.20	0.14	2.3004E+002		2.6329E+001
	794.70	4.60	8.0257E+000		-1.4934E+001
	911.07	27.70	1.5737E+000		1.3350E+000
	964.60	5.20	7.6467E+000		3.9126E+000
	969.11	16.60	2.4060E+000		2.6525E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/28/2014 12:36:03 PM

Sample Location : AAR072514-98-4  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 98-4  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 12:20:00 AM  
Acquisition Started : 7/28/2014 12:21:02 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.6619E+000	1.59E+000	5.6778E-001
	338.32	11.40	1.9180E+000		-1.4141E+000
	409.51	2.13	1.1053E+001		7.7367E+000
	463.00	4.40	6.2427E+000		1.4145E+000
	583.20	0.14	2.4221E+002		2.8929E+002
	794.70	4.60	8.0257E+000		6.3722E+000
	911.07	27.70	1.5901E+000		5.9538E-001
	964.60	5.20	8.2689E+000		5.8287E+000
	969.11	16.60	2.6635E+000		6.8385E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 10:18:43 AM

Sample Location : AAR-99-01  
Sample Identification : AAR-99-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 10:03:00 AM  
Acquisition Started : 7/16/2014 10:03:41 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.8565E+000	1.28E+000	-2.3302E+000
	338.32	11.40	2.1521E+000		-1.6272E-001
	409.51	2.13	1.0318E+001		5.7402E+000
	463.00	4.40	6.5190E+000		7.4533E-001
	583.20	0.14	2.0334E+002		8.8641E+000
	794.70	4.60	7.4520E+000		8.4920E+000
	911.07	27.70	1.2811E+000		6.2158E-001
	964.60	5.20	7.6467E+000		-5.1413E+000
	969.11	16.60	2.4398E+000		3.5919E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 9:05:24 AM

Sample Location : AAR-99-02  
Sample Identification : AAR-99-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 8:49:00 AM  
Acquisition Started : 7/16/2014 8:50:23 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.3634E+000	1.51E+000	2.4196E+000
	338.32	11.40	2.3615E+000		8.5523E-003
	409.51	2.13	1.0814E+001		-3.8491E+000
	463.00	4.40	5.7086E+000		8.6865E-002
	583.20	0.14	2.4996E+002		-1.4751E+002
	794.70	4.60	7.4520E+000		-2.0587E+000
	911.07	27.70	1.5064E+000		-7.6766E-001
	964.60	5.20	8.1688E+000		5.7958E+000
	969.11	16.60	2.7237E+000		-1.9094E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 11:08:16 AM

Sample Location : AAR-99-03  
Sample Identification : AAR-99-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 10:52:00 AM  
Acquisition Started : 7/16/2014 10:53:15 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.1698E+000	1.45E+000	4.7656E-001
	338.32	11.40	2.3150E+000		-6.6200E-001
	409.51	2.13	1.3092E+001		-9.4126E+000
	463.00	4.40	5.6459E+000		1.4163E+000
	583.20	0.14	2.2583E+002		8.1950E+001
	794.70	4.60	7.2497E+000		-6.3690E+000
	911.07	27.70	1.4536E+000		1.7346E+000
	964.60	5.20	9.0263E+000		-1.2373E+001
	969.11	16.60	2.6635E+000		-1.8909E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/16/2014 10:45:38 AM

Sample Location : AAR-99-04  
Sample Identification : AAR-99-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 10:29:00 AM  
Acquisition Started : 7/16/2014 10:30:36 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.4379E+000	1.73E+000	2.0814E+000
	338.32	11.40	2.3306E+000		-5.9177E-001
	409.51	2.13	1.3092E+001		7.3932E+000
	463.00	4.40	6.0703E+000		-2.2277E+000
	583.20	0.14	2.4996E+002		2.4196E+002
	794.70	4.60	7.7447E+000		1.8597E+000
	911.07	27.70	1.7297E+000		-1.8405E-001
	964.60	5.20	8.3676E+000		6.0204E+000
	969.11	16.60	2.6017E+000		1.9567E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 2:31:15 PM

Sample Location : AAR-101-01  
Sample Identification : AAR-101-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 2:15:00 PM  
Acquisition Started : 7/16/2014 2:16:13 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.2242E+000	2.03E+000	-5.0509E-001
	338.32	11.40	2.6767E+000		2.2615E+000
	409.51	2.13	1.2893E+001		-3.3651E+000
	463.00	4.40	6.8860E+000		9.3000E+000
	583.20	0.14	3.2399E+002		7.3984E+001
	794.70	4.60	9.4495E+000		7.0559E+000
	911.07	27.70	2.0284E+000		3.0071E-002
	964.60	5.20	1.1328E+001		7.8199E+000
	969.11	16.60	3.5420E+000		2.0846E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 2:49:00 PM

Sample Location : AAR-101-02  
Sample Identification : AAR-101-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 2:33:00 PM  
Acquisition Started : 7/16/2014 2:33:59 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4843E+000	1.56E+000	2.8758E+000
	338.32	11.40	2.2674E+000		7.5740E-001
	409.51	2.13	1.0693E+001		-1.9862E+000
	463.00	4.40	6.0117E+000		1.2540E+000
	583.20	0.14	2.0571E+002		-2.7288E+001
	794.70	4.60	8.3844E+000		-3.8770E+000
	911.07	27.70	1.5572E+000		-1.5282E+000
	964.60	5.20	8.1688E+000		1.3831E+000
	969.11	16.60	2.3716E+000		-2.6940E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 3:07:07 PM

Sample Location : AAR-101-03  
 Sample Identification : AAR-101-03  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 2:51:00 PM  
 Acquisition Started : 7/16/2014 2:52:05 PM

Live Time : 900.0 seconds  
 Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.7778E+000	1.67E+000	5.5926E+000
	338.32	11.40	2.5386E+000		1.7213E+000
	409.51	2.13	1.1171E+001		-4.4431E+000
	463.00	4.40	7.0865E+000		-8.1043E+000
	583.20	0.14	2.7528E+002		1.9248E+001
	794.70	4.60	8.0257E+000		-4.3709E+000
	911.07	27.70	1.6692E+000		-4.9224E-001
	964.60	5.20	8.3676E+000		7.2278E-001
	969.11	16.60	2.6635E+000		3.3156E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/16/2014 3:27:39 PM

Sample Location : AAR-101-04  
Sample Identification : AAR-101-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 3:11:00 PM  
Acquisition Started : 7/16/2014 3:12:37 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.3634E+000	1.45E+000	-3.9728E+000
	338.32	11.40	2.2674E+000		2.2497E-001
	409.51	2.13	1.0934E+001		-1.1409E+000
	463.00	4.40	6.1284E+000		5.0559E+000
	583.20	0.14	2.6114E+002		3.5153E+002
	794.70	4.60	8.3844E+000		3.8089E+000
	911.07	27.70	1.4536E+000		3.0599E-001
	964.60	5.20	7.9645E+000		9.2205E+000
	969.11	16.60	2.4731E+000		-2.8073E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* - Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* GAMMA SPECTRUM ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/6/2014 3:46:53 PM

Sample Location : AAR  
Sample Identification : AAR-122-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 122 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Clearance Sample  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.057E+002 Grams

Sample Taken On : 6/6/2014 3:36:00 PM  
Acquisition Started : 6/6/2014 3:36:52 PM

Live Time : 600.0 seconds  
Real Time : 600.2 seconds

Dead Time : 0.03 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0111E+001	2.55E+000	-6.3363E+000
	338.32	11.40	3.5811E+000		2.0703E+000
	409.51	2.13	1.7306E+001		1.4917E+001
	463.00	4.40	7.4690E+000		5.3923E+000
	583.20	0.14	4.2405E+002		5.6338E+002
	794.70	4.60	1.0284E+001		-4.3565E+000
	911.07	27.70	2.5480E+000		3.7661E+000
	964.60	5.20	1.2781E+001		1.0157E+000
	969.11	16.60	3.9346E+000		1.1199E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 6/6/2014 4:03:21 PM

Sample Location : AAR  
Sample Identification : AAR-122-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 122 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Clearance Sample  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.117E+002 Grams

Sample Taken On : 6/6/2014 3:36:00 PM  
Acquisition Started : 6/6/2014 3:53:19 PM

Live Time : 600.0 seconds  
Real Time : 600.2 seconds

Dead Time : 0.03 %

---

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0836E+000	1.70E+000	-5.3610E+000
	338.32	11.40	2.6389E+000		-7.2656E-001
	409.51	2.13	1.3901E+001		6.3470E+000
	463.00	4.40	6.8450E+000		4.8356E+000
	583.20	0.14	2.5613E+002		5.6786E+001
	794.70	4.60	8.6950E+000		7.7984E+000
	911.07	27.70	1.6966E+000		3.1257E-001
	964.60	5.20	1.0697E+001		4.6374E+000
	969.11	16.60	3.2147E+000		3.2939E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/6/2014 4:29:22 PM

Sample Location : AAR  
Sample Identification : APR-122-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 122 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Clearance Sample  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.133E+002 Grams

Sample Taken On : 6/6/2014 4:18:00 PM  
Acquisition Started : 6/6/2014 4:19:21 PM

Live Time : 600.0 seconds  
Real Time : 600.2 seconds

Dead Time : 0.03 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.3564E+000	1.89E+000	2.3514E+000
	338.32	11.40	2.4749E+000		1.6994E+000
	409.51	2.13	1.4712E+001		-6.2815E+000
	463.00	4.40	6.5785E+000		1.4275E+000
	583.20	0.14	2.9631E+002		2.7208E+002
	794.70	4.60	7.4997E+000		-8.9658E+000
	911.07	27.70	1.8893E+000		2.0471E+000
	964.60	5.20	8.3293E+000		1.7833E+000
	969.11	16.60	2.6208E+000		4.8811E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: RE1A

Report Generated On : 6/6/2014 5:08:25 PM

Sample Location : AAR  
Sample Identification : AAR-122-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 122 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Clearance Sample  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.038E+002 Grams

Sample Taken On : 6/6/2014 4:57:00 PM  
Acquisition Started : 6/6/2014 4:58:24 PM

Live Time : 600.0 seconds  
Real Time : 600.1 seconds

Dead Time : 0.02 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.7459E+000	1.70E+000	-2.6656E-001
	338.32	11.40	2.3954E+000		-1.9574E+000
	409.51	2.13	1.3619E+001		-9.9256E+000
	463.00	4.40	6.2824E+000		3.1200E+000
	583.20	0.14	2.9265E+002		2.4641E+002
	794.70	4.60	9.5625E+000		3.8000E+000
	911.07	27.70	1.6953E+000		5.1756E-001
	964.60	5.20	1.0265E+001		1.0098E+001
	969.11	16.60	3.2851E+000		3.2994E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 10:47:35 AM

Sample Location : AAR-123-01  
Sample Identification : AAR-123-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 10:31:00 AM  
Acquisition Started : 7/2/2014 10:32:33 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.9486E+000	2.04E+000	1.0216E-001
	338.32	11.40	3.0400E+000		3.3604E+000
	409.51	2.13	1.4662E+001		9.8723E+000
	463.00	4.40	7.3290E+000		5.2987E+000
	583.20	0.14	3.4362E+002		4.6189E+002
	794.70	4.60	8.9749E+000		1.2738E+001
	911.07	27.70	2.0409E+000		2.1916E+000
	964.60	5.20	1.1186E+001		1.0867E+001
	969.11	16.60	3.5643E+000		2.1684E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 11:58:18 AM

Sample Location : AAR-123-02  
Sample Identification : AAR-123-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 11:42:00 AM  
Acquisition Started : 7/2/2014 11:43:17 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.4905E+000	1.87E+000	-5.6287E+000
	338.32	11.40	2.6086E+000		-9.1829E-001
	409.51	2.13	1.2487E+001		5.5500E+000
	463.00	4.40	6.4648E+000		2.6762E+000
	583.20	0.14	3.1962E+002		1.2476E+002
	794.70	4.60	8.2072E+000		7.0053E+000
	911.07	27.70	1.8718E+000		1.5822E+000
	964.60	5.20	9.9670E+000		1.1806E+001
	969.11	16.60	3.2611E+000		2.6358E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 12:20:50 PM

Sample Location : AAR-123-03  
Sample Identification : AAR-123-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 12:04:00 PM  
Acquisition Started : 7/2/2014 12:05:48 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.1151E+000	1.99E+000	7.2570E+000
	338.32	11.40	2.6360E+000		2.0687E+000
	409.51	2.13	1.2793E+001		-7.2334E+000
	463.00	4.40	7.2812E+000		5.4290E+000
	583.20	0.14	2.7528E+002		3.4523E+002
	794.70	4.60	8.8106E+000		1.4094E+000
	911.07	27.70	1.9905E+000		2.7059E+000
	964.60	5.20	9.8855E+000		1.0778E+001
	969.11	16.60	2.8963E+000		-1.1941E+000
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 12:38:44 PM

Sample Location : AAR-123-04  
Sample Identification : AAR-123-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 12:23:00 PM  
Acquisition Started : 7/2/2014 12:23:43 PM

Live Time : 900.0 seconds  
Real Time : 900.4 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
	AC-228	327.64	3.20	7.3634E+000	1.64E+000	4.0543E+000
		338.32	11.40	2.1689E+000		1.7913E+000
		409.51	2.13	9.6588E+000		-1.5447E+001
		463.00	4.40	6.0703E+000		9.1208E-001
		583.20	0.14	2.2153E+002		1.4884E+002
		794.70	4.60	6.7143E+000		2.5347E+000
		911.07	27.70	1.6381E+000		9.1807E-001
		964.60	5.20	7.5375E+000		-1.3410E+001
		969.11	16.60	2.3367E+000		1.2302E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

`ename: RE1A

Report Generated On : 7/2/2014 10:29:58 AM

Sample Location : AAR-124-01  
Sample Identification : AAR-124-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 10:13:00 AM  
Acquisition Started : 7/2/2014 10:14:56 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.1218E+001	2.65E+000	5.1858E+000
	338.32	11.40	3.7698E+000		6.1714E+000
	409.51	2.13	1.6765E+001		2.1916E+001
	463.00	4.40	8.2233E+000		1.0585E+001
	583.20	0.14	4.1136E+002		6.5818E+002
	794.70	4.60	1.0188E+001		-1.9189E+001
	911.07	27.70	2.6518E+000		3.4177E+000
	964.60	5.20	1.3213E+001		1.2458E+001
	969.11	16.60	4.1950E+000		8.7864E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 7:29:39 AM

Sample Location : AAR-124-02  
 Sample Identification : AAR-124-02  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Scil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 7:14:00 AM  
 Acquisition Started : 7/2/2014 7:14:37 AM

Live Time : 900.0 seconds  
 Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.3850E+000	1.83E+000	2.3594E+000
	338.32	11.40	2.6632E+000		1.7389E+000
	409.51	2.13	1.4749E+001		6.9319E+000
	463.00	4.40	6.1858E+000		4.9409E+000
	583.20	0.14	3.0611E+002		3.7185E+002
	794.70	4.60	8.6428E+000		1.1739E+001
	911.07	27.70	1.8304E+000		2.8597E+000
	964.60	5.20	1.0746E+001		1.2946E+001
	969.11	16.60	3.4279E+000		4.5121E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/7/2014 1:47:40 PM

Sample Location : AAR-124-03  
Sample Identification : AAR-124-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 1:31:00 PM  
Acquisition Started : 7/7/2014 1:32:38 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.6032E+000	1.45E+000	1.0088E+001
	338.32	11.40	2.3920E+000		2.1782E+000
	409.51	2.13	9.7946E+000		-1.5330E+001
	463.00	4.40	4.5918E+000		-2.6928E+000
	583.20	0.14	2.0094E+002		9.1227E+001
	794.70	4.60	8.2072E+000		6.9652E+000
	911.07	27.70	1.4536E+000		3.1644E-001
	964.60	5.20	8.0673E+000		1.1196E+000
	969.11	16.60	2.5383E+000		1.3809E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 2:07:37 PM

Sample Location : AAR-124-04  
 Sample Identification : AAR-124-04  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 1:52:00 PM  
 Acquisition Started : 7/7/2014 1:52:36 PM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.7987E+000	1.94E+000	2.6539E+000
	338.32	11.40	2.7690E+000		2.5869E+000
	409.51	2.13	1.4038E+001		-1.0302E+001
	463.00	4.40	7.1357E+000		1.1305E+000
	583.20	0.14	2.7356E+002		4.7374E+002
	794.70	4.60	8.7272E+000		1.3178E+000
	911.07	27.70	1.9387E+000		4.6286E-001
	964.60	5.20	9.5518E+000		-5.1068E+000
	969.11	16.60	3.0054E+000		-9.5324E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 12:58:08 PM

Sample Location : AAR-125-01  
Sample Identification : AAR-125-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 12:42:00 PM  
Acquisition Started : 7/2/2014 12:43:06 PM

Live Time : 900.0 seconds  
Real Time : 900.9 seconds

Dead Time : 0.10 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.0095E+001	1.42E+000	2.0988E+001
		338.32*	11.40	3.6914E+000		1.9840E+001
		409.51	2.13	2.6341E+001		4.9908E+000
		463.00*	4.40	6.9590E+000		1.6331E+001
		583.20*	0.14	2.9774E+002		3.4993E+003
		794.70*	4.60	7.0169E+000		1.5270E+001
		911.07*	27.70	2.1861E+000		1.7790E+001
		964.60*	5.20	6.5686E+000		1.4851E+001
		969.11*	16.60	1.4152E+000		1.7466E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: RE1A

Report Generated On : 7/2/2014 2:34:48 PM

Sample Location : AAR-125-02  
Sample Identification : AAR-125-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 2:19:00 PM  
Acquisition Started : 7/2/2014 2:19:47 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0043E+000	1.49E+000	-2.2361E+000
	338.32	11.40	2.1857E+000		-4.1754E-002
	409.51	2.13	1.1848E+001		6.0114E+000
	463.00	4.40	5.5181E+000		1.4856E+000
	583.20	0.14	2.2794E+002		9.3147E+001
	794.70	4.60	6.7143E+000		-4.3709E-001
	911.07	27.70	1.4890E+000		1.0761E+000
	964.60	5.20	9.2931E+000		8.7891E+000
	969.11	16.60	2.7533E+000		-2.4915E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: RE1A

Report Generated On : 7/7/2014 11:44:01 AM

Sample Location : AAR-125-02 - 02  
Sample Identification : AAR-125-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 11:28:00 AM  
Acquisition Started : 7/7/2014 11:29:00 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4843E+000	1.38E+000	2.1501E+000
	338.32	11.40	2.3150E+000		1.8753E+000
	409.51	2.13	1.0934E+001		7.4040E+000
	463.00	4.40	5.3200E+000		4.4820E+000
	583.20	0.14	2.4022E+002		1.2398E+002
	794.70	4.60	7.4520E+000		-2.1524E+000
	911.07	27.70	1.3799E+000		-6.1796E-001
	964.60	5.20	7.7542E+000		8.6936E+000
	969.11	16.60	2.6017E+000		8.6381E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: REL1A

Report Generated On : 7/7/2014 12:11:56 PM

Sample Location : AAR-125-03  
Sample Identification : AAR-125-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 11:56:00 AM  
Acquisition Started : 7/7/2014 11:56:54 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.5440E+000	1.54E+000	1.8359E+000
	338.32	11.40	2.2834E+000		1.4153E+000
	409.51	2.13	1.1401E+001		-1.6512E+001
	463.00	4.40	5.1834E+000		-1.0603E+000
	583.20	0.14	2.3417E+002		2.5864E+002
	794.70	4.60	7.5510E+000		-1.8233E+000
	911.07	27.70	1.5404E+000		-1.4204E-001
	964.60	5.20	7.9645E+000		9.2205E+000
	969.11	16.60	2.3716E+000		-4.0229E+000
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/7/2014 1:26:56 PM

Sample Location : AAR-125-04  
Sample Identification : AAR-125-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 1:11:00 PM  
Acquisition Started : 7/7/2014 1:11:54 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.0512E+000	1.56E+000	-6.9171E+000
	338.32	11.40	2.2188E+000		1.1829E+000
	409.51	2.13	1.1287E+001		-7.3208E+000
	463.00	4.40	6.1858E+000		1.4767E+000
	583.20	0.14	2.5747E+002		3.4366E+002
	794.70	4.60	7.8395E+000		-4.8244E+000
	911.07	27.70	1.5572E+000		1.3503E+000
	964.60	5.20	8.4652E+000		1.0538E+001
	969.11	16.60	2.7826E+000		2.2018E+000
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 10:53:17 AM

Sample Location : AAR-126-01  
Sample Identification : AAR-126-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 10:37:00 AM  
Acquisition Started : 7/15/2014 10:38:16 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4241E+000	1.57E+000	-5.5633E+000
	338.32	11.40	2.2188E+000		-9.4696E-001
	409.51	2.13	1.2065E+001		-2.2909E+000
	463.00	4.40	6.6790E+000		8.2676E+000
	583.20	0.14	2.5931E+002		1.1843E+002
	794.70	4.60	8.1170E+000		6.4178E+000
	911.07	27.70	1.5737E+000		7.6979E-002
	964.60	5.20	8.5615E+000		-1.5855E+000
	969.11	16.60	2.9240E+000		2.7472E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 12:53:35 PM

Sample Location : AAR-126-02  
Sample Identification : AAR-126-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 12:38:00 PM  
Acquisition Started : 7/15/2014 12:38:33 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.6557E+000	1.67E+000	-9.2446E-001
	338.32	11.40	2.0296E+000		-7.9661E-002
	409.51	2.13	1.0318E+001		1.5536E+000
	463.00	4.40	5.1136E+000		-3.2377E+000
	583.20	0.14	2.0805E+002		3.8021E+001
	794.70	4.60	8.3844E+000		1.1637E-001
	911.07	27.70	1.6692E+000		2.3440E+000
	964.60	5.20	7.9645E+000		-3.7465E+000
	969.11	16.60	2.5060E+000		1.5666E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/15/2014 11:31:31 AM

Sample Location : AAR-126-03  
Sample Identification : AAR-126-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 11:15:00 AM  
Acquisition Started : 7/15/2014 11:16:29 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.7201E+000	1.51E+000	7.0224E+000
	338.32	11.40	2.1857E+000		1.4772E+000
	409.51	2.13	1.1957E+001		7.2197E+000
	463.00	4.40	6.2427E+000		5.2553E+000
	583.20	0.14	2.2153E+002		2.2910E+002
	794.70	4.60	7.3516E+000		-1.9697E+000
	911.07	27.70	1.5064E+000		-1.0249E+000
	964.60	5.20	8.6566E+000		-1.1118E+000
	969.11	16.60	2.7826E+000		2.3078E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 11:10:38 AM

Sample Location : AAR-126-04  
Sample Identification : AAR-126-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 10:54:00 AM  
Acquisition Started : 7/15/2014 10:55:36 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.8351E+000	1.64E+000	-7.6193E-001
	338.32	11.40	2.2023E+000		-6.7941E-002
	409.51	2.13	1.0569E+001		6.3865E+000
	463.00	4.40	5.3200E+000		-2.7628E+000
	583.20	0.14	2.1934E+002		-1.6283E+001
	794.70	4.60	9.2155E+000		6.4662E+000
	911.07	27.70	1.6381E+000		1.5346E+000
	964.60	5.20	8.2689E+000		1.6465E+000
	969.11	16.60	2.8115E+000		2.3536E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Sample Location : AAR  
Sample Identification : AAR-156-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance 156-01  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grid Clearance  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/18/2014 3:55:00 PM  
Acquisition Started : 6/18/2014 3:55:46 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0901E+001	2.65E+000	5.1393E+000
	338.32	11.40	3.7131E+000		4.4795E+000
	409.51	2.13	1.6070E+001		1.2187E+001
	463.00	4.40	8.3071E+000		7.0231E-001
	583.20	0.14	3.9994E+002		3.7061E+002
	794.70	4.60	1.0045E+001		9.1530E+000
	911.07	27.70	2.6518E+000		4.9579E+000
	964.60	5.20	1.3273E+001		1.4187E+001
	969.11	16.60	4.2137E+000		7.4462E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

'ename: RE1A

Report Generated On : 6/18/2014 4:35:19 PM

Sample Location : AAR  
Sample Identification : AAR-156-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance 156-02  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grid Clearance  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/18/2014 4:19:00 PM  
Acquisition Started : 6/18/2014 4:20:17 PM

Live Time : 900.0 seconds  
Real Time : 900.4 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.1563E+001	2.69E+000	1.3181E+001
	338.32	11.40	4.0409E+000		2.5205E+000
	409.51	2.13	1.7139E+001		-2.8285E+000
	463.00	4.40	9.0627E+000		1.0726E+001
	583.20	0.14	4.8640E+002		9.7949E+002
	794.70	4.60	1.2355E+001		1.4482E+001
	911.07	27.70	2.6892E+000		1.4884E+000
	964.60	5.20	1.4417E+001		1.6202E+001
	969.11	16.60	4.4491E+000		5.9782E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: REL1A

Report Generated On : 6/18/2014 4:57:06 PM

Sample Location : AAR-156-03

Sample Identification : AAR-156-03

Sample Description 1 : 8 Oz. Can

Sample Description 2 : Grid Clearance 156-03

Sample Description 3 :

Sample Description 4 :

Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00

Peak Locate Range (in channels) : 40 - 8192

Peak Area Range (in channels) : 40 - 8192

Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/18/2014 4:41:00 PM

Acquisition Started : 6/18/2014 4:42:04 PM

Live Time : 900.0 seconds

Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008

Efficiency Calibration Used Done On : 5/23/2008

Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	6.5401E+000	1.14E+000	1.1138E+001
		338.32*	11.40	2.2801E+000		1.0324E+001
		409.51	2.13	2.1147E+001		1.1265E+001
		463.00*	4.40	5.1888E+000		7.7328E+000
		583.20*	0.14	2.8212E+002		1.7548E+003
		794.70	4.60	1.3616E+001		-9.3285E+000
		911.07*	27.70	1.1402E+000		8.9231E+000
		964.60	5.20	1.7653E+001		3.6722E+001
		969.11*	16.60	3.3252E+000		6.6495E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 6/18/2014 3:51:30 PM

Sample Location : AAR  
Sample Identification : AAR-156-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance 156-04  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grid Clearance  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/18/2014 3:33:00 PM  
Acquisition Started : 6/18/2014 3:36:28 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.84	5.20	7.8351E+000	1.76E+000	4.3408E+000
	338.32	11.40	2.3150E+000		2.3764E+000
	409.51	2.13	1.2383E+001		-7.2300E-001
	463.00	4.40	5.5181E+000		-2.3153E+000
	583.20	0.14	2.5931E+002		3.4281E+002
	794.70	4.60	7.7447E+000		5.3767E+000
	911.07	27.70	1.7591E+000		-1.3528E+000
	964.60	5.20	9.1161E+000		7.8122E+000
	969.11	16.60	2.7826E+000		2.4067E+000
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/23/2014 3:00:07 PM

Sample Location : AAR-157-C1  
Sample Identification : AAR-157-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 157 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/23/2014 2:44:00 PM  
Acquisition Started : 6/23/2014 2:45:05 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	9.4908E+000	1.47E+000	1.8451E+001
		338.32*	11.40	3.5514E+000		1.9248E+001
		409.51	2.13	2.3760E+001		1.6497E+001
		463.00*	4.40	6.4590E+000		2.1114E+001
		583.20*	0.14	3.1165E+002		2.9974E+003
		794.70*	4.60	8.0802E+000		1.1867E+001
		911.07*	27.70	1.4745E+000		1.6432E+001 ←
		964.60*	5.20	4.3205E+000		1.8468E+001
		969.11*	16.60	1.7392E+000		1.5474E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 6/23/2014 4:43:45 PM

Sample Location : AAR-157-02  
 Sample Identification : AAR-157-02  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/23/2014 4:28:00 PM  
 Acquisition Started : 6/23/2014 4:28:44 PM

Live Time : 900.0 seconds  
 Real Time : 900.5 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64	3.20	1.1824E+001	1.43E+000	9.0837E+000
		338.32*	11.40	2.4461E+000		5.9684E+000
		409.51	2.13	1.8141E+001		8.3459E-001
		463.00*	4.40	5.5652E+000		7.7113E+000
		583.20*	0.14	2.1555E+002		1.4002E+003
		794.70	4.60	1.2470E+001		2.1807E+001
		911.07*	27.70	1.4307E+000		6.6832E+000 ←
		964.60	5.20	1.6266E+001		3.4050E+001
		969.11*	16.60	2.3035E+000		7.9367E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 6/23/2014 2:14:42 PM

Sample Location : AAR-157-03  
 Sample Identification : AAR-157-03  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/23/2014 1:58:00 PM  
 Acquisition Started : 6/23/2014 1:59:40 PM

Live Time : 900.0 seconds  
 Real Time : 900.9 seconds

Dead Time : 0.10 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.3242E+001	1.01E+000	2.2246E+001
		338.32*	11.40	4.3232E+000		2.0458E+001
		409.51*	2.13	1.6842E+001		2.5266E+001
		463.00*	4.40	9.1053E+000		1.9105E+001
		583.20*	0.14	4.1777E+002		4.2253E+003
		794.70*	4.60	1.1744E+001		1.4967E+001
		911.07*	27.70	1.6913E+000		2.1666E+001 ←
		964.60*	5.20	1.8596E+000		2.1247E+001
		969.11*	16.60	1.0097E+000		2.2806E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/23/2014 5:01:05 PM

Sample Location : AAR-157-04  
Sample Identification : AAR-157-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/23/2014 4:45:00 PM  
Acquisition Started : 6/23/2014 4:46:02 PM

Live Time : 900.0 seconds  
Real Time : 900.4 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0322E+001	2.74E+000	-4.1742E+000
	338.32	11.40	3.6068E+000		1.8886E+000
	409.51	2.13	1.6306E+001		2.6813E+001
	463.00	4.40	9.1384E+000		7.3986E+000
	583.20	0.14	4.5509E+002		7.6567E+002
	794.70	4.60	1.0045E+001		5.3085E+000
	911.07	27.70	2.7443E+000		2.4964E+000
	964.60	5.20	1.2534E+001		1.9544E+001
	969.11	16.60	4.0031E+000		5.1474E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/7/2014 10:45:25 AM

Sample Location : AAR-158-01  
Sample Identification : AAR-158-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 10:29:00 AM  
Acquisition Started : 7/7/2014 10:30:21 AM

Live Time : 900.0 seconds  
Real Time : 902.9 seconds

Dead Time : 0.32 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	3.0309E+001	1.89E+000	1.1563E+002
		338.32*	11.40	1.1696E+001		1.2954E+002
		409.51*	2.13	4.1238E+001		8.3342E+001
		463.00*	4.40	2.2240E+001		9.7071E+001
		583.20*	0.14	8.8386E+002		2.0761E+004
		794.70*	4.60	1.3821E+001		8.2533E+001
		911.07*	27.70	1.8874E+000		9.8675E+001
		964.60*	5.20	1.1139E+001		1.1195E+002
		969.11*	16.60	3.0909E+000		1.0523E+002
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* GAMMA SPECTRUM ANALYSIS \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/9/2014 12:44:36 PM

Sample Location : AAR-158-01  
 Sample Identification : AAR-158-01  
 Sample Description 1 : 8 Oz. Can *8 Oz. Can*  
 Sample Description 2 : Grid Clearance *1-2* meter  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil Waste  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/9/2014 12:29:00 AM  
 Acquisition Started : 7/9/2014 12:29:34 PM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4843E+000	1.42E+000	2.4140E+000
	338.32	11.40	2.1689E+000		3.7785E-001
	409.51	2.13	1.1053E+001		-2.1281E+000
	463.00	4.40	6.3548E+000		-1.6545E+000
	583.20	0.14	2.3823E+002		3.5210E+002
	794.70	4.60	8.0257E+000		6.3284E+000
	911.07	27.70	1.4173E+000		1.1117E-001
	964.60	5.20	7.7542E+000		3.2930E-001
	969.11	16.60	2.5060E+000		1.6028E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 11:04:51 AM

Sample Location : AAR-158-02  
Sample Identification : AAR-158-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 10:49:00 AM  
Acquisition Started : 7/7/2014 10:49:49 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0407E+001	2.61E+000	5.9628E+000
	338.32	11.40	3.8071E+000		4.5293E+000
	409.51	2.13	1.6460E+001		7.6321E+000
	463.00	4.40	8.8315E+000		4.5300E-001
	583.20	0.14	4.3539E+002		9.5946E+002
	794.70	4.60	1.0329E+001		-8.3436E-001
	911.07	27.70	2.6138E+000		2.5598E+000
	964.60	5.20	1.3685E+001		1.7955E+001
	969.11	16.60	4.3781E+000		2.9582E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/7/2014 12:46:27 PM

Sample Location : AAR-158-03  
Sample Identification : AAR-158-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 12:30:00 PM  
Acquisition Started : 7/7/2014 12:31:25 PM

Live Time : 900.0 seconds  
Real Time : 901.2 seconds

Dead Time : 0.13 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.3451E+001	1.73E+000	2.6646E+001
		338.32*	11.40	4.2027E+000		2.6611E+001
		409.51*	2.13	1.9640E+001		3.5257E+001
		463.00*	4.40	9.9721E+000		2.7382E+001
		583.20*	0.14	4.7900E+002		5.3122E+003
		794.70*	4.60	8.2896E+000		2.5810E+001
		911.07*	27.70	2.2996E+000		2.5428E+001
		964.60*	5.20	4.3288E+000		2.5479E+001
		969.11*	16.60	1.7280E+000		2.5443E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 11:22:36 AM

Sample Location : AAR-158-04  
Sample Identification : AAR-158-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 11:06:00 AM  
Acquisition Started : 7/7/2014 11:07:33 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64	3.20	1.2746E+001	1.17E+000	7.8824E+000
		338.32*	11.40	2.0916E+000		9.3130E+000
		409.51	2.13	2.0667E+001		1.1102E+001
		463.00*	4.40	5.1388E+000		1.1227E+001
		583.20*	0.14	2.2681E+002		1.6505E+003
		794.70	4.60	1.3246E+001		1.0941E+001
		911.07*	27.70	1.1725E+000		9.4558E+000
		964.60	5.20	1.7158E+001		4.4161E+001
		969.11*	16.60	2.0684E+000		8.7655E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/2/2014 7:48:16 AM

Sample Location : AAR-187-01  
Sample Identification : AAR-187-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 7:32:00 AM  
Acquisition Started : 7/2/2014 7:33:14 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64	3.20	1.5168E+001	1.22E+000	6.4867E+000
		338.32*	11.40	3.0653E+000		8.9753E+000
		409.51	2.13	2.1557E+001		3.3903E+000
		463.00*	4.40	6.1934E+000		1.0083E+001
		583.20*	0.14	2.7945E+002		2.3084E+003
		794.70*	4.60	5.6924E+000		1.0461E+001
		911.07*	27.70	1.3138E+000		1.0578E+001
		964.60	5.20	1.8177E+001		3.6750E+001
		969.11*	16.60	1.2215E+000		1.0848E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

lename: RE1A

Report Generated On : 7/2/2014 10:00:19 AM

Sample Location : AAR-187-02  
Sample Identification : AAR-187-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 9:44:00 AM  
Acquisition Started : 7/2/2014 9:45:17 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64	3.20	1.6710E+001	2.10E+000	9.2195E+000
		338.32*	11.40	2.7278E+000		1.4099E+001
		409.51	2.13	2.4279E+001		2.0006E+001
		463.00*	4.40	6.8319E+000		1.4597E+001
		583.20*	0.14	2.6535E+002		2.3785E+003
		794.70*	4.60	4.7036E+000		1.3493E+001
		911.07*	27.70	2.0998E+000		1.0904E+001
		964.60	5.20	2.0248E+001		5.0186E+001
		969.11*	16.60	3.7934E+000		1.0091E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/2/2014 8:08:11 AM

Sample Location : AAR-187-03  
Sample Identification : AAR-187-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/2/2014 7:51:00 AM  
Acquisition Started : 7/2/2014 7:53:10 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0019E+001	2.41E+000	8.8304E-001
	338.32	11.40	3.3941E+000		5.2552E+000
	409.51	2.13	1.4921E+001		-6.6887E+000
	463.00	4.40	7.5169E+000		-2.8437E+000
	583.20	0.14	4.1361E+002		6.7880E+002
	794.70	4.60	1.0117E+001		3.2261E+000
	911.07	27.70	2.4145E+000		3.7387E+000
	964.60	5.20	1.2341E+001		2.0260E+001
	969.11	16.60	3.7167E+000		3.0586E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/1/2014 4:20:29 PM

Sample Location : AAR-187-04  
Sample Identification : AAR-187-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil Waste  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/1/2014 4:04:00 PM  
Acquisition Started : 7/1/2014 4:05:27 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	8.3769E+000	1.07E+000	1.1254E+001
		338.32*	11.40	2.0402E+000		1.0581E+001
		409.51	2.13	2.1499E+001		1.5869E+001
		463.00*	4.40	4.2836E+000		1.0848E+001
		583.20*	0.14	3.4011E+002		1.6116E+003
		794.70*	4.60	7.0466E+000		9.3135E+000
		911.07*	27.70	1.0713E+000		9.7716E+000
		964.60	5.20	1.7829E+001		3.9808E+001
		969.11*	16.60	1.9678E+000		9.5774E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: RE1A

Report Generated On : 7/22/2014 3:31:51 PM

Sample Location : aar-188-01  
Sample Identification : AAR188-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 3:16:00 PM  
Acquisition Started : 7/22/2014 3:16:50 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.7201E+000	1.65E+000	-1.3736E+000
	338.32	11.40	2.2834E+000		-7.3670E-001
	409.51	2.13	1.1738E+001		9.9116E+000
	463.00	4.40	5.7086E+000		1.7073E+000
	583.20	0.14	2.4805E+002		-7.2021E+001
	794.70	4.60	8.5576E+000		-1.0354E+001
	911.07	27.70	1.6537E+000		2.2971E+000
	964.60	5.20	9.2051E+000		4.8765E+000
	969.11	16.60	2.8401E+000		-4.3698E-002
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

`ename: REL1A

Report Generated On : 7/22/2014 3:49:17 PM

Sample Location : AAR-188-02  
 Sample Identification : AAR188-02  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID CLEARANCE  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 3:33:00 PM  
 Acquisition Started : 7/22/2014 3:34:16 PM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.0512E+000	1.62E+000	3.2378E+000
	338.32	11.40	1.9932E+000		-7.5627E-001
	409.51	2.13	9.3807E+000		-1.4974E-001
	463.00	4.40	5.6459E+000		-3.5403E+000
	583.20	0.14	2.1265E+002		-3.0707E+001
	794.70	4.60	7.0410E+000		3.1221E-001
	911.07	27.70	1.6222E+000		7.0320E-002
	964.60	5.20	8.9354E+000		-6.1748E+000
	969.11	16.60	2.8115E+000		2.4407E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/22/2014 3:08:57 PM

Sample Location : AAR188-03  
Sample Identification : AAR118-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 2:53:00 PM  
Acquisition Started : 7/22/2014 2:53:55 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.8920E+000	1.59E+000	2.5918E+000
	338.32	11.40	2.1350E+000		7.2289E-001
	409.51	2.13	1.3189E+001		4.3761E+000
	463.00	4.40	6.5728E+000		7.9603E+000
	583.20	0.14	2.2794E+002		1.5909E+002
	794.70	4.60	6.8251E+000		-2.3393E+000
	911.07	27.70	1.5901E+000		2.1096E+000
	964.60	5.20	8.5615E+000		-1.3452E+001
	969.11	16.60	2.8401E+000		3.8130E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/22/2014 2:23:06 PM

Sample Location : AAR-188-04  
Sample Identification : AAR-188-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 2:07:00 PM  
Acquisition Started : 7/22/2014 2:08:04 PM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.4379E+000	1.91E+000	-2.0761E+000
	338.32	11.40	2.8582E+000		1.9929E+000
	409.51	2.13	1.2793E+001		3.2035E+000
	463.00	4.40	6.7833E+000		3.1065E+000
	583.20	0.14	2.8374E+002		1.9534E+002
	794.70	4.60	9.2155E+000		9.3500E+000
	911.07	27.70	1.9123E+000		-3.9148E-001
	964.60	5.20	9.4664E+000		-4.2241E+000
	969.11	16.60	2.9514E+000		2.7553E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 10:07:42 AM

Sample Location : AAR-189-01  
Sample Identification : AAR-189-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 9:51:00 AM  
Acquisition Started : 7/7/2014 9:52:40 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.8920E+000	1.83E+000	-9.6379E-001
	338.32	11.40	2.6360E+000		2.1132E+000
	409.51	2.13	1.3479E+001		-7.0788E+000
	463.00	4.40	6.4100E+000		5.7765E+000
	583.20	0.14	3.2399E+002		2.2246E+002
	794.70	4.60	9.3722E+000		1.1032E+001
	911.07	27.70	1.8304E+000		-6.9936E-002
	964.60	5.20	9.9670E+000		3.3450E+000
	969.11	16.60	3.1615E+000		4.8077E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 10:27:35 AM

Sample Location : AAR-189-02  
 Sample Identification : AAR-189-02  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 10:11:00 AM  
 Acquisition Started : 7/7/2014 10:12:34 AM

Live Time : 900.0 seconds  
 Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64	3.20	1.2505E+001	1.52E+000	3.1060E+000
		338.32*	11.40	2.1197E+000		8.0884E+000
		409.51	2.13	1.7861E+001		6.6331E+000
		463.00	4.40	9.2135E+000		3.8287E+000
		583.20*	0.14	1.9553E+002		1.3064E+003
		794.70	4.60	1.1883E+001		9.3588E+000
		911.07*	27.70	1.5226E+000		6.0807E+000
		964.60	5.20	1.4688E+001		1.9372E+001
		969.11*	16.60	1.7560E+000		6.3840E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 1:08:35 PM

Sample Location : AAR-189-03  
 Sample Identification : AAR-189-03  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 12:53:00 PM  
 Acquisition Started : 7/7/2014 12:53:33 PM

Live Time : 900.0 seconds  
 Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :



	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64	3.20	1.5338E+001	1.08E+000	9.1932E+000
		338.32*	11.40	3.0468E+000		1.2246E+001
		409.51	2.13	2.3122E+001		2.9235E+001
		463.00*	4.40	6.9386E+000		1.0322E+001
		583.20*	0.14	3.3976E+002		2.4090E+003
		794.70*	4.60	9.8303E+000		8.1420E+000
		911.07*	27.70	1.0759E+000		1.4222E+001
		964.60	5.20	2.0477E+001		5.5108E+001
		969.11*	16.60	3.1863E+000		1.0807E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/7/2014 9:49:21 AM

Sample Location : AAR-189-04  
Sample Identification : AAR-189-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/7/2014 9:33:00 AM  
Acquisition Started : 7/7/2014 9:34:19 AM

Live Time : 900.0 seconds  
Real Time : 901.0 seconds

Dead Time : 0.11 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.0154E+001	1.08E+000	1.2603E+001
		338.32*	11.40	3.4391E+000		1.4297E+001
		409.51	2.13	2.6152E+001		3.6454E+001
		463.00*	4.40	7.0975E+000		1.3399E+001
		583.20*	0.14	3.4021E+002		2.8306E+003
		794.70*	4.60	9.1543E+000		1.3178E+001
		911.07*	27.70	1.0755E+000		1.5205E+001
		964.60	5.20	2.2742E+001		4.1959E+001
		969.11*	16.60	3.3877E+000		1.6000E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: REL1A

Report Generated On : 6/20/2014 5:00:31 PM

Sample Location :  
 Sample Identification : AAR-216-01  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid 216 Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Grid clearance  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/20/2014 4:43:00 AM  
 Acquisition Started : 6/20/2014 4:45:29 PM

Live Time : 900.0 seconds  
 Real Time : 900.3 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.6619E+000	1.71E+000	-5.1567E+000
	338.32	11.40	2.5947E+000		9.5163E-001
	409.51	2.13	1.1848E+001		1.3976E-001
	463.00	4.40	6.5190E+000		-6.6009E+000
	583.20	0.14	2.7528E+002		9.1248E+001
	794.70	4.60	8.1170E+000		-4.1211E+000
	911.07	27.70	1.7148E+000		1.8020E+000
	964.60	5.20	8.5615E+000		-1.1052E+000
	969.11	16.60	2.8963E+000		1.1458E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/20/2014 6:00:49 PM

Sample Location :  
Sample Identification : AAR-216-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 216 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grid clearance  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/20/2014 5:41:00 PM  
Acquisition Started : 6/20/2014 5:45:47 PM

Live Time : 900.0 seconds  
Real Time : 900.4 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.5427E+000	2.00E+000	1.5348E+000
	338.32	11.40	2.9927E+000		3.6995E+000
	409.51	2.13	1.4038E+001		-1.5473E+001
	463.00	4.40	6.8348E+000		-1.8073E-001
	583.20	0.14	3.1519E+002		3.3610E+002
	794.70	4.60	7.5510E+000		5.2379E+000
	911.07	27.70	2.0032E+000		2.8261E+000
	964.60	5.20	9.5518E+000		-3.0296E+000
	969.11	16.60	2.9240E+000		-1.5195E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/20/2014 5:18:48 PM

Sample Location :  
Sample Identification : AAR-216-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 216 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grid clearance  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/20/2014 5:03:00 PM  
Acquisition Started : 6/20/2014 5:03:45 PM

Live Time : 900.0 seconds  
Real Time : 901.4 seconds

Dead Time : 0.15 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.8193E+001	2.93E+000	4.7639E+001
		338.32*	11.40	6.9494E+000		4.6635E+001
		409.51*	2.13	2.5677E+001		4.7908E+001
		463.00*	4.40	1.5059E+001		4.4352E+001
		583.20*	0.14	6.5000E+002		9.6063E+003
		794.70*	4.60	1.1698E+001		3.9184E+001
		911.07*	27.70	2.9255E+000		4.6376E+001
		964.60*	5.20	6.6790E+000		1.5969E+002
		969.11	16.60	1.2105E+001		7.1707E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/20/2014 5:38:32 PM

Sample Location :  
Sample Identification : AAR-216-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid 216 Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grid clearance  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/20/2014 5:22:00 PM  
Acquisition Started : 6/20/2014 5:23:30 PM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.2158E+001	2.02E+000	2.7692E+001
		338.32*	11.40	3.8213E+000		2.2244E+001
		409.51	2.13	2.8423E+001		5.4248E+001
		463.00*	4.40	6.9993E+000		1.5198E+001
		583.20*	0.14	4.7942E+002		3.9128E+003
		794.70*	4.60	9.7218E+000		2.2133E+001
		911.07*	27.70	2.0246E+000		2.0572E+001
		964.60*	5.20	4.9272E+000		6.1571E+001
		969.11	16.60	7.7720E+000		2.8936E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: REL1A

Report Generated On : 6/24/2014 8:04:07 AM

Sample Location : 216-3  
 Sample Identification : 216-3  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : 216-3 At 2 meters  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Grab  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/24/2014 7:53:00 AM  
 Acquisition Started : 6/24/2014 7:54:06 AM

Live Time : 600.0 seconds  
 Real Time : 600.2 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.7514E+001	4.08E+000	2.8774E+001
	338.32	11.40	5.7661E+000		9.4798E+000
	409.51	2.13	2.5708E+001		2.1486E+001
	463.00	4.40	1.4042E+001		4.5087E+000
	583.20	0.14	7.2676E+002		1.9078E+003
	794.70	4.60	1.6110E+001		6.8948E+000
	911.07	27.70	4.0754E+000		6.7450E+000
	964.60	5.20	1.9729E+001		3.3343E+001
	969.11	16.60	6.1791E+000		6.9832E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/24/2014 8:18:01 AM

Sample Location : 216-4  
Sample Identification : 216-4  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : 216-4 At 2 meters  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Grab  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/24/2014 8:07:00 AM  
Acquisition Started : 6/24/2014 8:07:59 AM

Live Time : 600.0 seconds  
Real Time : 600.3 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.5160E+001	3.98E+000	1.2068E+001
	338.32	11.40	5.1535E+000		6.5630E+000
	409.51	2.13	2.0218E+001		-4.1474E+001
	463.00	4.40	1.2585E+001		-1.5473E+000
	583.20	0.14	6.5468E+002		9.7667E+002
	794.70	4.60	1.5598E+001		1.0607E+001
	911.07	27.70	3.9777E+000		7.3618E+000
	964.60	5.20	1.8990E+001		1.2448E+001
	969.11	16.60	5.9750E+000		9.5883E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/1/2014 7:42:04 AM

Sample Location : AAR-217-1  
Sample Identification : AAR-217-1  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/1/2014 7:31:00 AM  
Acquisition Started : 7/1/2014 7:32:03 AM

Live Time : 600.0 seconds  
Real Time : 600.3 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.1136E+001	2.59E+000	4.0395E+000
	338.32	11.40	4.0150E+000		4.9121E+000
	409.51	2.13	2.0218E+001		1.8005E+001
	463.00	4.40	8.6560E+000		2.9241E+000
	583.20	0.14	4.4985E+002		6.3528E+002
	794.70	4.60	1.1473E+001		8.3307E+000
	911.07	27.70	2.5946E+000		2.6783E+000
	964.60	5.20	1.2698E+001		1.5807E+001
	969.11	16.60	3.9492E+000		4.8491E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/1/2014 8:34:51 AM

Sample Location : AAR-217-2  
 Sample Identification : AAR-217-2  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/1/2014 8:19:00 AM  
 Acquisition Started : 7/1/2014 8:19:49 AM

Live Time : 900.0 seconds  
 Real Time : 900.7 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	7.0812E+000	1.54E+000	1.1214E+001
		338.32*	11.40	3.0493E+000		1.0524E+001
		409.51	2.13	1.9220E+001		-5.7972E+000
		463.00*	4.40	5.7978E+000		7.5243E+000
		583.20*	0.14	3.0373E+002		1.9251E+003
		794.70*	4.60	6.3805E+000		9.7460E+000
		911.07*	27.70	1.5368E+000		9.1934E+000
		964.60	5.20	1.9543E+001		4.2229E+001
		969.11*	16.60	2.3982E+000		1.0864E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/1/2014 10:33:51 AM

Sample Location : AAR-217-3  
 Sample Identification : AAR-217-3  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/1/2014 10:18:00 AM  
 Acquisition Started : 7/1/2014 10:18:49 AM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	9.9714E+000	1.52E+000	6.7284E+000
		338.32*	11.40	2.6545E+000		1.1736E+001
		409.51	2.13	2.0968E+001		9.9314E+000
		463.00*	4.40	5.1900E+000		1.1544E+001
		583.20*	0.14	3.4288E+002		1.9097E+003
		794.70	4.60	1.4861E+001		8.0063E+000
		911.07*	27.70	1.5181E+000		1.0053E+001
		964.60	5.20	1.8686E+001		3.9912E+001
		969.11*	16.60	2.6662E+000		9.5662E+000
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/1/2014 10:15:59 AM

Sample Location : AAR-217-4  
Sample Identification : AAR-217-4  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/1/2014 10:00:00 AM  
Acquisition Started : 7/1/2014 10:00:56 AM

Live Time : 900.0 seconds  
Real Time : 900.9 seconds

Dead Time : 0.10 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
+	AC-228	327.64*	3.20	1.4663E+001	2.16E+000	1.2716E+001
		338.32*	11.40	3.8855E+000		2.1654E+001
		409.51	2.13	2.8423E+001		2.9612E+001
		463.00*	4.40	8.7761E+000		1.8234E+001
		583.20*	0.14	3.7882E+002		3.9369E+003
		794.70*	4.60	8.1110E+000		1.9227E+001
		911.07*	27.70	2.1624E+000		2.0571E+001
		964.60	5.20	2.6424E+001		8.0337E+001
		969.11*	16.60	3.6842E+000		2.1459E+001
>		1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

'ename: RE1A

Report Generated On : 6/30/2014 4:53:56 PM

Sample Location : AAR-247-1  
 Sample Identification : AAR-247-1  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance 247-1  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/30/2014 4:38:00 PM  
 Acquisition Started : 6/30/2014 4:38:55 PM

Live Time : 900.0 seconds  
 Real Time : 900.4 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.1778E+000	1.52E+000	-8.2889E+000
	338.32	11.40	2.2513E+000		1.0954E+000
	409.51	2.13	1.2590E+001		5.1491E+000
	463.00	4.40	6.4100E+000		4.2226E-001
	583.20	0.14	2.3417E+002		-1.1662E+002
	794.70	4.60	7.5510E+000		-1.9999E+000
	911.07	27.70	1.5235E+000		4.9796E-001
	964.60	5.20	7.9645E+000		9.2205E+000
	969.11	16.60	2.4060E+000		1.2537E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: REL1A

Report Generated On : 6/30/2014 4:34:02 PM

Sample Location : AAR-247-2  
 Sample Identification : AAR-247-2  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance 247-2  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/30/2014 4:18:00 PM  
 Acquisition Started : 6/30/2014 4:19:00 PM

Live Time : 900.0 seconds  
 Real Time : 900.4 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0698E+001	2.66E+000	2.2104E+000
	338.32	11.40	3.5273E+000		1.9987E+000
	409.51	2.13	1.5507E+001		-1.5946E+001
	463.00	4.40	8.9863E+000		1.3311E+000
	583.20	0.14	4.3751E+002		8.9461E+002
	794.70	4.60	1.0673E+001		1.1413E+001
	911.07	27.70	2.6612E+000		5.6546E+000
	964.60	5.20	1.3569E+001		1.5972E+001
	969.11	16.60	4.1763E+000		4.9198E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/30/2014 5:12:35 PM

Sample Location : AAR-247-3  
Sample Identification : AAR-247-3  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance 247-3  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/30/2014 4:56:00 PM  
Acquisition Started : 6/30/2014 4:57:34 PM

Live Time : 900.0 seconds  
Real Time : 900.4 seconds

Dead Time : 0.04 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4843E+000	1.49E+000	-4.3898E-001
	338.32	11.40	2.2351E+000		-1.5307E-002
	409.51	2.13	1.1401E+001		-4.4091E+000
	463.00	4.40	5.7086E+000		-8.2728E-003
	583.20	0.14	2.4417E+002		2.4117E+002
	794.70	4.60	8.7272E+000		-9.5535E+000
	911.07	27.70	1.4890E+000		-3.3087E-001
	964.60	5.20	8.8435E+000		3.2272E+000
	969.11	16.60	2.8115E+000		9.8272E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum.

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 6/30/2014 5:34:33 PM

Sample Location : AAR-247-4  
Sample Identification : AAR-247-4  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance 247-4  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 6/30/2014 5:18:00 PM  
Acquisition Started : 6/30/2014 5:19:32 PM

Live Time : 900.0 seconds  
Real Time : 900.4 seconds

Dead Time : 0.05 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.1698E+000	1.95E+000	2.0548E+000
	338.32	11.40	2.7560E+000		6.2975E-001
	409.51	2.13	1.3189E+001		1.0811E+001
	463.00	4.40	6.2427E+000		-1.4477E-001
	583.20	0.14	3.2399E+002		2.2630E+002
	794.70	4.60	8.3844E+000		1.0990E+001
	911.07	27.70	1.9518E+000		2.5431E+000
	964.60	5.20	9.4664E+000		9.1095E+000
	969.11	16.60	2.9785E+000		1.4831E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 10:16:57 AM

Sample Location : AAR-265-01  
Sample Identification : AAR-265-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 10:01:00 AM  
Acquisition Started : 7/15/2014 10:01:55 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.9870E+000	1.52E+000	-6.7052E+000
	338.32	11.40	2.0654E+000		-5.7533E-002
	409.51	2.13	1.0693E+001		-3.0073E+000
	463.00	4.40	5.6459E+000		9.1102E-001
	583.20	0.14	2.2794E+002		1.0432E+002
	794.70	4.60	8.4715E+000		1.0893E+000
	911.07	27.70	1.5235E+000		1.9221E+000
	964.60	5.20	8.7506E+000		-1.0262E+000
	969.11	16.60	2.7533E+000		-3.3686E-001
	1587.90	3.71	0.0000E+000		0.0000E+000
>					

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

ename: RE1A

Report Generated On : 7/15/2014 9:59:17 AM

Sample Location : AAR-265-02  
 Sample Identification : AAR-265-02  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : Grid Clearance  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Monizite Sand  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 9:43:00 AM  
 Acquisition Started : 7/15/2014 9:44:15 AM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0599E+000	2.17E+000	4.8978E+000
	338.32	11.40	2.6086E+000		1.0076E+000
	409.51	2.13	1.2383E+001		8.2949E+000
	463.00	4.40	6.8348E+000		5.3310E+000
	583.20	0.14	2.9833E+002		4.9749E+002
	794.70	4.60	8.2072E+000		6.4211E+000
	911.07	27.70	2.1730E+000		3.3878E+000
	964.60	5.20	9.9670E+000		-6.7559E+000
	969.11	16.60	3.1104E+000		2.0101E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/18/2014 3:39:26 PM

Sample Location : AAR-265-03  
Sample Identification : AAR-265-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/18/2014 3:23:00 PM  
Acquisition Started : 7/18/2014 3:24:25 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.8490E+000	2.23E+000	1.1201E+000
	338.32	11.40	2.9927E+000		1.1389E+000
	409.51	2.13	1.4486E+001		1.0427E+001
	463.00	4.40	6.7833E+000		-1.0960E+001
	583.20	0.14	3.7969E+002		7.9543E+002
	794.70	4.60	8.8106E+000		1.1596E+000
	911.07	27.70	2.2303E+000		3.6317E+000
	964.60	5.20	1.1538E+001		2.0549E+001
	969.11	16.60	3.5865E+000		5.1354E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 10:34:09 AM

Sample Location : AAR-265-04  
Sample Identification : AAR-265-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 10:18:00 AM  
Acquisition Started : 7/15/2014 10:19:07 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0150E+001	2.39E+000	1.3338E+001
	338.32	11.40	3.1777E+000		4.5762E+000
	409.51	2.13	1.4219E+001		-1.5271E+001
	463.00	4.40	8.3900E+000		9.0683E+000
	583.20	0.14	3.5167E+002		5.7951E+002
	794.70	4.60	9.8263E+000		5.4183E+000
	911.07	27.70	2.3936E+000		5.0630E+000
	964.60	5.20	1.1812E+001		1.6995E+001
	969.11	16.60	3.5420E+000		3.8751E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/19/2014 9:24:52 AM

Sample Location : AAR-266-01  
Sample Identification : AAR-266-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 9:09:00 AM  
Acquisition Started : 7/19/2014 9:09:50 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4241E+000	1.77E+000	-2.9564E+000
	338.32	11.40	2.0654E+000		1.0356E+000
	409.51	2.13	1.3479E+001		5.1137E+000
	463.00	4.40	5.7086E+000		1.1996E-001
	583.20	0.14	2.4221E+002		1.3343E+002
	794.70	4.60	7.5510E+000		5.5609E+000
	911.07	27.70	1.7736E+000		2.6722E+000
	964.60	5.20	8.8435E+000		7.2103E+000
	969.11	16.60	2.8115E+000		9.5232E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/19/2014 9:51:40 AM

Sample Location : AAR-266-02  
Sample Identification : AAR-266-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 9:35:00 AM  
Acquisition Started : 7/19/2014 9:36:38 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4241E+000	1.68E+000	-7.4748E+000
	338.32	11.40	2.6086E+000		3.9884E+000
	409.51	2.13	1.2065E+001		-2.2129E+001
	463.00	4.40	6.6261E+000		-7.3835E-001
	583.20	0.14	2.8039E+002		3.4685E+002
	794.70	4.60	8.2963E+000		-1.8544E+001
	911.07	27.70	1.6846E+000		-1.8577E+000
	964.60	5.20	9.0263E+000		7.5353E+000
	969.11	16.60	2.7826E+000		-1.6851E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/19/2014 10:10:33 AM

Sample Location : AAR-266-03  
Sample Identification : AAR-266-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 9:54:00 AM  
Acquisition Started : 7/19/2014 9:55:32 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0599E+000	2.10E+000	8.2063E+000
	338.32	11.40	2.5947E+000		1.9522E+000
	409.51	2.13	1.3574E+001		5.8022E+000
	463.00	4.40	7.2812E+000		-3.7132E-001
	583.20	0.14	3.0611E+002		3.6262E+002
	794.70	4.60	8.7272E+000		-1.3885E+001
	911.07	27.70	2.1020E+000		3.1571E+000
	964.60	5.20	1.0128E+001		3.5353E+000
	969.11	16.60	3.1867E+000		9.0091E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/19/2014 10:28:22 AM

Sample Location : AAR-266-04  
Sample Identification : AAR-266-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 10:12:00 AM  
Acquisition Started : 7/19/2014 10:13:21 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	9.5694E+000	2.31E+000	7.3887E+000
	338.32	11.40	2.8582E+000		-7.2098E-001
	409.51	2.13	1.4835E+001		7.8312E+000
	463.00	4.40	7.6090E+000		-4.4735E+000
	583.20	0.14	3.8213E+002		6.5039E+002
	794.70	4.60	1.0329E+001		-3.8008E-001
	911.07	27.70	2.3081E+000		1.8119E+000
	964.60	5.20	1.1745E+001		1.1097E+001
	969.11	16.60	3.7590E+000		5.6057E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/18/2014 3:19:14 PM

Sample Location : AAR-283-01  
Sample Identification : AAR-283-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/18/2014 2:17:00 PM  
Acquisition Started : 7/18/2014 3:04:13 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.1778E+000	1.83E+000	-1.3097E+000
	338.32	11.40	2.3920E+000		1.0587E+000
	409.51	2.13	1.2065E+001		1.1823E+000
	463.00	4.40	6.2990E+000		3.7369E+000
	583.20	0.14	2.6653E+002		2.9609E+002
	794.70	4.60	9.2943E+000		2.8916E+000
	911.07	27.70	1.8304E+000		2.1359E+000
	964.60	5.20	8.7506E+000		1.1328E+001
	969.11	16.60	2.7533E+000		9.3252E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 9:36:27 AM

Sample Location : AAR-283-02  
Sample Identification : AAR-283-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Monizite Sand  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 9:20:00 AM  
Acquisition Started : 7/15/2014 9:21:26 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.1148E+000	1.61E+000	-5.4246E+000
	338.32	11.40	2.1857E+000		4.3383E-001
	409.51	2.13	1.1171E+001		4.7494E+000
	463.00	4.40	5.9524E+000		-8.2805E-001
	583.20	0.14	2.5186E+002		-5.9320E+001
	794.70	4.60	6.8251E+000		3.5971E+000
	911.07	27.70	1.6062E+000		8.0104E-001
	964.60	5.20	8.4652E+000		-4.9626E+000
	969.11	16.60	2.6635E+000		6.8385E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/19/2014 9:05:27 AM

Sample Location : AAR-283-03  
Sample Identification : AAR-283-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 8:49:00 AM  
Acquisition Started : 7/19/2014 8:50:26 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0599E+000	1.62E+000	1.4472E+000
	338.32	11.40	2.2674E+000		1.1883E+000
	409.51	2.13	1.0569E+001		1.1284E+000
	463.00	4.40	6.2427E+000		1.6504E+000
	583.20	0.14	2.2153E+002		-7.1817E+001
	794.70	4.60	8.2072E+000		4.0290E+000
	911.07	27.70	1.6222E+000		1.4964E+000
	964.60	5.20	7.9645E+000		4.9132E+000
	969.11	16.60	2.5703E+000		-9.1684E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

lename: RE1A

Report Generated On : 7/15/2014 9:18:17 AM

Sample Location : AAR-283-04  
Sample Identification : AAR-283-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Monizite Sand  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 9:02:00 AM  
Acquisition Started : 7/15/2014 9:03:15 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.3850E+000	1.61E+000	7.7511E+000
	338.32	11.40	2.2834E+000		9.6583E-001
	409.51	2.13	1.2278E+001		-1.7470E+000
	463.00	4.40	6.1858E+000		3.1871E+000
	583.20	0.14	2.7182E+002		2.4053E+002
	794.70	4.60	8.4715E+000		7.9259E+000
	911.07	27.70	1.6062E+000		1.4431E+000
	964.60	5.20	8.6566E+000		-1.2749E+000
	969.11	16.60	2.7237E+000		4.4801E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/15/2014 8:56:10 AM

Sample Location : AAR-284-01  
Sample Identification : AAR-284-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Monizite Sand  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/15/2014 8:40:00 AM  
Acquisition Started : 7/15/2014 8:41:09 AM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4241E+000	1.67E+000	7.1865E-001
	338.32	11.40	2.1179E+000		1.9887E-001
	409.51	2.13	1.1738E+001		-2.3090E+000
	463.00	4.40	5.6459E+000		-1.9852E+000
	583.20	0.14	2.4612E+002		6.4534E+001
	794.70	4.60	8.8106E+000		-3.2610E+000
	911.07	27.70	1.6692E+000		9.5401E-001
	964.60	5.20	8.3676E+000		6.3615E+000
	969.11	16.60	2.6328E+000		3.8789E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/14/2014 4:00:15 PM

Sample Location : AAR-284-02  
Sample Identification : AAR-284-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/14/2014 3:43:00 PM  
Acquisition Started : 7/14/2014 3:45:14 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.1778E+000	1.44E+000	-1.1848E+000
	338.32	11.40	2.2023E+000		-7.8144E-001
	409.51	2.13	1.2383E+001		8.0181E+000
	463.00	4.40	5.5824E+000		-2.6059E-001
	583.20	0.14	2.1036E+002		2.0242E+002
	794.70	4.60	7.3516E+000		4.5317E+000
	911.07	27.70	1.4356E+000		1.0024E+000
	964.60	5.20	8.8435E+000		4.4516E+000
	969.11	16.60	2.7826E+000		1.0154E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/19/2014 8:21:27 AM

Sample Location : AAR-284-03  
Sample Identification : AAR-284-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 8:05:00 AM  
Acquisition Started : 7/19/2014 8:06:26 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4843E+000	1.45E+000	-1.4007E+000
	338.32	11.40	1.9371E+000		-2.9567E-001
	409.51	2.13	1.0934E+001		7.7090E+000
	463.00	4.40	5.7706E+000		-1.5302E+000
	583.20	0.14	2.2369E+002		2.2417E+002
	794.70	4.60	7.6485E+000		1.7865E+000
	911.07	27.70	1.4536E+000		3.1644E-001
	964.60	5.20	8.5615E+000		6.1379E+000
	969.11	16.60	2.4060E+000		2.6525E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/19/2014 8:47:26 AM

Sample Location : AAR-284-04  
Sample Identification : AAR-284-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/19/2014 8:31:00 AM  
Acquisition Started : 7/19/2014 8:32:25 AM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.7778E+000	1.54E+000	3.8522E+000
	338.32	11.40	2.1350E+000		2.3718E+000
	409.51	2.13	1.0934E+001		-2.6581E+000
	463.00	4.40	6.4100E+000		-1.7035E+000
	583.20	0.14	2.3621E+002		1.9366E+002
	794.70	4.60	8.0257E+000		-4.5988E+000
	911.07	27.70	1.5404E+000		5.5084E-001
	964.60	5.20	8.9354E+000		7.6472E+000
	969.11	16.60	2.6328E+000		6.0096E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/28/2014 12:52:45 PM

Sample Location : AAR072514-315-1  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 315-1  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 12:37:00 AM  
Acquisition Started : 7/28/2014 12:37:44 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4241E+000	1.61E+000	-7.2717E+000
	338.32	11.40	2.5808E+000		1.3657E+000
	409.51	2.13	1.2590E+001		1.3308E+001
	463.00	4.40	5.7706E+000		1.6434E+000
	583.20	0.14	2.5747E+002		4.0282E+001
	794.70	4.60	8.5576E+000		7.8568E+000
	911.07	27.70	1.6062E+000		1.0359E+000
	964.60	5.20	8.7506E+000		2.9637E+000
	969.11	16.60	2.6938E+000		-5.6962E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/28/2014 1:16:32 PM

Sample Location : AAR072514-315-2  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 315-2  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 1:01:00 PM  
Acquisition Started : 7/28/2014 1:01:31 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0043E+000	1.67E+000	3.2422E+000
	338.32	11.40	2.4221E+000		2.7989E-001
	409.51	2.13	1.1627E+001		-2.8978E+000
	463.00	4.40	6.1284E+000		-4.7244E-001
	583.20	0.14	2.4022E+002		2.7765E+002
	794.70	4.60	7.7447E+000		2.2918E+000
	911.07	27.70	1.6692E+000		1.5986E-001
	964.60	5.20	8.0673E+000		5.1408E+000
	969.11	16.60	2.4731E+000		-3.0475E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

ename: RE1A

Report Generated On : 7/28/2014 1:32:44 PM

Sample Location : AAR072514-315-3  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 315-3  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 1:17:00 PM  
Acquisition Started : 7/28/2014 1:17:44 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.5180E+000	1.49E+000	3.5607E+000
	338.32	11.40	1.7142E+000		2.7989E-002
	409.51	2.13	1.2590E+001		-7.4872E-001
	463.00	4.40	5.7086E+000		-2.0310E+000
	583.20	0.14	2.4996E+002		1.6595E+002
	794.70	4.60	7.6485E+000		2.0502E+000
	911.07	27.70	1.4890E+000		4.1020E-001
	964.60	5.20	7.7542E+000		8.6936E+000
	969.11	16.60	2.3367E+000		-1.9894E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

+ = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/28/2014 1:48:54 PM

Sample Location : AAR072514-315-4  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 315-4  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 1:33:00 PM  
Acquisition Started : 7/28/2014 1:33:53 PM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.5427E+000	1.74E+000	4.6828E+000
	338.32	11.40	2.3461E+000		-2.5511E+000
	409.51	2.13	1.1287E+001		9.2693E+000
	463.00	4.40	6.1858E+000		1.7720E+000
	583.20	0.14	2.7870E+002		2.6547E+002
	794.70	4.60	7.4520E+000		1.7006E+000
	911.07	27.70	1.7445E+000		6.3949E-001
	964.60	5.20	9.2051E+000		2.8348E+000
	969.11	16.60	2.7826E+000		2.2729E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/28/2014 8:11:45 AM

Sample Location : AAR07241-368-1  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 368-1  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : MONAZITE SAND  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 7:56:00 AM  
Acquisition Started : 7/28/2014 7:56:44 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.1698E+000	1.86E+000	-4.5133E-001
	338.32	11.40	2.4956E+000		-1.4857E+000
	409.51	2.13	1.2793E+001		9.8898E+000
	463.00	4.40	7.0370E+000		2.4395E+000
	583.20	0.14	2.5375E+002		1.7712E+002
	794.70	4.60	7.6485E+000		-4.2148E+000
	911.07	27.70	1.8581E+000		1.1720E-001
	964.60	5.20	1.0442E+001		3.1645E+000
	969.11	16.60	3.3812E+000		2.9012E-001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 1:52:00 PM

Sample Location : AAR-368-02  
Sample Identification : AAR-368-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 1:36:00 PM  
Acquisition Started : 7/16/2014 1:36:59 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	6.3771E+000	1.51E+000	4.6605E+000
	338.32	11.40	2.0831E+000		1.4735E+000
	409.51	2.13	1.0934E+001		-3.8109E+000
	463.00	4.40	4.7474E+000		-7.5588E+000
	583.20	0.14	2.1036E+002		1.1683E+002
	794.70	4.60	7.3516E+000		-6.2158E+000
	911.07	27.70	1.5064E+000		-1.7727E-001
	964.60	5.20	8.9354E+000		-6.9886E+000
	969.11	16.60	2.9240E+000		2.7688E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

'ename: RE1A

Report Generated On : 7/28/2014 8:32:31 AM

Sample Location : AAR07241-368-3  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 368-3  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : MONAZITE SAND  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 8:17:00 AM  
Acquisition Started : 7/28/2014 8:17:30 AM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.2242E+000	1.89E+000	3.3256E+000
	338.32	11.40	2.6767E+000		1.7876E+000
	409.51	2.13	1.3946E+001		-3.7963E-001
	463.00	4.40	6.7833E+000		-2.1317E+000
	583.20	0.14	3.0457E+002		3.2326E+002
	794.70	4.60	9.0559E+000		-5.2895E+000
	911.07	27.70	1.8854E+000		3.0472E+000
	964.60	5.20	1.0595E+001		7.3602E+000
	969.11	16.60	3.2855E+000		2.5903E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/16/2014 2:13:42 PM

Sample Location : AAR-368-04  
Sample Identification : AAR-368-04  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : Grid Clearance  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/16/2014 1:58:00 PM  
Acquisition Started : 7/16/2014 1:58:40 PM

Live Time : 900.0 seconds  
Real Time : 900.5 seconds

Dead Time : 0.06 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.6032E+000	1.47E+000	7.0030E+000
	338.32	11.40	2.2351E+000		7.3909E-002
	409.51	2.13	1.0445E+001		-4.1201E+000
	463.00	4.40	5.6459E+000		3.5180E+000
	583.20	0.14	2.4417E+002		-1.2003E+001
	794.70	4.60	7.6485E+000		1.8108E+000
	911.07	27.70	1.4715E+000		3.1829E-001
	964.60	5.20	8.7506E+000		-1.9850E+000
	969.11	16.60	2.8115E+000		3.7301E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

port Generated On : 7/23/2014 2:18:15 PM

Sample Location : AAR-369-1  
Sample Identification : AAR-369-1  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 2:02:00 PM  
Acquisition Started : 7/23/2014 2:03:14 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.8920E+000	1.74E+000	9.3859E+000
	338.32	11.40	2.3461E+000		1.0656E+000
	409.51	2.13	1.2590E+001		2.4052E+000
	463.00	4.40	6.8348E+000		3.4942E+000
	583.20	0.14	2.6295E+002		2.7914E+002
	794.70	4.60	7.4520E+000		-9.4911E+000
	911.07	27.70	1.7445E+000		2.5784E+000
	964.60	5.20	9.3802E+000		4.8078E+000
	969.11	16.60	3.0584E+000		6.0057E+001
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

`ename: RE1A

Report Generated On : 7/23/2014 2:52:50 PM

Sample Location : AAR-364-2  
 Sample Identification : AAR-364-2  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID CLEARANCE  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : SOIL WASTE  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 2:37:00 PM  
 Acquisition Started : 7/23/2014 2:37:49 PM

Live Time : 900.0 seconds  
 Real Time : 900.7 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0043E+000	1.65E+000	2.9925E+000
	338.32	11.40	2.5100E+000		1.6094E+000
	409.51	2.13	1.1287E+001		-7.0435E-001
	463.00	4.40	6.6790E+000		1.2404E+000
	583.20	0.14	2.2369E+002		7.8690E+001
	794.70	4.60	8.7272E+000		1.4062E+000
	911.07	27.70	1.6537E+000		1.5643E-001
	964.60	5.20	9.0263E+000		-1.3029E-001
	969.11	16.60	3.0845E+000		4.5590E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: RE1A

Report Generated On : 7/23/2014 2:01:08 PM

Sample Location : AAR-369-3  
 Sample Identification : AAR-369-3  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID CLEARANCE  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : SOIL WASTE  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 1:45:00 PM  
 Acquisition Started : 7/23/2014 1:46:07 PM

Live Time : 900.0 seconds  
 Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.5440E+000	1.68E+000	1.3786E+000
	338.32	11.40	2.4221E+000		-2.7374E+000
	409.51	2.13	1.2590E+001		-7.1004E+000
	463.00	4.40	6.0703E+000		-2.4756E+000
	583.20	0.14	2.4612E+002		-1.5994E+002
	794.70	4.60	8.0257E+000		3.3875E+000
	911.07	27.70	1.6846E+000		9.7276E-001
	964.60	5.20	8.7506E+000		7.3519E+000
	969.11	16.60	2.7533E+000		3.5643E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/23/2014 2:35:40 PM

Sample Location : AAR-369-4  
Sample Identification : AAR-369-4  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 2:20:00 PM  
Acquisition Started : 7/23/2014 2:20:39 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.9484E+000	1.54E+000	-3.7447E+000
	338.32	11.40	2.3615E+000		2.0432E+000
	409.51	2.13	1.2172E+001		-4.9930E+000
	463.00	4.40	5.7086E+000		-1.6225E+000
	583.20	0.14	2.2153E+002		2.2052E+002
	794.70	4.60	8.4715E+000		1.1656E-001
	911.07	27.70	1.5404E+000		-8.6728E-001
	964.60	5.20	8.1688E+000		-4.0086E+000
	969.11	16.60	2.5060E+000		2.9012E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/23/2014 12:22:48 PM

Sample Location : AAR-370-01  
Sample Identification : AAR-370-01  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : SOIL WASTE  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/23/2014 12:05:00 PM  
Acquisition Started : 7/23/2014 12:07:47 PM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	1.0322E+001	2.40E+000	8.8299E+000
	338.32	11.40	3.3836E+000		5.1403E+000
	409.51	2.13	1.4921E+001		1.0986E+001
	463.00	4.40	7.5169E+000		-3.1740E+000
	583.20	0.14	4.0569E+002		5.5180E+002
	794.70	4.60	9.0559E+000		-8.0934E-001
	911.07	27.70	2.4041E+000		3.6918E+000
	964.60	5.20	1.3273E+001		1.3115E+001
	969.11	16.60	4.3059E+000		5.2791E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/22/2014 5:20:01 PM

Sample Location : AAR-370-02  
Sample Identification : AAR 370-02  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 4:29:00 PM  
Acquisition Started : 7/22/2014 5:05:00 PM

Live Time : 900.0 seconds  
Real Time : 900.6 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.7778E+000	1.67E+000	-1.8766E+000
	338.32	11.40	2.3768E+000		5.4061E-002
	409.51	2.13	1.2692E+001		-6.0241E-002
	463.00	4.40	6.5190E+000		2.3934E+000
	583.20	0.14	2.6114E+002		4.5649E+001
	794.70	4.60	8.3844E+000		2.6254E-001
	911.07	27.70	1.6692E+000		3.5043E-001
	964.60	5.20	9.3802E+000		2.0364E+000
	969.11	16.60	3.1361E+000		3.4411E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

Report Generated On : 7/22/2014 5:55:37 PM

Sample Location : AAR-370-03  
Sample Identification : AAR 370-03  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID CLEARANCE  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : Soil  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 5:39:00 PM  
Acquisition Started : 7/22/2014 5:40:36 PM

Live Time : 900.0 seconds  
Real Time : 900.8 seconds

Dead Time : 0.09 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	9.3358E+000	2.30E+000	-5.6685E+000
	338.32	11.40	3.4045E+000		4.7827E+000
	409.51	2.13	1.4038E+001		-1.0576E+001
	463.00	4.40	7.4704E+000		6.4280E-002
	583.20	0.14	3.7969E+002		3.3177E+002
	794.70	4.60	1.0045E+001		1.3025E+001
	911.07	27.70	2.2971E+000		4.6411E+000
	964.60	5.20	1.1947E+001		1.8561E+001
	969.11	16.60	3.6739E+000		5.3459E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
 \*\*\*\*\* G A M M A   S P E C T R U M   A N A L Y S I S \*\*\*\*\*  
 \*\*\*\*\*

Filename: REL1A

Report Generated On : 7/22/2014 5:38:32 PM

Sample Location : AAR-370-04  
 Sample Identification : AAR 370-04  
 Sample Description 1 : 8 Oz. Can  
 Sample Description 2 : GRID CLEARANCE  
 Sample Description 3 :  
 Sample Description 4 :  
 Sample Type : Soil  
 Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
 Peak Locate Range (in channels) : 40 - 8192  
 Peak Area Range (in channels) : 40 - 8192  
 Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/22/2014 5:22:00 PM  
 Acquisition Started : 7/22/2014 5:23:30 PM

Live Time : 900.0 seconds  
 Real Time : 900.7 seconds

Dead Time : 0.07 %

Energy Calibration Used Done On : 6/4/2008  
 Efficiency Calibration Used Done On : 5/23/2008  
 Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	7.4241E+000	2.08E+000	-5.3731E+000
	338.32	11.40	2.5668E+000		1.3479E+000
	409.51	2.13	1.3854E+001		-2.9117E-001
	463.00	4.40	5.7086E+000		-6.6348E+000
	583.20	0.14	3.0147E+002		2.3110E+001
	794.70	4.60	8.1170E+000		6.6356E+000
	911.07	27.70	2.0778E+000		2.2828E+000
	964.60	5.20	9.2931E+000		7.9181E+000
	969.11	16.60	2.9240E+000		2.7134E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: RE1A

.port Generated On : 7/28/2014 9:08:06 AM

Sample Location : AAR07241-375-1  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 375-1  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : MONAZITE SAND  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 8:52:00 AM  
Acquisition Started : 7/28/2014 8:53:05 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :



Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.1151E+000	1.68E+000	0.0000E+000
	338.32	11.40	2.1689E+000		-1.0099E-001
	409.51	2.13	1.2692E+001		6.1561E+000
	463.00	4.40	6.1858E+000		-3.9523E-001
	583.20	0.14	2.4417E+002		1.3673E+002
	794.70	4.60	7.8395E+000		5.9024E+000
	911.07	27.70	1.6846E+000		1.7465E+000
	964.60	5.20	8.7506E+000		-1.4658E+000
	969.11	16.60	2.6635E+000		2.0277E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

\*\*\*\*\*  
\*\*\*\*\* G A M M A S P E C T R U M A N A L Y S I S \*\*\*\*\*  
\*\*\*\*\*

Filename: REL1A

Report Generated On : 7/28/2014 8:50:49 AM

Sample Location : AAR07241-375-3  
Sample Identification : CLEARANCE  
Sample Description 1 : 8 Oz. Can  
Sample Description 2 : GRID 375-3  
Sample Description 3 :  
Sample Description 4 :  
Sample Type : MONAZITE SAND  
Sample Geometry : 8 Oz. Can

Peak Locate Threshold : 5.00  
Peak Locate Range (in channels) : 40 - 8192  
Peak Area Range (in channels) : 40 - 8192  
Identification Energy Tolerance : 3.000 keV

Sample Size : 2.003E+002 Grams

Sample Taken On : 7/28/2014 8:34:00 AM  
Acquisition Started : 7/28/2014 8:35:48 AM

Live Time : 900.0 seconds  
Real Time : 900.7 seconds

Dead Time : 0.08 %

Energy Calibration Used Done On : 6/4/2008  
Efficiency Calibration Used Done On : 5/23/2008  
Efficiency ID :

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/Gram)	Nuclide MDA (pCi/Gram)	Activity (pCi/Gram)
AC-228	327.64	3.20	8.0599E+000	1.73E+000	-9.0612E-001
	338.32	11.40	2.2351E+000		1.5954E+000
	409.51	2.13	1.2278E+001		4.2859E+000
	463.00	4.40	5.7706E+000		-3.4392E+000
	583.20	0.14	2.7699E+002		2.5702E+002
	794.70	4.60	8.4715E+000		7.8302E+000
	911.07	27.70	1.7297E+000		4.2670E-001
	964.60	5.20	9.8855E+000		-2.7756E+000
	969.11	16.60	3.3337E+000		5.3879E+000
>	1587.90	3.71	0.0000E+000		0.0000E+000

+ = Nuclide identified during the nuclide identification

\* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

## **ATTACHMENT # 10**































