



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

APR 17 2015

Eric Hodge
Radiation Safety Officer
Rozell Testing Laboratories, LLC
2404 State Highway 248
Suite 4
Branson, MO 65616

Dear Mr. Hodge:

Enclosed is Amendment No. 3 to your NRC Material License No. 24-32438-01 in accordance with your request. Please also note that we have removed Condition No. 19 as it does not apply to gauge models authorized for use under this license. Changes made to your license are printed in **bold** font.

We have noted that the letter dated January 19, 2015, included a request to remove one location of use, located at 20 Misty Mountain Road, Walnut Shade, Missouri, from your license. The NRC staff has reviewed final leak test results and closeout information for that location. Based on its review, the staff has concluded that the referenced location of use is suitable for unrestricted use.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

E. Hodge

- 2 -

In accordance with Title 10 of the *Code of Federal Regulations* Section 2.390, a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink that reads "Sara A. Forster". The signature is written in a cursive, flowing style.

Sara A. Forster, M.S.
Health Physicist
Materials Licensing Branch

License No. 24-32438-01
Docket No. 030-36189

Enclosure: Amendment No. 03