

Junod, Rebecca

From: Chad.Lincoln@trumbullcorp.com
Sent: Wednesday, April 29, 2015 5:22 PM
To: Lodhi, Sattar
Subject: Re: NRC License Renewal
Attachments: Gauge_38309_3072(1).pdf; Gauge_38309_3072(2).pdf; NUREG Form Rev2.pdf

Q-2

Sattar,

Attached is the Rev 2 form per your request. In addition, we do not want the Mount Storm location indicated on the license. Storage at that location was discontinued on 1/19/15. The gauges were then moved to our storage location in West Mifflin, PA. The leak tests conducted for each gauge prior to the leaving the location and the most recent leak test are provided. Please advise if you need anything additional.

Thanks

37-19062-01
03016010



Chad
Lincoln
Area Safety
Manager

Dir 412.807.2355
Cell 412.287.9067
Fax 412.807.2655
Email chad.lincoln@trumbullcorp.com

Trumbull
Address P. O. Box 6774
225 North Shore Drive
Pittsburgh, PA 15212

Web www.trumbullcorp.com



From: "Lodhi, Sattar" <Sattar.Lodhi@nrc.gov>
To: "Chad.Lincoln@trumbullcorp.com" <Chad.Lincoln@trumbullcorp.com>
Date: 04/28/2015 02:16 PM
Subject: NRC License Renewal

Chad:

I tried to contact you over phone, but was not successful in contacting you. I have reviewed your application and I need the following additional information:

1. Please use Appendix B from NUREG 1556, Vol 1, **Rev 2**.
2. Your current license authorizes storage and use location at Power Station Highway in Mount Storm, WV, but your renewal application does not indicate (in NRC Form 313 item 3) this address. If you do not want that location to be listed on the license, we need confirmation that there is no residual contamination left at the location. One way to do this is to review your leak test records of the gauges that were stored at that location. If you find that none of the gauges that were stored there ever leaked while they were stored at that location.

We will continue our review after we have received the information. Please feel free to call me if you have any questions.

Sattar Lodhi
(610) 337 5364

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	38309	Source Serial Number:	47-8386/ 77-5640
Device Manufacturer:	Troxler	Source Manufacturer:	
Device Model:	3430	Source Model:	
Device Type:	Gauge	Make:	Moisture Density Gauge
		Location:	West Mifflin, PA
Radioisotope:	Cs-137 / Am-241Be	Activity:	8 mCi / 40 mCi

Leak Test Information

Leak Test Performed by:	Chad Lincoln	Leak Test Performed on:	4/21/2015
Leak Test Specimen Number:	A-040364	Leak Test Analysis Date:	4/22/2015
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

The analysis of this leak test sample was provided by Applied Health Physics. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics utilized the following for leak test analysis: Sample model: MARK V Leak Test Kit for wet swab analysis. Leak test analysis instrument: Manufacturer - Protean Instruments Model ASC950 serial number 01216140.

Client Information

Trumbull Corporation- PGH	Contact:	Chad Lincoln
225 North Shore Drive	Phone:	(412) 287-9067
	Contact:	chad.lincoln@trumbullcorp.com
	Phone:	
Pittsburgh	PA	15212

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 10/21/2015

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	3072	Source Serial Number:	NJ-03278/8156-GQ
Device Manufacturer:	Humboldt	Source Manufacturer:	
Device Model:	5001EZ	Source Model:	
Device Type:	Gauge	Make:	Moisture / Density Gauge
		Location:	West Mifflin
Radioisotope:	Cs-137 / Am-241Be	Activity:	10 mCi / 40 mCi

Leak Test Information

Leak Test Performed by:	Chad Lincoln	Leak Test Performed on:	4/21/2015
Leak Test Specimen Number:	A-040327	Leak Test Analysis Date:	4/22/2015
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

The analysis of this leak test sample was provided by Applied Health Physics. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics utilized the following for leak test analysis: Sample model: MARK V Leak Test Kit for wet swab analysis. Leak test analysis instrument: Manufacturer - Protean Instruments Model ASC950 serial number 01216140.

Client Information

Trumbull Corporation- PGH	Contact:	Chad Lincoln
225 North Shore Drive	Phone:	(412) 287-9067
	Contact:	chad.lincoln@trumbullcorp.com
	Phone:	
Pittsburgh	PA	15212

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 10/21/2015

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: knobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	38309	Source Serial Number:	47-8386/ 77-5640
Device Manufacturer:	Troxler	Source Manufacturer:	
Device Model:	3430	Source Model:	
Device Type:	Gauge	Make:	Moisture Density Gauge
		Location:	
Radiolotope:	Cs-137 / Am-241Be	Activity:	8 mCi / 40 mCi

Leak Test Information

Leak Test Performed by:	Jim Woods	Leak Test Performed on:	9/15/2014
Leak Test Specimen Number:	A-036919	Leak Test Analysis Date:	11/10/2014
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

The analysis of this leak test sample was provided by Applied Health Physics, Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics utilized the following for leak test analysis: Sample model: MARK V Leak Test Kit for wet swab analysis. Leak test analysis instrument: Manufacturer - Protean Instruments Model ASC950 serial number 01216140.

Client Information

Trumbull Corporation- PGH	Contact:	Chad Lincoln
225 North Shore Drive	Phone:	(412) 287-9067
	Contact:	chad.lincoln@trumbullcorp.com
	Phone:	

Pittsburgh PA 15212

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 3/15/2015

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	3072	Source Serial Number:	NJ-03278/8156-GQ
Device Manufacturer:	Humboldt	Source Manufacturer:	
Device Model:	5001EZ	Source Model:	
Device Type:	Gauge	Make:	Moisture / Density Gauge
		Location:	Mount Storm, WV.
Radioisotope:	Cs-137 / Am-241Be	Activity:	10 mCi / 40 mCi

Leak Test Information

Leak Test Performed by:	Jim Woods	Leak Test Performed on:	9/15/2014
Leak Test Specimen Number:	A-036924	Leak Test Analysis Date:	11/10/2014
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

The analysis of this leak test sample was provided by Applied Health Physics. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics utilized the following for leak test analysis: Sample model: MARK V Leak Test Kit for wet swab analysis. Leak test analysis instrument: Manufacturer - Protean Instruments Model ASC950 serial number 01216140.

Client Information

Trumbull Corporation- PGH	Contact:	Chad Lincoln
225 North Shore Drive	Phone:	(412) 287-9067
	Contact:	chad.lincoln@trumbullcorp.com
	Phone:	
Pittsburgh	PA	15212

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 3/15/2015

APPENDIX B

**SUGGESTED FORMAT FOR PROVIDING INFORMATION REQUESTED
IN ITEMS 5 THROUGH 11 OF
U.S. NUCLEAR REGULATORY COMMISSION FORM 313**

Items 5 and 6: Materials To Be Possessed and Proposed Uses

Yes	No	Radionuclide	Manufacturer or Distributor Model No.	Quantity	Use as Listed on SSD Registration Certificate	Specify Other Uses Not Listed on SSD Registration Certificate
X		Cesium-137	Gauge manufacturer or distributor and model number of the gauge: Trolox DWG-10012 Humboldt Scientific 220001 Device: Trolox 3100 Series Humboldt 5301	Specify activity per source and number of gauges requested. 9 mCi not to exceed 45 mCi ↓ 11 mCi not to exceed 11 mCi	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: Measuring physical properties	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
X		Americium-241	Gauge manufacturer or distributor and model number of the gauge: Trolox DWG-10015 or C-1000-550 Humboldt 220001-1 Device: Trolox 3400 Humboldt 5301	Specify activity per source and number of gauges requested. 44 mCi not to exceed 220 mCi ↓ 44 mCi not to exceed 44 mCi	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: Measuring physical properties	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use.)

Yes	No	Radionuclide	Manufacturer or Distributor Model No.	Quantity	Use as Listed on SSD Registration Certificate	Specify Other Uses Not Listed on SSD Registration Certificate
	X	Californium-252	Gauge manufacturer or distributor and model number of the gauge: 	Specify activity per source and number of gauges requested. 	Yes <input type="checkbox"/> Specific description of the gauge use: 	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use.)
	X	Radium-226	Gauge manufacturer or distributor and model number of the gauge and number of gauges of each model that is being requested: 	Specify activity per source and number of gauges requested. 	Yes <input type="checkbox"/> Specific description of the gauge use: 	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use.)
	X	Other Isotope (Specify):	Gauge manufacturer or distributor and model number of the gauge: 	Specify activity per source and number of gauges requested. 	Yes <input type="checkbox"/> Specific description of the gauge use: 	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use.)
	X	Is financial assurance required? If yes, submit evidence of financial assurance				

**Items 7 through 11: Training and Experience,
Facilities and Equipment, Radiation Safety Program,
and Waste Disposal**

Item No. and Title	Suggested Response	Yes	Alternative Procedures Attached
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE—RADIATION SAFETY OFFICER Name: <u>Chad Lincoln</u>	Provide documentation of the training of the proposed RSO. <u>Attached</u>	Submit applicable documentation.	
8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS	Before using licensed materials, authorized users will have successfully completed one of the training courses described in the "Criteria" part of the section titled "Training for Individuals Working in or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev. 2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9. FACILITIES AND EQUIPMENT	No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program—Public Dose" and "Radiation Safety Program—Operating, Emergency, and Security Procedures" below.	Need Not Be Submitted with Application	
10.1 RADIATION SAFETY PROGRAM—AUDIT PROGRAM	The applicant is <i>not</i> required to, and should not, submit its audit program to the NRC for review during the licensing phase. The audit program will be reviewed during NRC inspections.	Need Not Be Submitted with Application	
10.2 RADIATION SAFETY PROGRAM—SURVEY INSTRUMENTS	We will either possess and use, or have access to and use, a radiation survey meter that meets the criteria in the section titled "Radiation Safety Program—Instruments" in NUREG-1556, Vol. 1, Rev. 2, "Consolidated Guidance about Materials Licenses: Program-Specific Guidance about Portable Gauge Licenses," in the event of an incident.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

