






# Chapter 2



## VCS UFSAR Table of Contents

Chapter 1 — Introduction and General Description of the Plant
Chapter 2 — Site Characteristics
Chapter 3 — Design of Structures, Components, Equipment and Systems
Chapter 4 — Reactor
Chapter 5 — Reactor Coolant System and Connected Systems
Chapter 6 — Engineered Safety Features
Chapter 7 — Instrumentation and Controls
Chapter 8 — Electric Power
Chapter 9 — Auxiliary Systems
Chapter 10 — Steam and Power Conversion
Chapter 11 — Radioactive Waste Management
Chapter 12 — Radiation Protection
Chapter 13 — Conduct of Operation
Chapter 14 — Initial Test Program
Chapter 15 — Accident Analyses
Chapter 16 — Technical Specifications
Chapter 17 — Quality Assurance
Chapter 18 — Human Factors Engineering
Chapter 19 — Probabilistic Risk Assessment

## VCS UFSAR Formatting Legend

Color	Description
	Original Westinghouse AP1000 DCD Tier 2 & Tier 2*, Revision 19 content
	Departures from AP1000 DCD Tier 2 & Tier 2*, Revision 19 content
	Standard FSAR content
	Site-specific FSAR content
	Linked cross-references (chapters, appendices, sections, subsections, tables, figures, and references)

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
CHAPTER 2	SITE CHARACTERISTICS .....	2.0-1
2.0	Site Characteristics .....	2.0-1
2.1	Geography and Demography .....	2.1-1
2.1.1	Site and Location Description .....	2.1-1
2.1.1.1	Site Location .....	2.1-1
2.1.1.2	Site Description .....	2.1-1
2.1.1.3	Boundary for Establishing Effluent Release Limits .....	2.1-2
2.1.2	Exclusion Area Authority and Control .....	2.1-2
2.1.2.1	Authority .....	2.1-2
2.1.2.2	Control of Activities Unrelated to Plant Operation .....	2.1-3
2.1.2.3	Arrangements for Traffic Control .....	2.1-3
2.1.3	Population Distribution .....	2.1-3
2.1.3.1	Resident Population Within 10 Miles .....	2.1-4
2.1.3.2	Resident Population Between 10 and 50 Miles .....	2.1-4
2.1.3.3	Transient Population .....	2.1-5
2.1.3.4	Low Population Zone .....	2.1-7
2.1.3.5	Population Center .....	2.1-7
2.1.3.6	Population Density .....	2.1-8
2.1.4	Combined License Information for Geography and Demography .....	2.1-8
2.1.5	References .....	2.1-8
2.2	Nearby Industrial, Transportation, and Military Facilities .....	2.2-1
2.2.1	Locations and Routes .....	2.2-2
2.2.2	Descriptions .....	2.2-2
2.2.2.1	Description of Facilities .....	2.2-2
2.2.2.2	Description of Products and Materials .....	2.2-3
2.2.2.3	Description of Pipelines .....	2.2-4
2.2.2.4	Description of Waterways .....	2.2-4
2.2.2.5	Description of Highways .....	2.2-5
2.2.2.6	Description of Railroads .....	2.2-5
2.2.2.7	Description of Airports .....	2.2-5
2.2.2.8	Projections of Industrial Growth .....	2.2-7
2.2.3	Evaluation Of Potential Accidents .....	2.2-7
2.2.3.1	Determination of Design Basis Events .....	2.2-8
2.2.4	Combined License Information for Identification of Site-Specific Potential Hazards .....	2.2-17
2.2.5	References .....	2.2-17
2.3	Meteorology .....	2.3-1
2.3.1	Regional Climatology .....	2.3-1
2.3.1.1	Data Sources .....	2.3-2
2.3.1.2	General Climate .....	2.3-3
2.3.1.3	Severe Weather .....	2.3-5
2.3.1.4	Meteorological Data for Evaluating the Ultimate Heat Sink .. 2.3-13	
2.3.1.5	Design Basis Dry and Wet Bulb Temperatures .....	2.3-13
2.3.1.6	Restrictive Dispersion Conditions .....	2.3-16
2.3.1.7	Climate Changes .....	2.3-18
2.3.2	Local Meteorology .....	2.3-20

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
	2.3.2.1 Data Sources .....	2.3-21
	2.3.2.2 Normal, Mean, and Extreme Values of Meteorological Parameters .....	2.3-22
	2.3.2.3 Topographic Description .....	2.3-27
	2.3.2.4 Potential Influence of the Plant and Related Facilities on Meteorology .....	2.3-28
	2.3.2.5 Current and Projected Site Air Quality .....	2.3-28
2.3.3	Onsite Meteorological Measurements Program .....	2.3-30
	2.3.3.1 Site Description and Topographical Features of the Site Area .....	2.3-31
	2.3.3.2 Siting of Meteorological Towers .....	2.3-31
	2.3.3.3 Preoperational Monitoring Program .....	2.3-33
	2.3.3.4 Operational Monitoring Program .....	2.3-39
	2.3.3.5 Meteorological Data .....	2.3-41
2.3.4	Short-Term Diffusion Estimates .....	2.3-42
	2.3.4.1 Objective .....	2.3-43
	2.3.4.2 Calculations .....	2.3-43
2.3.5	Long-Term Diffusion Estimates .....	2.3-46
	2.3.5.1 Objective .....	2.3-46
	2.3.5.2 Calculations .....	2.3-48
2.3.6	Combined License Information .....	2.3-48
	2.3.6.1 Regional Climatology .....	2.3-48
	2.3.6.2 Local Meteorology .....	2.3-49
	2.3.6.3 Onsite Meteorological Measurements Program .....	2.3-49
	2.3.6.4 Short-Term Diffusion Estimates .....	2.3-50
	2.3.6.5 Long-Term Diffusion Estimates .....	2.3-50
2.3.7	References .....	2.3-50
2.4	Hydrologic Engineering .....	2.4-1
	2.4.1 Hydrologic Description .....	2.4-1
	2.4.1.1 Site and Facilities .....	2.4-1
	2.4.1.2 Hydrosphere .....	2.4-2
2.4.2	Floods .....	2.4-5
	2.4.2.1 Flood History .....	2.4-5
	2.4.2.2 Flood Design Considerations .....	2.4-6
	2.4.2.3 Effects of Local Intense Precipitation .....	2.4-7
2.4.3	PMF on Streams and Rivers .....	2.4-9
	2.4.3.1 Probable Maximum Precipitation .....	2.4-9
	2.4.3.2 Unit Hydrograph for the Broad River Watershed .....	2.4-10
	2.4.3.3 PMF for the Broad River .....	2.4-10
	2.4.3.4 PMF for Frees Creek .....	2.4-12
	2.4.3.5 Wind-Generated Wave Setup in the Monticello Reservoir .....	2.4-12
2.4.4	Potential Dam Failures .....	2.4-13
	2.4.4.1 Dam Failure Permutations .....	2.4-13
	2.4.4.2 Unsteady Flow Analysis of Potential Dam Failures ..	2.4-14
	2.4.4.3 Maximum Water Level at Parr Shoals Dam .....	2.4-14
	2.4.4.4 Maximum Water Level Due to Potential Failure of Fairfield	

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
	Dam .....	2.4-15
2.4.5	Probable Maximum Surge and Seiche Flooding .....	2.4-16
2.4.6	Probable Maximum Tsunami Hazards .....	2.4-16
2.4.7	Ice Effects .....	2.4-16
2.4.8	Cooling Water Canals and Reservoirs .....	2.4-17
2.4.9	Channel Diversions .....	2.4-17
2.4.10	Flooding Protection Requirements .....	2.4-19
2.4.11	Low Water Considerations .....	2.4-20
2.4.11.1	Low Flow in Rivers and Streams .....	2.4-20
2.4.11.2	Low Flow Resulting from Surges, Seiches, or Tsunami .....	2.4-21
2.4.11.3	Historical Low Water .....	2.4-21
2.4.11.4	Future Controls .....	2.4-21
2.4.11.5	Plant Requirements .....	2.4-21
2.4.11.6	Heat Sink Dependability Requirements .....	2.4-22
2.4.12	Groundwater .....	2.4-22
2.4.12.1	Regional and Local Hydrogeology .....	2.4-22
2.4.12.2	Groundwater Sources and Use .....	2.4-24
2.4.12.3	Site Hydrogeology .....	2.4-26
2.4.12.4	Monitoring or Safeguard Requirements .....	2.4-30
2.4.12.5	Design Basis for Dewatering and Subsurface Hydrostatic Loading .....	2.4-30
2.4.13	Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters .....	2.4-33
2.4.13.1	Accidental Releases to Groundwater .....	2.4-33
2.4.13.2	Accidental Releases to Surface Waters .....	2.4-48
2.4.13.3	Compliance with 10 CFR Part 20 .....	2.4-48
2.4.14	Technical Specifications and Emergency Operation Requirements .....	2.4-48
2.4.15	Combined License Information .....	2.4-49
2.4.16	References .....	2.4-50
2.5	Geology, Seismology, and Geotechnical Engineering .....	2.5.1-1
2.5.1	Basic Geologic and Seismic Information .....	2.5.1-3
2.5.1.1	Regional Geology .....	2.5.1-3
2.5.1.2	Site Geology .....	2.5.1-38
2.5.1.3	References .....	2.5.1-47
2.5.2	Vibratory Ground Motion .....	2.5.2-1
2.5.2.1	Seismicity .....	2.5.2-4
2.5.2.2	Geologic Structures and Tectonic Characteristics of the Site and Region .....	2.5.2-7
2.5.2.3	Correlation of Earthquake Activity with Seismic Sources .....	2.5.2-29
2.5.2.4	Probabilistic Seismic Hazard Analysis and Controlling Earthquakes .....	2.5.2-30
2.5.2.5	Seismic Wave Transmission Characteristics of the Site .....	2.5.2-37
2.5.2.6	Ground Motion Response Spectrum .....	2.5.2-37

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
	2.5.2.7 References .....	2.5.2-38
2.5.3	Surface Faulting Combined License Information .....	2.5.3-1
	2.5.3.1 Geological, Seismological, and Geophysical Investigations .....	2.5.3-1
	2.5.3.2 Geological Evidence, or Absence of Evidence, for Surface Deformation .....	2.5.3-4
	2.5.3.3 Correlation of Earthquakes with Capable Tectonic Sources .....	2.5.3-8
	2.5.3.4 Ages of Most Recent Deformations .....	2.5.3-8
	2.5.3.5 Relationship of Tectonic Structures in the Site Area to Regional Tectonic Structures .....	2.5.3-9
	2.5.3.6 Characterization of Capable Tectonic Sources .....	2.5.3-9
	2.5.3.7 Designation of Zones of Quaternary Deformation Requiring Detailed Fault Investigation .....	2.5.3-9
	2.5.3.8 Potential for Surface Tectonic Deformation at the Site .....	2.5.3-9
	2.5.3.9 References .....	2.5.3-9
2.5.4	Stability and Uniformity of Subsurface Materials and Foundations .....	2.5.4-1
	2.5.4.1 Geologic Features .....	2.5.4-1
	2.5.4.2 Properties of Subsurface Materials .....	2.5.4-1
	2.5.4.3 Foundation Interfaces .....	2.5.4-14
	2.5.4.4 Geophysical Surveys .....	2.5.4-14
	2.5.4.5 Excavation and Backfill .....	2.5.4-19
	2.5.4.6 Groundwater Conditions .....	2.5.4-24
	2.5.4.7 Response of Soil and Rock to Dynamic Loading ...	2.5.4-25
	2.5.4.8 Liquefaction Potential .....	2.5.4-29
	2.5.4.9 Earthquake Design Basis .....	2.5.4-32
	2.5.4.10 Static Stability .....	2.5.4-32
	2.5.4.11 Design Criteria .....	2.5.4-38
	2.5.4.12 Techniques to Improve Subsurface Conditions ....	2.5.4-39
	2.5.4.13 Subsurface Instrumentation .....	2.5.4-40
	2.5.4.14 Waterproofing System .....	2.5.4-40
	2.5.4.15 References .....	2.5.4-40
2.5.5	Combined License Information for Stability of Slopes .....	2.5.5-1
	2.5.5.1 Slope Characteristics .....	2.5.5-1
	2.5.5.2 Stability of Slopes Conclusions .....	2.5.5-2
2.5.6	Combined License Information for Embankments and Dams ...	2.5.6-1
2.6	References .....	2.5.6-1

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

---

LIST OF TABLES

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.0-201	(Sheet 1 of 5) Comparison of AP1000 DCD Site Parameters and V. C. Summer Nuclear Station, Units 2 and 3.....	2.0-2
2.2-1	AP1000 OnSite Explosion Safe Distances.....	2.2-20
2.2-201	Description of Facilities, Products, and Materials.....	2.2-21
2.2-202	Unit 1 Onsite Chemical Storage .....	2.2-22
2.2-203	Top 25 Commodities Shipped Via NSRC Railroad Past Alston, South Carolina, April 2005–April 2006 .....	2.2-23
2.2-204	Aircraft Operations, Significance Factors .....	2.2-24
2.2-205	Unit 1 Onsite Chemicals, Disposition .....	2.2-25
2.2-206	Potential Hazardous Material, Railway Transportation, Disposition .....	2.2-27
2.2-207	Potential Design Basis Events, Explosions .....	2.2-29
2.2-208	Potential Design Basis Events, Vapor Cloud Explosions and Flammable Vapor Clouds (Delayed Ignition).....	2.2-30
2.2-209	Potential Design Basis Events, Toxic Clouds.....	2.2-31
2.3-201	NWS and Cooperative Observing Stations Near the Site for Units 2 and 3 .....	2.3-55
2.3-202	Local Climatological Data Summary for Columbia, South Carolina .....	2.3-56
2.3-203	Climatological Extremes at Selected NWS and Cooperative Observing Stations in the Units 2 and 3 Site Region.....	2.3-57
2.3-204	Morning and Afternoon Mixing Heights, Wind Speeds, and Ventilation Indices for the VCSNS Site Region.....	2.3-58
2.3-205	Climatological Normals (Means) at Selected NWS and Cooperative Observing Stations in the VCSNS Site Region .....	2.3-59
2.3-206	Seasonal and Annual Mean Wind Speeds for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) and the Columbia, South Carolina NWS Station.....	2.3-60
2.3-207	Wind Direction Persistence/Wind Speed Distributions for the Units 2 and 3 Monitoring Program – 10-Meter Level.....	2.3-61
2.3-208	Wind Direction Persistence/Wind Speed Distributions for the Units 2 and 3 Monitoring Program – 60-Meter Level.....	2.3-63
2.3-209	Seasonal and Annual Vertical Stability Class and Mean 10-Meter Level Wind Speed Distributions for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008).....	2.3-65
2.3-210	Joint Frequency Distribution of Wind Speed and Wind Direction (10- Meter Level) by Atmospheric Stability Class for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008).....	2.3-66
2.3-211	Joint Frequency Distribution of Wind Speed and Wind Direction (60- Meter Level) by Atmospheric Stability Class for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008).....	2.3-74
2.3-212	Deleted .....	2.3-81
2.3-213	Comparison of Onsite Data with Long-Term Climatological Data: Wind Direction .....	2.3-82
2.3-214	Comparison of Onsite data with Long-term Climatological Data:	

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
	Seasonal and Annual Mean Wind Speed.....	2.3-83
2.3-215	Comparison of Onsite Data with Long-Term Climatological Data: VCSNS Unit 1 Annual Percentage by Stability Class (%).....	2.3-83
2.3-216	Meteorological System Accuracies (Units 2 and 3 System).....	2.3-84
2.3-217	Annual Data Recovery Rate for VCSNS Units 2 and 3 Meteorological Monitoring System (January 2007–December 2008) .....	2.3-85
2.3-218	Deleted .....	2.3-85
2.3-219	Distances from Power Block Area Circle.....	2.3-86
2.3-220	Units 2 & 3 Ground-Level Release PAVAN Output — X/Q Values at the Dose Evaluation Periphery .....	2.3-87
2.3-221	Units 2 & 3 Ground-Level Release PAVAN Output — X/Q Values at the Low Population Zone Boundary .....	2.3-88
2.3-222	ARCON96 X/Q Values at the Control Room HVAC Intake (sec/m <sup>3</sup> ).....	2.3-89
2.3-223	ARCON96 X/Q Values at the Annex Building Access Door (sec/m <sup>3</sup> ) .....	2.3-90
2.3-224	Shortest Distances Between the Units 2 and 3 Power Block Area Circle and Receptors of Interest by Downwind Direction Sector .....	2.3-91
2.3-225	XOQDOQ-Predicted Maximum X/Q and D/Q Values at Sensitive Receptors of Interest .....	2.3-92
2.3-226	XOQDOQ-Predicted Maximum Annual Average X/Q and D/Q Values at the Standard Radial Distances and Distance-Segment Boundaries.....	2.3-93
2.3-227	Tornadoes That Occurred In Counties Surrounding VCSNS (Saluda, Chester, Lancaster, Newberry, Lexington, Kershaw, Richland, Union and Fairfield) During the Period From January 1950 Through August 2003.....	2.3-105
2.4-201	Stream Flow Gauging Stations.....	2.4-54
2.4-202	Monticello Reservoir Area and Storage Capacity Curves Data.....	2.4-55
2.4-203	Parr Reservoir Area and Storage Capacity Curves Data .....	2.4-56
2.4-204	Reservoirs Located in the Broad River Watershed .....	2.4-57
2.4-205	Significant Surface Water Users .....	2.4-61
2.4-206	Major Historic Floods and Peak Flows in the Broad River near the Site .....	2.4-62
2.4-207	Six-Hour Local PMP .....	2.4-62
2.4-208	PMP for Broad River Watershed at Richtex .....	2.4-63
2.4-209	Distribution of 72-Hour PMP for Broad River Watershed at Richtex .....	2.4-63
2.4-210	PMP for Frees Creek Watershed .....	2.4-63
2.4-211	Storage Volumes of Existing and Proposed Reservoirs Upstream of Parr Shoals Dam on Broad River .....	2.4-64
2.4-212	Reported Water Use in South Carolina, 2005 (in Millions of Gallons).....	2.4-65
2.4-213	Reported Water Use in Fairfield County, 2005.....	2.4-66
2.4-214	Reported Water Use in Newberry County, 2005 .....	2.4-67
2.4-215	Public Water Supply Wells within 6 Miles of Units 2 and 3, South Carolina .....	2.4-68
2.4-216	Observation Well Details .....	2.4-69
2.4-217	Monthly Groundwater Level Elevations .....	2.4-71
2.4-218	Slug Test Results .....	2.4-73
2.4-219	Packer Test Results .....	2.4-75



**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.4-220	Summary of Laboratory Test Results for Grain Size, Moisture Content, and Specific Gravity and Derived Porosity Values .....	2.4-76
2.4-221	Groundwater Levels at Unit 2 and Unit 3 .....	2.4-78
2.4-222	Groundwater Wells at Unit 1 Locations and Unit 2 & Unit 3 Site.....	2.4-79
2.4-223	Monthly Rainfall Data from Parr Climate Station by Water Year.....	2.4-80
2.4-224	Summary of Depth to Groundwater Correlation with Precipitation Data .....	2.4-82
2.4-225	Radionuclide Inventory for Tank Rupture.....	2.4-83
2.4-226	Groundwater Travel Time Summary .....	2.4-85
2.4-227	Results of Transport Analysis with Radioactive Decay Only — Discharge to Unnamed Creek to North-Northwest from Unit 2 .....	2.4-86
2.4-228	Results of Transport Analysis with Radioactive Decay Only — Discharge to Unnamed Creek to South-Southwest from Unit 3 .....	2.4-89
2.4-229	Co, Sr, and Cs $K_d$ Values from Laboratory Testing (mL/g) .....	2.4-92
2.4-230	Unit 2 Sapolite/Shallow Bedrock Transport to Unnamed Creek Summary .....	2.4-93
2.4-231	Unit 3 Sapolite/Shallow Bedrock Transport to Unnamed Creek Summary .....	2.4-95
2.4-232	Summary of Dilution Factors .....	2.4-97
2.4-233	Deleted .....	2.4-98
2.4-234	Deleted .....	2.4-98
2.4-235	Deleted .....	2.4-98
2.4-236	Deleted .....	2.4-98
2.4-237	Unit 3 Sapolite/Shallow Bedrock Transport to Mayo Creek Summary .....	2.4-99
2.4-238	Unit 3 Deep Bedrock Transport to Broad River Summary .....	2.4-101
2.4-239	Unit 3 Deep Bedrock Transport to Mayo Creek Summary .....	2.4-103
2.4-240	Unit 3 Deep Bedrock Transport to Property Boundary Summary .....	2.4-105
2.4-241	Summary of the Groundwater Pathline Analyses.....	2.4-107
2.4-242	Sources Used for Head Data .....	2.4-107
2.5-1	Limits of Acceptable Settlement Without Additional Evaluation .....	2.5.1-66
2.5.1-201	Definitions of Classes Used in the Compilation of Quaternary Faults, Liquefaction Features, and Deformation in the Central and Eastern United States .....	2.5.1-67
2.5.1-202	Summary of Proposed Quaternary Features Within the Site Region.....	2.5.1-68
2.5.2-201	Conversion Between Body-Wave ( $m_b$ ) and Moment (M) Magnitudes <sup>(a)</sup> .....	2.5.2-46
2.5.2-202	Earthquakes 1985–August 2006, Update to the EPRI Seismicity Catalog with $R_{mb} \geq 3.0^{(a)}$ or $MMI \geq 4$ .....	2.5.2-47
2.5.2-203	Summary of EPRI Seismic Sources — Bechtel .....	2.5.2-52
2.5.2-204	Summary of EPRI Seismic Sources — Dames & Moore .....	2.5.2-54
2.5.2-205	Summary of EPRI Seismic Sources — Law Engineering .....	2.5.2-55
2.5.2-206	Summary of EPRI Seismic Sources — Rondout Associates .....	2.5.2-57
2.5.2-207	Summary of EPRI Seismic Sources — Weston Geophysical .....	2.5.2-59
2.5.2-208	Summary of EPRI Seismic Sources — Woodward-Clyde Consultants.....	2.5.2-62
2.5.2-209	Summary of USGS Seismic Sources (Frankel et al. 2002).....	2.5.2-64
2.5.2-210	Chapman and Talwani (2002) Seismic Source Zone Parameters .....	2.5.2-65
2.5.2-211	Comparison of EPRI Characterizations of the Charleston Seismic Zone .	2.5.2-67
2.5.2-212	Geographic Coordinates (Latitude and Longitude) of Corner Points of UCSS Geometries.....	2.5.2-68
2.5.2-213	Local Charleston-Area Tectonic Features.....	2.5.2-69



**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

---

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.5.2-214	Comparison of Post-EPRI NP-6395-D 1989 Magnitude Estimates for the 1886 Charleston Earthquake.....	2.5.2-70
2.5.2-215	Comparison of Talwani and Schaeffer (2001) and UCSS Age Constraints on Charleston-Area Paleoliquefaction Events.....	2.5.2-71
2.5.2-216	Comparison of EPRI (1989) and Current Hazard Using EPRI (1989) Assumptions.....	2.5.2-72
2.5.2-217	Mean Rock Uniform Hazard Response Spectral Accelerations (g).....	2.5.2-73
2.5.2-218	Mean Magnitudes and Distances from Deaggregation .....	2.5.2-73
2.5.2-219	Horizontal $10^{-4}$ and $10^{-5}$ UHRS (in g) and calculation of GMRS (in g) .....	2.5.2-74
2.5.2-220	Vertical $10^{-4}$ and $10^{-5}$ UHRS (in g) and Calculation of GMRS (in g) .....	2.5.2-75
2.5.2-221	Magnitudes and Weights for New Madrid Source Faults From the Clinton ESP Model .....	2.5.2-76
2.5.3-201	Summary of Bedrock Faults Mapped Within the 25-Mile VCSNS Site Vicinity .....	2.5.3-13
2.5.4-201	Termination Elevations of Soil Strata .....	2.5.4-45
2.5.4-202	Field Testing Locations and Depths .....	2.5.4-47
2.5.4-203	Field Testing Quantities.....	2.5.4-56
2.5.4-204	Details of Undisturbed Samples .....	2.5.4-57
2.5.4-205	Hammer-Rod Energy Measurements.....	2.5.4-59
2.5.4-206	Laboratory Tests and Quantities .....	2.5.4-60
2.5.4-207	Summary of Laboratory Tests on Soil Samples .....	2.5.4-61
2.5.4-208	Summary of Unconfined Compression Tests on Rock Cores .....	2.5.4-69
2.5.4-209	Summary of Engineering Properties — Units 2 and 3.....	2.5.4-73
2.5.4-210	Summary of Laboratory Test Results on Bulk Samples.....	2.5.4-75
2.5.4-211	Atterberg Limits — Units 2 and 3 .....	2.5.4-76
2.5.4-212	Laboratory Strength Test Results — Units 2 and 3.....	2.5.4-77
2.5.4-213	Consolidation Properties — Units 2 and 3 .....	2.5.4-78
2.5.4-214	Guidelines for Soil Corrosiveness and Aggressiveness.....	2.5.4-79
2.5.4-215	Chemical Test Results — Units 2 and 3.....	2.5.4-80
2.5.4-216	Borings and CPTs Referenced in Liquefaction Analysis .....	2.5.4-81
2.5.4-217	Major Structures — Units 2 and 3 .....	2.5.4-81
2.5.4-218	Allowable Bearing Capacity of Rock .....	2.5.4-82
2.5.4-219	Allowable Bearing Capacity of Major Structures .....	2.5.4-82
2.5.4-220	Anticipated Settlement of Major Structures .....	2.5.4-82

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

---

LIST OF FIGURES

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.0-201	Comparison Plot of V. C. Summer GMRS and HRHF Spectra for the Horizontal Component of Motion .....	2.0-7
2.0-202	Comparison Plot of V. C. Summer GMRS and HRHF Spectra for the Vertical Component of Motion .....	2.0-8
2.1-201	20-Mile Surrounding Area .....	2.1-10
2.1-202	10-Mile Surrounding Area .....	2.1-11
2.1-203	VCSNS Exclusion Area Boundary .....	2.1-12
2.1-204	10-Mile Surrounding Area .....	2.1-13
2.1-205	10-Mile 2000 Population Distribution .....	2.1-14
2.1-206	10-Mile 2010 Population Distribution .....	2.1-15
2.1-207	10-Mile 2020 Population Distribution .....	2.1-16
2.1-208	10-Mile 2030 Population Distribution .....	2.1-17
2.1-209	10-Mile 2040 Population Distribution .....	2.1-18
2.1-210	10-Mile 2050 Population Distribution .....	2.1-19
2.1-211	10-Mile 2060 Population Distribution .....	2.1-20
2.1-212	50-Mile Surrounding Area .....	2.1-21
2.1-213	50-Mile 2000 Population Distribution .....	2.1-22
2.1-214	50-Mile 2010 Population Distribution .....	2.1-23
2.1-215	50-Mile 2020 Population Distribution .....	2.1-24
2.1-216	50-Mile 2030 Population Distribution .....	2.1-25
2.1-217	50-Mile 2040 Population Distribution .....	2.1-26
2.1-218	50-Mile 2050 Population Distribution .....	2.1-27
2.1-219	50-Mile Radius 2060 Population Distribution .....	2.1-28
2.1-220	Population Compared to NRC Siting Criteria .....	2.1-29
2.2-201	Site Vicinity Map of Industrial Facilities inside a 5-Mile Radius of Units 2 and 3 .....	2.2-33
2.2-202	Airport and Airway Locations .....	2.2-34
2.2-203	Corridor Analysis Study Map .....	2.2-35
2.3-201	Climatological Observing Stations Near the VCSNS Site .....	2.3-109
2.3-202	10-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Annual .....	2.3-110
2.3-203	10-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Winter .....	2.3-111
2.3-204	10-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Spring .....	2.3-112
2.3-205	10-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Summer .....	2.3-113
2.3-206	10-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Autumn .....	2.3-114
2.3-207	DELETED (12 sheets) .....	2.3-114
2.3-208	60-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Annual .....	2.3-115
2.3-209	60-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Winter .....	2.3-116
2.3-210	60-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Spring .....	2.3-117
2.3-211	60-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program	

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
	(January 1, 2007–December 31, 2008) — Summer .....	2.3-118
2.3-212	60-Meter Level Composite Wind Rose for the Units 2 and 3 Monitoring Program (January 1, 2007–December 31, 2008) — Autumn .....	2.3-119
2.3-213	DELETED (12 Sheets). ....	2.3-119
2.3-214	Site Area Map (50-Mile Radius) .....	2.3-120
2.3-215	Terrain Elevation Profiles Within 50 Miles of the Site for Units 2 and 3 (Sheet 1 of 6) .....	2.3-121
2.3-216	Site and Vicinity Map (5-Mile Radius) .....	2.3-127
2.3-217	Deleted .....	2.3-127
2.3-218	Deleted .....	2.3-127
2.3-219	Units 2 and 3 Meteorological Tower System Block Diagram — Preoperational Configuration .....	2.3-128
2.3-220	Units 2 and 3 Meteorological Tower System Block Diagram — Operational Configuration .....	2.3-129
2.3-221	Site Boundary/Exclusion Area Boundary, Dose Evaluation Periphery, and Power Block Area Circle .....	2.3-130
2.4-201	Topography of the Site of Units 2 and 3 and Vicinity .....	2.4-108
2.4-202	Map Showing Major Hydrologic Features at Plant Site .....	2.4-109
2.4-203	General Plant Site Layout .....	2.4-110
2.4-204	Broad River Watershed at Richtex .....	2.4-111
2.4-205	Monticello Reservoir Area and Storage Capacity Curves .....	2.4-112
2.4-206	Parr Reservoir Area and Storage Capacity Curves (Elevations Relative to NGVD29) .....	2.4-113
2.4-207	Location of Dams in the Broad River Watershed Upstream of the Richtex Station (see Table 2.4-204 for Dam Data) .....	2.4-114
2.4-208	Locations of Existing and Proposed Reservoirs between Parr Shoals and Clinchfield Dams on Broad River .....	2.4-115
2.4-209	Downstream Water Users .....	2.4-116
2.4-210	Plant Site Drainage Basins and Flow Paths .....	2.4-117
2.4-211	Comparison of 1940 UH and HEC-1 Optimized UH Based on 1990 Storm Event .....	2.4-118
2.4-212	Comparison of Measured vs. Estimated Flood Hydrograph for 1976 Storm Event .....	2.4-118
2.4-213	Comparison of Measured vs. Estimated Flood Hydrograph for 1990 Storm Event .....	2.4-119
2.4-214	PMP Rainfall Hyetograph and the PMF Hydrograph for the Broad River Watershed at Richtex .....	2.4-119
2.4-215	Wind Fetch Analysis for Monticello Reservoir .....	2.4-120
2.4-216	Elevation Storage Curves Hypothetical Reservoir at Parr Shoals Dam .....	2.4-121
2.4-217	Fetch Length for Hypothetical Reservoir at Parr Shoals Dam .....	2.4-122
2.4-218	Topography of Part of the Broad River Watershed Upstream of Parr Shoals Dam (Reference 230) .....	2.4-123
2.4-219	Map of South Carolina from 1838 (Reference 205) .....	2.4-124
2.4-220	Map of South Carolina from 1773 (Reference 208) .....	2.4-125
2.4-221	Low Flow Analysis for “Daily-Mean” Flows in Broad River at Parr Shoals Dam .....	2.4-126
2.4-222	Low Flow Analysis for “7-Day Average” Flows in Broad River	

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
	at Parr Shoals Dam .....	2.4-127
2.4-223	Hydrogeologic Provinces and Associated Physiographic Provinces in South Carolina (Reference 207) .....	2.4-128
2.4-224	Geologic Cross Section of the Regional Physiographic Provinces and Associated Aquifer Systems (Reference 219) .....	2.4-129
2.4-225	Hydrogeologic Cross Section of South Carolina (Reference 207) .....	2.4-130
2.4-226	Regional Aquifer Systems .....	2.4-131
2.4-227	Groundwater Flow in the Piedmont/Blue Ridge Aquifer System (Reference 219) .....	2.4-132
2.4-228	Hydrograph Showing Typical Seasonal Variations in Groundwater Level within the Piedmont Bedrock Aquifer (Reference 204) .....	2.4-132
2.4-229	Hydrograph Showing Effect of Prolonged Drought on Groundwater Level in a Greenville County Well (Reference 204) .....	2.4-133
2.4-230	“Normal” Precipitation Values for South Carolina During the 20th Century (Reference 204) .....	2.4-133
2.4-231	Locations of Wells in the Broad River Basin Sampled for Ambient Groundwater Quality in 2004 (Reference 206) .....	2.4-134
2.4-232	Locations and Density of Wells Exceeding the Maximum Concentration Limit for Uranium in the Simpsonville/Fountain Inn Area and Relation to Reedy Fault System (Reference 206) .....	2.4-135
2.4-233	Saprolite/Shallow Bedrock Zone Observation Well Locations .....	2.4-136
2.4-234	Deep Bedrock Zone Observation Well Locations .....	2.4-137
2.4-235	Hydrographs for Saprolite/Shallow Bedrock Hydrostratigraphic Zone VCSNS Observation Wells, June 2006–June 2007 .....	2.4-138
2.4-236	Hydrographs for Deep Bedrock Hydrostratigraphic Zone VCSNS Observation Wells, June 2006–June 2007 .....	2.4-139
2.4-237	1st Quarter Saprolite/Shallow Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, June 2006 .....	2.4-140
2.4-238	2nd Quarter Saprolite/Shallow Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, September 2006 .....	2.4-141
2.4-239	3rd Quarter Saprolite/Shallow Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, December 2006 .....	2.4-142
2.4-240	4th Quarter Saprolite/Shallow Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, March 2007 .....	2.4-143
2.4-241	1st Quarter Deep Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, June 2006 .....	2.4-144
2.4-242	2nd Quarter Deep Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, September 2006 .....	2.4-145
2.4-243	3rd Quarter Deep Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, December 2006 .....	2.4-146
2.4-244	4th Quarter Deep Bedrock Hydrostratigraphic Zone Piezometric Level Contours, VCSNS Observation Wells, March 2007 .....	2.4-147
2.4-245	Head Differential between the Saprolite/Shallow Bedrock Hydrostratigraphic Zone and the Deep Bedrock Hydrostratigraphic Zone based on Well Pairs .....	2.4-148
2.4-246	Hydraulic Conductivity vs. Depth and Hydrostratigraphic Zone .....	2.4-149
2.4-247	Hydrograph for Auxiliary Building Fuel Oil Storage Tank Program Wells at Unit 1 .....	2.4-150

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.4-248	Hydrograph for NPDES Program Wells at Unit 1 .....	2.4-151
2.4-249	Groundwater Depth with Precipitation Annual Departure from the Mean ..	2.4-152
2.4-250	Groundwater Depth with Precipitation Cumulative Annual Departure from the Mean .....	2.4-153
2.4-251	Conceptual Model for Evaluating Radionuclide Transport in Groundwater through the Sapolite/Shallow Bedrock Material to the Unnamed Creeks or to Mayo Creek .....	2.4-154
2.4-252	Plan View of Subsurface Contaminant Pathways for Units 2 and 3 to the Unnamed Creeks .....	2.4-155
2.4-253	Plan View Showing Locations of Cross Sections of the Western Pathways from Units 2 and 3 to the Unnamed Creeks .....	2.4-156
2.4-254	Cross Section along the Subsurface Contaminant Pathway for Unit 2 .....	2.4-157
2.4-255	Cross-Section Along the Subsurface Contaminant Pathway for Unit 3 .....	2.4-157
2.4-256	Conceptual Model for Evaluating Radionuclide Transport in Groundwater Through the Deep Bedrock Material to the Broad River or to Mayo Creek .....	2.4-158
2.4-257	Conceptual Model for Evaluating Radionuclide Transport in Groundwater Through the Deep Bedrock Material to a Hypothetical Private Well on the SCE&G Property Line to the East of Mayo Creek .....	2.4-158
2.4-258	Alternative Groundwater Pathways to Broad River and SCE&G Property Boundary .....	2.4-159
2.4-259	Conceptual Model of the Contaminant Slug Dimensions in the Aquifer .....	2.4-160
2.4-260	Alternative Groundwater Pathways to Mayo Creek .....	2.4-161
2.4-261	Cross-Section Location Map for HEC-RAS Model of Local PMF for VCSNS Units 2 and 3 .....	2.4-162
2.5.1-201	Map of Physiographic Provinces and Mesozoic Rift Basins.....	2.5.1-69
2.5.1-202	Tectonic Map of the Piedmont—Terranes within the Carolina Zone (Sheet 1 of 2).....	2.5.1-70
2.5.1-202	Tectonic Map of the Piedmont—Western Piedmont (Sheet 2 of 2).....	2.5.1-71
2.5.1-203	Site Region Geologic Map (Sheet 1 of 2).....	2.5.1-72
2.5.1-203	.....Explanation of Site Region Geologic Map (Sheet 2 of 2).....	2.5.1-73
2.5.1-204	Lithotectonic Map of the Appalachian Orogen (Sheet 1 of 2).....	2.5.1-74
2.5.1-204	Lithotectonic Map of the Appalachian Orogen (Sheet 2 of 2).....	2.5.1-75
2.5.1-205	Regional Gravity Data .....	2.5.1-76
2.5.1-206	Regional Magnetic Data .....	2.5.1-77
2.5.1-207	Regional Cross-Section E4 .....	2.5.1-78
2.5.1-208	Regional Cross-Section E5 .....	2.5.1-79
2.5.1-209	Site Vicinity Gravity and Magnetic Profiles.....	2.5.1-80
2.5.1-210	Major Eastern U.S. Aeromagnetic Anomalies .....	2.5.1-81
2.5.1-211	Site Region Tectonic Features .....	2.5.1-82
2.5.1-212	50-Mile Tectonic Features Map.....	2.5.1-83
2.5.1-213	Geologic Map of the Ridgeway-Camden Area .....	2.5.1-84
2.5.1-214	Crustal Ages from Johnston et al. (1994).....	2.5.1-85
2.5.1-215	Potential Quaternary Features in the Site Region.....	2.5.1-86
2.5.1-216	Seismic Zones and Seismicity in CEUS.....	2.5.1-87
2.5.1-217	Regional Charleston Tectonic Features .....	2.5.1-88
2.5.1-218	Local Charleston Tectonic Features.....	2.5.1-89
2.5.1-219	Charleston Area Seismicity .....	2.5.1-90



**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

---

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.5.1-220	Site Vicinity Geologic Map (Sheet 1 of 2).....	2.5.1-91
2.5.1-220	Explanation of Site Vicinity Geologic Map (Sheet 2 of 2).....	2.5.1-92
2.5.1-221	Site Area Relief Map .....	2.5.1-93
2.5.1-222	Site Topographic Map .....	2.5.1-94
2.5.1-223	Site Shaded Relief Map.....	2.5.1-95
2.5.1-224	Site Area Geologic Map .....	2.5.1-96
2.5.1-225	Geologic Map of the Jenkinsville, Pomaria, Little Mountain and Chapin 7.5-Minute Quadrangles .....	2.5.1-97
2.5.1-226	Map of Surficial Geology, Plant Layout and Borehole Locations for the Site Area .....	2.5.1-98
2.5.1-227	Geologic Cross Sections A-A" and B-B" .....	2.5.1-99
2.5.1-228	Contour Map of Sound Rock Surface at Units 2 and 3 .....	2.5.1-100
2.5.1-229	Photographs of Fairfield Pumped Storage Facility Penstock Outcrop .....	2.5.1-101
2.5.1-230	Structure Map of Unit 1 Excavation.....	2.5.1-102
2.5.1-231	Structure Map of the Unit 1 Service Water Pond North Dam Site .....	2.5.1-103
2.5.1-232	Correlations Between Physiographic Provinces and Recent Lithotectonic Classifications.....	2.5.1-104
2.5.2-201	SCE&G 4-Station Microseismic Network and location of Jenkinsville Station (from Whorton 1988, Reference 295) .....	2.5.2-77
2.5.2-202	Distribution of Reservoir-Induced Seismicity from June 1978 to September 1979 (modified after Secor et al. 1982, Reference 266) .....	2.5.2-78
2.5.2-203	Annual Number of Earthquakes Recorded at Monticello Reservoir from 1977 to 2004 .....	2.5.2-79
2.5.2-204	EPRI Seismic Source Zones From Bechtel Team .....	2.5.2-80
2.5.2-205	EPRI Seismic Source Zones From Dames & Moore Team .....	2.5.2-81
2.5.2-206	EPRI Seismic Source Zones From Law Engineering Team.....	2.5.2-82
2.5.2-207	EPRI Seismic Source Zones From Rondout Team.....	2.5.2-83
2.5.2-208	EPRI Seismic Source Zones From Weston Geophysical Team .....	2.5.2-84
2.5.2-209	EPRI Seismic Source Zones From Woodward-Clyde Team.....	2.5.2-85
2.5.2-210	USGS Charleston Model .....	2.5.2-86
2.5.2-211	SCDOT Charleston Model.....	2.5.2-87
2.5.2-212	EPRI Representations of Charleston Seismic Source .....	2.5.2-88
2.5.2-213	UCSS Model.....	2.5.2-89
2.5.2-214	UCSS Logic Tree With Weights For Each Branch .....	2.5.2-90
2.5.2-215	Map of ZRA-S from Marple and Talwani .....	2.5.2-91
2.5.2-216	Geographic Distribution of Liquefaction Features Associated with Charleston Earthquakes .....	2.5.2-92
2.5.2-217	New Madrid Faults from Clinton ESP Source Model.....	2.5.2-93
2.5.2-218	New Madrid Logic Tree From the Clinton ESP Source Model .....	2.5.2-94
2.5.2-219	Historical Seismicity in the Region of Units 2 and 3 Site and Three Areas Used to Test the Effects of Additional Seismicity .....	2.5.2-95
2.5.2-220	Earthquake Occurrence Rates for EPRI (1989) Catalog and for Catalog Extended through August 2006 for Central South Carolina Area .....	2.5.2-96
2.5.2-221	Earthquake Occurrence Rates for EPRI (1989) Catalog and for Catalog Extended through August 2006 for Northwestern South Carolina Area.....	2.5.2-97
2.5.2-222	Earthquake Occurrence Rates for EPRI (1989) Catalog and for Catalog Extended through August 2006 for Charleston Area.....	2.5.2-98



**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.5.2-223	Geometry of Four Sources Used in UCSS Model .....	2.5.2-99
2.5.2-224	Geometry of Revised Rondout Source RND-26-A .....	2.5.2-100
2.5.2-225	Geometry of Revised Rondout Source RND-26-B .....	2.5.2-101
2.5.2-226	Geometry of Revised Rondout Source RND-26-BP .....	2.5.2-102
2.5.2-227	Geometry of Revised Rondout Source RND-26-C .....	2.5.2-103
2.5.2-228	Mean and Fractile PGA Seismic Hazard Curves .....	2.5.2-104
2.5.2-229	Mean and Fractile 25 Hz Seismic Hazard Curves.....	2.5.2-105
2.5.2-230	Mean and Fractile 10 Hz Seismic Hazard Curves.....	2.5.2-106
2.5.2-231	Mean and Fractile 5 Hz Seismic Hazard Curves.....	2.5.2-107
2.5.2-232	Mean and Fractile 2.5 Hz Seismic Hazard Curves.....	2.5.2-108
2.5.2-233	Mean and Fractile 1 Hz Seismic Hazard Curves.....	2.5.2-109
2.5.2-234	Mean and Fractile 0.5 Hz Seismic Hazard Curves.....	2.5.2-110
2.5.2-235	Mean and Median Uniform Hazard Response Spectra .....	2.5.2-111
2.5.2-236	M and R Deaggregation for 1 and 2.5 Hz at $10^{-4}$ Annual Frequency of Exceedance .....	2.5.2-112
2.5.2-237	M and R Deaggregation for 5 and 10 Hz at $10^{-4}$ Annual Frequency of Exceedance .....	2.5.2-113
2.5.2-238	M and R Deaggregation for 1 and 2.5 Hz at $10^{-5}$ Annual Frequency of Exceedance .....	2.5.2-114
2.5.2-239	M and R Deaggregation for 5 and 10 Hz at $10^{-5}$ Annual Frequency of Exceedance .....	2.5.2-115
2.5.2-240	M and R Deaggregation for 1 and 2.5 Hz at $10^{-6}$ Annual Frequency of Exceedance .....	2.5.2-116
2.5.2-241	M and R Deaggregation for 5 and 10 Hz at $10^{-6}$ Annual Frequency of Exceedance.....	2.5.2-117
2.5.2-242	Smooth $10^{-4}$ UHRS for HF and LF Earthquakes .....	2.5.2-118
2.5.2-243	Smooth $10^{-5}$ UHRS for HF and LF Earthquakes .....	2.5.2-119
2.5.2-244	V/H Ratios for Hard Rock Sites for $PGA < 0.2g$ and for $0.2g \leq PGA < 0.5g$ ..	2.5.2-120
2.5.2-245	Vertical $10^{-4}$ and $10^{-5}$ UHRS .....	2.5.2-121
2.5.2-246	Horizontal and Vertical GMRS .....	2.5.2-122
2.5.4-201	Boring Location Plan (Out of Power Block) .....	2.5.4-84
2.5.4-202	Top of Layer V (Sound Rock) Contour .....	2.5.4-85
2.5.4-203	Subsurface Profile Legend .....	2.5.4-88
2.5.4-204	Inferred Subsurface Profiles Unit 2 East-West: A-A (Sheet 1 of 2) .....	2.5.4-89
2.5.4-204	Inferred Subsurface Profiles Unit 2 East-West: B-B (Sheet 2 of 2) .....	2.5.4-90
2.5.4-205	Inferred Subsurface Profiles Unit 2 North-South: E-E (Sheet 1 of 4) .....	2.5.4-91
2.5.4-205	Inferred Subsurface Profiles Unit 2 North-South: F-F (Sheet 2 of 4).....	2.5.4-92
2.5.4-205	Inferred Subsurface Profiles Unit 2 North-South: G-G (Sheet 3 of 4) .....	2.5.4-93
2.5.4-205	Inferred Subsurface Profiles Unit 2 North-South: H-H (Sheet 4 of 4).....	2.5.4-94
2.5.4-206	Inferred Subsurface Profiles Unit 3 East-West: C-C (Sheet 1 of 2).....	2.5.4-95
2.5.4-206	Figure 2.5.4-206 Inferred Subsurface Profiles Unit 3 East-West: D-D (Sheet 2 of 2) .....	2.5.4-96
2.5.4-207	Inferred Subsurface Profiles Unit 3 North-South: I-I (Sheet 1 of 3) .....	2.5.4-97
2.5.4-207	Inferred Subsurface Profiles Unit 3 North-South: J-J (Sheet 2 of 3) .....	2.5.4-98
2.5.4-207	Inferred Subsurface Profiles Unit 3 North-South: K-K (Sheet 3 of 3) .....	2.5.4-99
2.5.4-208	Boring Location Plan (Power Block).....	2.5.4-100
2.5.4-209	Boring Location Plan with Subsurface Profiles (Power Block) .....	2.5.4-101

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.5.4-210	RQD of Layer IV (MWR).....	2.5.4-102
2.5.4-211	RQD of Layer V (Sound Rock).....	2.5.4-103
2.5.4-212	Unconfined Compressive Strength of Rock Specimens.....	2.5.4-104
2.5.4-213	Unit Weight of Rock Specimens.....	2.5.4-105
2.5.4-214	Ratio of Elastic Modulus to Compressive Strength of Rock Specimens.....	2.5.4-106
2.5.4-215	Fines Content.....	2.5.4-107
2.5.4-216	Adjusted SPT N-Values ( $N_{60}$ ) — Silt/Clay.....	2.5.4-108
2.5.4-217	Adjusted SPT N-Values ( $N_{60}$ ) – Silty Sand .....	2.5.4-109
2.5.4-218	RCTS Results $G/G_{MAX}$ and D versus Shear Strain (Sheet 1 of 5).....	2.5.4-110
2.5.4-218	RCTS Results $G/G_{MAX}$ and D versus Shear Strain (Sheet 2 of 5).....	2.5.4-111
2.5.4-218	RCTS Results $G/G_{MAX}$ and D versus Shear Strain (Sheet 3 of 5).....	2.5.4-112
2.5.4-218	RCTS Results $G/G_{MAX}$ and D versus Shear Strain (Sheet 4 of 5).....	2.5.4-115
2.5.4-218	RCTS Results $G/G_{MAX}$ and D versus Shear Strain (Sheet 5 of 5).....	2.5.4-117
2.5.4-219	Profile Location Map Showing Excavation Geometry, Unit 2 (Sheet 1 of 2) .....	2.5.4-118
2.5.4-219	Profile Location Map Showing Excavation Geometry, Unit 3 (Sheet 2 of 2) .....	2.5.4-119
2.5.4-220	Cross-Section of Structure Foundation A-A .....	2.5.4-120
2.5.4-221	Cross-Section of Structure Foundation B-B .....	2.5.4-121
2.5.4-222	Cross-Section of Structure Foundation C-C .....	2.5.4-122
2.5.4-223	Cross-Section of Structure Foundation D-D .....	2.5.4-123
2.5.4-224	Shear Wave Velocity of Layers I through V by Suspension P-S Logging	2.5.4-124
2.5.4-225	Compression Wave Velocity of Layers I Through V by Suspension P-S Logging .....	2.5.4-125
2.5.4-226	Shear Wave Velocity of Layer V with 5-Foot Vertical Distance Averaging .....	2.5.4-126
2.5.4-227	Poisson's Ratio of Layer V with 5-Foot Vertical Distance Averaging .....	2.5.4-127
2.5.4-228	Shear Wave Velocity of Layers I Through IV by Suspension P-S Logging and Seismic CPT (Sheet 1 of 2) .....	2.5.4-128
2.5.4-228	Shear Wave Velocity of Layers I Through IV by Suspension P-S Logging and Seismic CPT (Sheet 2 of 2) .....	2.5.4-129
2.5.4-229	Shear Wave Velocity of Layers I and II with 5-Foot Vertical Distance Averaging .....	2.5.4-130
2.5.4-230	Shear Wave Velocity of Layers III and IV with 5-Foot Vertical Distance Averaging .....	2.5.4-131
2.5.4-231	Compression Wave Velocity of Layers I Through IV by Suspension P-S Logging (Sheet 1 of 2) .....	2.5.4-132
2.5.4-231	Compression Wave Velocity of Layers I Through IV by Suspension P-S Logging (Sheet 2 of 2) .....	2.5.4-133
2.5.4-232	Poisson's Ratio of Layers I, II, III and IV with 5-feet Vertical Distance Averaging.....	2.5.4-135
2.5.4-233	Pre-Construction Site Topography — Units 2 and 3 .....	2.5.4-136
2.5.4-234	Particle Size Distribution of Fill Samples (Sheet 1 of 2) .....	2.5.4-137
2.5.4-234	Particle Size Distribution of Fill Samples (Sheet 2 of 2) .....	2.5.4-138
2.5.4-235	Modified Proctor Compaction on Fill Samples (Sheet 1 of 2).....	2.5.4-139

**V.C. Summer Nuclear Station, Units 2 and 3**  
**Updated Final Safety Analysis Report**

---

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.5.4-235	Modified Proctor Compaction on Fill Samples (Sheet 2 of 2).....	2.5.4-140
2.5.4-236	Shallow Groundwater Observation Well Locations .....	2.5.4-141
2.5.4-237	Piezometric Level Contours, 4th Quarter, March 2007 — Units 2 and 3 .	2.5.4-142
2.5.4-238	Shear Wave Velocity versus Depth for Structural Fill.....	2.5.4-143
2.5.4-239	Shear Modulus Reduction Curves.....	2.5.4-144
2.5.4-240	EPRI Curves for $G/G_{MAX}$ and D Versus Shear Strain Superimposed on RCTS Results (Sheet 1 of 5).....	2.5.4-145
2.5.4-240	EPRI Curves for $G/G_{MAX}$ and D versus Shear Strain Superimposed on RCTS Results (Sheet 2 of 5).....	2.5.4-146
2.5.4-240	EPRI Curves for $G/G_{MAX}$ and D versus Shear Strain Superimposed on RCTS Results (Sheet 3 of 5).....	2.5.4-147
2.5.4-240	EPRI Curves for $G/G_{MAX}$ and D Versus Shear Strain Superimposed on RCTS Results (Sheet 4 of 5).....	2.5.4-148
2.5.4-240	EPRI Curves for $G/G_{MAX}$ and D Versus Shear Strain Superimposed on RCTS Results (Sheet 5 of 5).....	2.5.4-149
2.5.4-241	Damping Ratio Curves .....	2.5.4-150
2.5.4-242	Peak Ground Acceleration Profile in Natural Soils .....	2.5.4-151
2.5.4-243	Active Lateral Earth Pressure Diagrams .....	2.5.4-152
2.5.4-244	At-Rest Lateral Earth Pressure Diagrams .....	2.5.4-153
2.5.4-245	Site Grade Plan .....	2.5.4-154