

29, 2015

Mr. Ken Kalman
Project Manager
U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Rockville, MD 20852-2738

Mr. Paul Davis
Oklahoma Department of Environmental Quality
707 N. Robinson
Oklahoma City, OK 73101

Re: Docket No. 70-925; License No. SNM-928
2015 Annual Environmental Sampling Program

Dear Mr. Kalman:

Attached please find the analytical results from the 2015 annual environmental sampling program. This sampling program was performed as required by Section 15 of the Cimarron Radiation Protection Plan (RPP). A total of 29 groundwater samples and 2 surface water samples were collected from the locations stipulated in the RPP.

The annual environmental samples were collected as part of the site-wide 2015 groundwater assessment sampling program, which involved the sampling of over 210 monitor wells. Analysis for the uranium concentration was needed to delineate uranium exceeding the maximum contaminant levels which we must achieve in groundwater remediation. Consequently, in addition to the laboratory analyses required by the RPP, each of these samples was analyzed for total uranium concentration by method EPA 200.8.

In this table, information provided in black font was obtained from the laboratory. Red bold font identifies data review qualifiers added during data review, and calculations performed to yield total uranium activity and total uranium uncertainty.

Please feel free to contact me if you have questions regarding this data.

Sincerely,



Jeff Lux, P.E.
Project Manager

cc: Gerald Schlapper, US NRC Region IV

Attachment

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
1314	3/25/2015	ALPHA	0.51	4.6	PCI/L	U	9.48
1314	3/25/2015	BETA	-1	3.29	PCI/L	U	6.62
1314	3/25/2015	Fluoride	0.248		MG/L		0.033
1314	3/25/2015	Nitrogen, Nitrate/Nitrite	1.66		MG/L		0.085
1314	3/25/2015	Uranium	1.24		UG/L		0.067
1314	3/25/2015	Uranium-233/234	0.891	0.576	PCI/L		0.532
1314	3/25/2015	Uranium-235/236	0.204	0.324	PCI/L	U	0.448
1314	3/25/2015	Uranium-238	0.465	0.422	PCI/L		0.387
02W06	3/24/2015	ALPHA	24.2	9.42	PCI/L		7.84
02W06	3/24/2015	BETA	2.68	5.72	PCI/L	U	9.83
02W06	3/24/2015	Fluoride	0.31		MG/L		0.033
02W06	3/24/2015	Nitrogen, Nitrate/Nitrite	0.021		MG/L	J	0.017
02W06	3/24/2015	Uranium	35		UG/L		0.067
02W06	3/24/2015	Uranium-233/234	19.4	2.23	PCI/L		0.404
02W06	3/24/2015	Uranium-235/236	0.568	0.44	PCI/L		0.491
02W06	3/24/2015	Uranium-238	9.5	1.57	PCI/L		0.49
02W08	3/24/2015	ALPHA	573	39.3	PCI/L		9.76
02W08	3/24/2015	BETA	181	13.1	PCI/L		6.49
02W08	3/24/2015	Fluoride	0.418		MG/L		0.033
02W08	3/24/2015	Nitrogen, Nitrate/Nitrite	0.0325		MG/L	J	0.017
02W08	3/24/2015	Uranium	739		UG/L		0.67
02W08	3/24/2015	Uranium-233/234	328	12.1	PCI/L		0.706
02W08	3/24/2015	Uranium-235/236	21.8	3.14	PCI/L		0.813
02W08	3/24/2015	Uranium-238	194	9.29	PCI/L		0.706
02W08DUP	3/24/2015	ALPHA	653	41.5	PCI/L		9.87
02W08DUP	3/24/2015	BETA	188	14.7	PCI/L		7.88
02W08DUP	3/24/2015	Fluoride	0.403		MG/L		0.033
02W08DUP	3/24/2015	Nitrogen, Nitrate/Nitrite	0.029		MG/L	J	0.017
02W08DUP	3/24/2015	Uranium	744		UG/L		0.67
02W08DUP	3/24/2015	Uranium-233/234	313	11.8	PCI/L		1.01
02W08DUP	3/24/2015	Uranium-235/236	20.4	3.04	PCI/L		0.901
02W08DUP	3/24/2015	Uranium-238	196	9.35	PCI/L		0.813
02W09	3/25/2015	ALPHA	-2.42	3.77	PCI/L	U	9.61
02W09	3/25/2015	BETA	2.44	4.87	PCI/L	U	8.54
02W09	3/25/2015	Fluoride	0.842		MG/L		0.033
02W09	3/25/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
02W09	3/25/2015	Uranium	2.48		UG/L		0.067
02W09	3/25/2015	Uranium-233/234	0.871	0.581	PCI/L		0.517
02W09	3/25/2015	Uranium-235/236	-0.0251	0.217	PCI/L	U	0.502
02W09	3/25/2015	Uranium-238	0.403	0.411	PCI/L	U	0.406

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
02W16	3/24/2015	ALPHA	2.85	5.85	PCI/L	U	9.93
02W16	3/24/2015	BETA	0.772	5.47	PCI/L	U	9.7
02W16	3/24/2015	Fluoride	0.289		MG/L		0.033
02W16	3/24/2015	Nitrogen, Nitrate/Nitrite	0.112		MG/L		0.017
02W16	3/24/2015	Uranium	5.8		UG/L		0.067
02W16	3/24/2015	Uranium-233/234	3.85	1.13	PCI/L		0.539
02W16	3/24/2015	Uranium-235/236	0.289	0.366	PCI/L	U	0.454
02W16	3/24/2015	Uranium-238	2.25	0.866	PCI/L		0.453
02W17	3/24/2015	ALPHA	2.23	4.71	PCI/L	U	9.36
02W17	3/24/2015	BETA	6.98	5.54	PCI/L	U	8.74
02W17	3/24/2015	Fluoride	0.388		MG/L		0.033
02W17	3/24/2015	Nitrogen, Nitrate/Nitrite	0.135		MG/L		0.017
02W17	3/24/2015	Uranium	10.5		UG/L		0.067
02W17	3/24/2015	Uranium-233/234	6.59	1.52	PCI/L		0.654
02W17	3/24/2015	Uranium-235/236	0.532	0.462	PCI/L		0.266
02W17	3/24/2015	Uranium-238	3.36	1.08	PCI/L		0.265
02W27	3/24/2015	ALPHA	192	24.4	PCI/L		9.88
02W27	3/24/2015	BETA	49.8	9.11	PCI/L		7.3
02W27	3/24/2015	Fluoride	0.419		MG/L		0.033
02W27	3/24/2015	Nitrogen, Nitrate/Nitrite	4.51		MG/L		0.085
02W27	3/24/2015	Uranium	188		UG/L		0.335
02W27	3/24/2015	Uranium-233/234	120	6.1	PCI/L		0.388
02W27	3/24/2015	Uranium-235/236	6.49	1.43	PCI/L		0.243
02W27	3/24/2015	Uranium-238	61.2	4.37	PCI/L		0.448
02W28	3/25/2015	ALPHA	320	25.3	PCI/L		8.46
02W28	3/25/2015	BETA	113	11.3	PCI/L		9.97
02W28	3/25/2015	Fluoride	0.609		MG/L		0.033
02W28	3/25/2015	Nitrogen, Nitrate/Nitrite	0.0446		MG/L	J	0.017
02W28	3/25/2015	Uranium	428		UG/L		0.067
02W28	3/25/2015	Uranium-233/234	175	7.74	PCI/L		0.625
02W28	3/25/2015	Uranium-235/236	12	2.04	PCI/L		0.268
02W28	3/25/2015	Uranium-238	113	6.22	PCI/L		0.494
02W32	3/24/2015	ALPHA	1110	53	PCI/L		9.8
02W32	3/24/2015	BETA	371	20	PCI/L		8.58
02W32	3/24/2015	Fluoride	0.502		MG/L		0.033
02W32	3/24/2015	Nitrogen, Nitrate/Nitrite	0.0445		MG/L	J	0.017
02W32	3/24/2015	Uranium	1190		UG/L		1.68
02W32	3/24/2015	Uranium-233/234	573	17.5	PCI/L		1.13
02W32	3/24/2015	Uranium-235/236	32	4.16	PCI/L		0.671
02W32	3/24/2015	Uranium-238	357	13.8	PCI/L		0.773

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
02W35	3/24/2015	ALPHA	8.22	6.46	PCI/L	U	9.7
02W35	3/24/2015	BETA	7.7	4.42	PCI/L		6.75
02W35	3/24/2015	Fluoride	0.373		MG/L		0.033
02W35	3/24/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
02W35	3/24/2015	Uranium	14.7		UG/L		0.067
02W35	3/24/2015	Uranium-233/234	6.64	1.44	PCI/L		0.877
02W35	3/24/2015	Uranium-235/236	0.43	0.39	PCI/L		0.358
02W35	3/24/2015	Uranium-238	5.75	1.3	PCI/L		0.454
02W35DUP	3/24/2015	ALPHA	4.85	5.8	PCI/L	U	9.53
02W35DUP	3/24/2015	BETA	3.67	5.52	PCI/L	U	9.4
02W35DUP	3/24/2015	Fluoride	0.368		MG/L		0.033
02W35DUP	3/24/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
02W35DUP	3/24/2015	Uranium	14		UG/L		0.067
02W35DUP	3/24/2015	Uranium-233/234	6.37	1.28	PCI/L		0.478
02W35DUP	3/24/2015	Uranium-235/236	0.698	0.442	PCI/L		0.311
02W35DUP	3/24/2015	Uranium-238	3.96	1.01	PCI/L		0.395
02W42	3/25/2015	ALPHA	531	35.8	PCI/L		9.43
02W42	3/25/2015	BETA	110	11.6	PCI/L		7.8
02W42	3/25/2015	Fluoride	0.443		MG/L		0.033
02W42	3/25/2015	Nitrogen, Nitrate/Nitrite	2.49		MG/L	J+	0.17
02W42	3/25/2015	Uranium	458		UG/L		0.67
02W42	3/25/2015	Uranium-233/234	338	10.9	PCI/L		0.6
02W42	3/25/2015	Uranium-235/236	19.3	2.61	PCI/L		0.602
02W42	3/25/2015	Uranium-238	167	7.64	PCI/L		0.273
02W43	3/24/2015	ALPHA	95	21.6	PCI/L		9.78
02W43	3/24/2015	BETA	28.4	7.83	PCI/L		8.2
02W43	3/24/2015	Fluoride	0.352		MG/L		0.033
02W43	3/24/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
02W43	3/24/2015	Uranium	83.5		UG/L		0.067
02W43	3/24/2015	Uranium-233/234	44.4	3.32	PCI/L		0.497
02W43	3/24/2015	Uranium-235/236	2.38	0.79	PCI/L		0.424
02W43	3/24/2015	Uranium-238	24.4	2.46	PCI/L		0.308
02W44	3/24/2015	ALPHA	934	66.1	PCI/L		9.72
02W44	3/24/2015	BETA	284	21.1	PCI/L		6.6
02W44	3/24/2015	Fluoride	0.418		MG/L		0.033
02W44	3/24/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
02W44	3/24/2015	Uranium	945		UG/L		1.34
02W44	3/24/2015	Uranium-233/234	557	16.1	PCI/L		0.982
02W44	3/24/2015	Uranium-235/236	26.7	3.55	PCI/L		0.585
02W44	3/24/2015	Uranium-238	337	12.5	PCI/L		0.365

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
TMW-08	3/25/2015	ALPHA	528	37.2	PCI/L		9.17
TMW-08	3/25/2015	BETA	148	14.2	PCI/L		7.78
TMW-08	3/25/2015	Fluoride	0.355		MG/L		0.033
TMW-08	3/25/2015	Nitrogen, Nitrate/Nitrite	1.37		MG/L		0.017
TMW-08	3/25/2015	Uranium	679		UG/L		0.067
TMW-08	3/25/2015	Uranium-233/234	293	11.2	PCI/L		0.534
TMW-08	3/25/2015	Uranium-235/236	16.5	2.67	PCI/L		0.335
TMW-08	3/25/2015	Uranium-238	216	9.61	PCI/L		0.617
TMW-09	3/25/2015	ALPHA	2140	76.4	PCI/L		9.52
TMW-09	3/25/2015	BETA	678	29	PCI/L		8.81
TMW-09	3/25/2015	Fluoride	0.544		MG/L		0.033
TMW-09	3/25/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
TMW-09	3/25/2015	Uranium	2830		UG/L		0.067
TMW-09	3/25/2015	Uranium-233/234	917	28.1	PCI/L		1.66
TMW-09	3/25/2015	Uranium-235/236	53.1	7.53	PCI/L		0.83
TMW-09	3/25/2015	Uranium-238	672	24	PCI/L		1.37
TMW-13	3/24/2015	ALPHA	865	49.6	PCI/L		9.83
TMW-13	3/24/2015	BETA	220	15.8	PCI/L		6.43
TMW-13	3/24/2015	Fluoride	0.478		MG/L		0.033
TMW-13	3/24/2015	Nitrogen, Nitrate/Nitrite	0.182		MG/L		0.017
TMW-13	3/24/2015	Uranium	852		UG/L		0.67
TMW-13	3/24/2015	Uranium-233/234	514	18.7	PCI/L		1.37
TMW-13	3/24/2015	Uranium-235/236	32.8	4.76	PCI/L		0.986
TMW-13	3/24/2015	Uranium-238	312	14.6	PCI/L		0.532
1351	3/31/2015	ALPHA	39.9	11.8	PCI/L		9.97
1351	3/31/2015	BETA	23.3	7.41	PCI/L		8.83
1351	3/31/2015	Fluoride	0.52		MG/L		0.033
1351	3/31/2015	Nitrogen, Nitrate/Nitrite	46.8		MG/L		0.85
1351	3/31/2015	Uranium	26.6		UG/L		0.067
1351	3/31/2015	Uranium-233/234	25.2	2.59	PCI/L		0.481
1351	3/31/2015	Uranium-235/236	1.49	0.728	PCI/L		0.47
1351	3/31/2015	Uranium-238	7.76	1.44	PCI/L		0.452
1352	3/31/2015	ALPHA	37	11.6	PCI/L		9.82
1352	3/31/2015	BETA	17.7	6.63	PCI/L		8.35
1352	3/31/2015	Fluoride	0.377		MG/L		0.033
1352	3/31/2015	Nitrogen, Nitrate/Nitrite	47.8		MG/L		0.85
1352	3/31/2015	Uranium	41		UG/L		0.067
1352	3/31/2015	Uranium-233/234	17.7	2.1	PCI/L		0.423
1352	3/31/2015	Uranium-235/236	0.479	0.448	PCI/L	U	0.523
1352	3/31/2015	Uranium-238	11.9	1.72	PCI/L		0.392

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
1354	3/31/2015	ALPHA	-0.852	4.08	PCI/L	U	9.17
1354	3/31/2015	BETA	11.2	5.41	PCI/L		7.72
1354	3/31/2015	Fluoride	0.497		MG/L		0.033
1354	3/31/2015	Nitrogen, Nitrate/Nitrite	45.7		MG/L		1.7
1354	3/31/2015	Uranium	2.93		UG/L		0.067
1354	3/31/2015	Uranium-233/234	1.31	0.63	PCI/L		0.488
1354	3/31/2015	Uranium-235/236	0.217	0.344	PCI/L	U	0.476
1354	3/31/2015	Uranium-238	0.84	0.537	PCI/L		0.562
1356	3/31/2015	ALPHA	105	15.1	PCI/L		8.46
1356	3/31/2015	BETA	39.7	8.26	PCI/L		9.57
1356	3/31/2015	Fluoride	0.332		MG/L		0.033
1356	3/31/2015	Nitrogen, Nitrate/Nitrite	13.5		MG/L		0.425
1356	3/31/2015	Uranium	108		UG/L		0.134
1356	3/31/2015	Uranium-233/234	66.3	3.88	PCI/L		0.361
1356	3/31/2015	Uranium-235/236	3.58	1.01	PCI/L		0.219
1356	3/31/2015	Uranium-238	31.9	2.7	PCI/L		0.284
MWWA-03	4/2/2015	ALPHA	721	49.3	PCI/L		9.81
MWWA-03	4/2/2015	BETA	252	18.8	PCI/L		10.7
MWWA-03	4/2/2015	Fluoride	4.45		MG/L		0.033
MWWA-03	4/2/2015	Nitrogen, Nitrate/Nitrite	23		MG/L		0.425
MWWA-03	4/2/2015	Uranium	417		UG/L		0.67
MWWA-03	4/2/2015	Uranium-233/234	543	19.5	PCI/L		2.05
MWWA-03	4/2/2015	Uranium-235/236	22.5	4.45	PCI/L		1.08
MWWA-03	4/2/2015	Uranium-238	176	11.1	PCI/L		1.35
MWWA-09	4/2/2015	ALPHA	147	17.6	PCI/L		9.54
MWWA-09	4/2/2015	BETA	86.7	9.12	PCI/L		5.59
MWWA-09	4/2/2015	Fluoride	3.27		MG/L		0.033
MWWA-09	4/2/2015	Nitrogen, Nitrate/Nitrite	46.4		MG/L		0.85
MWWA-09	4/2/2015	Uranium	114		UG/L		0.134
MWWA-09	4/2/2015	Uranium-233/234	93.8	7.05	PCI/L		1.53
MWWA-09	4/2/2015	Uranium-235/236	3.63	1.59	PCI/L		0.934
MWWA-09	4/2/2015	Uranium-238	43.8	4.81	PCI/L		0.833
T-62	3/27/2015	ALPHA	171	12	PCI/L		7.74
T-62	3/27/2015	BETA	338	9.89	PCI/L		6.23
T-62	3/27/2015	Fluoride	2.83		MG/L		0.033
T-62	3/27/2015	Nitrogen, Nitrate/Nitrite	73.8		MG/L		1.7
T-62	3/27/2015	Uranium	156		UG/L		0.067
T-62	3/27/2015	Uranium-233/234	143	6.98	PCI/L		0.716
T-62	3/27/2015	Uranium-235/236	6.49	1.5	PCI/L		0.267
T-62	3/27/2015	Uranium-238	50	4.13	PCI/L		0.491

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
T-64	3/27/2015	ALPHA	38.5	5.41	PCI/L		4.74
T-64	3/27/2015	BETA	11.7	3.58	PCI/L		5.44
T-64	3/27/2015	Fluoride	0.772		MG/L		0.033
T-64	3/27/2015	Nitrogen, Nitrate/Nitrite	3.64		MG/L		0.085
T-64	3/27/2015	Uranium	23.8		UG/L		0.067
T-64	3/27/2015	Uranium-233/234	23.7	3	PCI/L		0.47
T-64	3/27/2015	Uranium-235/236	1.68	0.847	PCI/L		0.648
T-64	3/27/2015	Uranium-238	7.75	1.73	PCI/L		0.646
T-70R	3/27/2015	ALPHA	175	15	PCI/L		9.23
T-70R	3/27/2015	BETA	26.7	4.18	PCI/L		5.56
T-70R	3/27/2015	Fluoride	1.07		MG/L		0.033
T-70R	3/27/2015	Nitrogen, Nitrate/Nitrite	3.19		MG/L		0.085
T-70R	3/27/2015	Uranium	66		UG/L		0.067
T-70R	3/27/2015	Uranium-233/234	151	4.94	PCI/L		0.335
T-70R	3/27/2015	Uranium-235/236	8.91	1.34	PCI/L		0.305
T-70R	3/27/2015	Uranium-238	21.7	1.88	PCI/L		0.296
T-76	3/27/2015	ALPHA	162	10.5	PCI/L		7.05
T-76	3/27/2015	BETA	86.9	4.85	PCI/L		5.11
T-76	3/27/2015	Fluoride	2.77		MG/L		0.033
T-76	3/27/2015	Nitrogen, Nitrate/Nitrite	21.8		MG/L		0.85
T-76	3/27/2015	Uranium	194		UG/L		0.335
T-76	3/27/2015	Uranium-233/234	144	5.04	PCI/L		0.365
T-76	3/27/2015	Uranium-235/236	8.28	1.35	PCI/L		0.17
T-76	3/27/2015	Uranium-238	56	3.14	PCI/L		0.269
T-77	3/27/2015	ALPHA	156	12.2	PCI/L		9.59
T-77	3/27/2015	BETA	33.3	3.66	PCI/L		4.66
T-77	3/27/2015	Fluoride	0.985		MG/L		0.033
T-77	3/27/2015	Nitrogen, Nitrate/Nitrite	0.513		MG/L		0.017
T-77	3/27/2015	Uranium	89.8		UG/L		0.067
T-77	3/27/2015	Uranium-233/234	173	6.28	PCI/L		0.362
T-77	3/27/2015	Uranium-235/236	9.85	1.51	PCI/L		0.417
T-77	3/27/2015	Uranium-238	29.8	2.61	PCI/L		0.362
T-79	3/27/2015	ALPHA	71.3	9.88	PCI/L		8.11
T-79	3/27/2015	BETA	16.3	4.57	PCI/L		6.93
T-79	3/27/2015	Fluoride	0.557		MG/L		0.033
T-79	3/27/2015	Nitrogen, Nitrate/Nitrite	0.0779		MG/L		0.017
T-79	3/27/2015	Uranium	40.6		UG/L		0.067
T-79	3/27/2015	Uranium-233/234	64.9	4.71	PCI/L		0.542
T-79	3/27/2015	Uranium-235/236	4.24	1.24	PCI/L		0.659
T-79	3/27/2015	Uranium-238	12.7	2.09	PCI/L		0.266

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Units	Lab or Data Review Qual	MDL
T-82	3/27/2015	ALPHA	27.3	8.59	PCI/L	J	9.73
T-82	3/27/2015	BETA	8.59	4.14	PCI/L		6.57
T-82	3/27/2015	Fluoride	0.361		MG/L		0.033
T-82	3/27/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
T-82	3/27/2015	Uranium	27.6		UG/L		0.067
T-82	3/27/2015	Uranium-233/234	25.1	2.85	PCI/L		0.512
T-82	3/27/2015	Uranium-235/236	1.03	0.621	PCI/L		0.513
T-82	3/27/2015	Uranium-238	8.44	1.66	PCI/L		0.402
T-82DUP	3/27/2015	ALPHA	30.9	8.7	PCI/L		9.57
T-82DUP	3/27/2015	BETA	7.02	4.12	PCI/L		6.65
T-82DUP	3/27/2015	Fluoride	0.378		MG/L		0.033
T-82DUP	3/27/2015	Nitrogen, Nitrate/Nitrite	ND		MG/L	U	0.017
T-82DUP	3/27/2015	Uranium	26.5		UG/L		0.067
T-82DUP	3/27/2015	Uranium-233/234	23	2.7	PCI/L		0.456
T-82DUP	3/27/2015	Uranium-235/236	1.33	0.693	PCI/L		0.545
T-82DUP	3/27/2015	Uranium-238	7.87	1.59	PCI/L		0.456
1201	3/27/2015	ALPHA	-53.1	46.9	PCI/L	U	89.8
1201	3/27/2015	BETA	34.7	32.7	PCI/L	U	54.7
1201	3/27/2015	Fluoride	0.562		MG/L		0.066
1201	3/27/2015	Nitrogen, Nitrate/Nitrite	0.0514		MG/L		0.017
1201	3/27/2015	Uranium	5.19		UG/L		0.067
1201	3/27/2015	Uranium-233/234	2.38	0.845	PCI/L		0.508
1201	3/27/2015	Uranium-235/236	-0.0645	0.195	PCI/L	U	0.547
1201	3/27/2015	Uranium-238	1.76	0.728	PCI/L		0.443
1202	3/27/2015	ALPHA	-56.8	36	PCI/L	U	74.1
1202	3/27/2015	BETA	-17.9	34.7	PCI/L	U	60.5
1202	3/27/2015	Fluoride	0.212		MG/L	J-	0.066
1202	3/27/2015	Nitrogen, Nitrate/Nitrite	0.0233		MG/L	J	0.017
1202	3/27/2015	Uranium	4.87		UG/L		0.067
1202	3/27/2015	Uranium-233/234	2.52	0.773	PCI/L		0.523
1202	3/27/2015	Uranium-235/236	0.0686	0.202	PCI/L	U	0.206
1202	3/27/2015	Uranium-238	1.36	0.591	PCI/L		0.523