

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:

St. Vincent's Medical Center  
2800 Main Street  
Bridgeport, CT 06606

2. NRC/REGIONAL OFFICE

U.S. Nuclear Regulatory Commission  
Region I, 2100 Renaissance Blvd, Suite 100  
King of Prussia, Pennsylvania 19406-2713

REPORT NUMBER(S) 2015002

3. DOCKET NUMBER(S)

03001245

4. LICENSE NUMBER(S)

06-00843-03

5. DATE(S) OF INSPECTION

June 23-24 and July 2, 2015;  
exit July 22, 2015

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- ☐ 1. Based on the inspection findings, no violations were identified.
- ☐ 2. Previous violation(s) closed.
- ☐ 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, to exercise discretion, were satisfied.

Non-cited violation(s) were discussed involving the following requirement(s) and corrective action(s):




- ☒ 4. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited in accordance with the NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11. (Violations and Corrective Actions)

49 CFR 172.702(d) requires, in part, that a hazmat employer shall ensure that each of its hazmat employees is tested by appropriate means on the training subjects covered in § 172.704.

Contrary to the above, as of June 24, 2015, St. Vincent's Medical Center, did not ensure that each of its hazmat employees was tested by appropriate means on the training subjects covered in § 172.704. Specifically, the training was in progress, however, testing had not been conducted. St. Vincent's Medical Center tested all hazmat employees subsequent to the on-site inspection.

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE	Dale Danowski		7-22-15
NRC INSPECTOR	Penny Lanzisera		7-22-15
BRANCH CHIEF	James Dwyer		7/24/15

