



July 21, 2015

Mr. Ken Kalman
Project Manager
U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Rockville, MD 20852-2738

Mr. Paul Davis
Oklahoma Department of Environmental Quality
707 N. Robinson
Oklahoma City, OK 73101

Re: Docket No. 70-925; License No. SNM-928
2015 Annual Environmental Sampling Program

Dear Mr. Kalman:

Attached please find the analytical results from the 2015 annual environmental sampling program. This sampling program was performed as required by Section 15 of the Cimarron Radiation Protection Plan (RPP). A total of 29 groundwater samples and 2 surface water samples were collected from the locations stipulated in the RPP.

The annual environmental samples were collected as part of the site-wide 2015 groundwater assessment sampling program, which involved the sampling of over 210 monitor wells. Analysis for the uranium concentration was needed to delineate uranium exceeding the maximum contaminant levels which we must achieve in groundwater remediation. Consequently, in addition to the laboratory analyses required by the RPP, each of these samples was analyzed for total uranium concentration by method EPA 200.8.

This data was initially submitted via letter and e-mail on June 29th, but the data did not include calculated total activity or total uncertainty for isotopic uranium results, or a footnote explaining the use of highlighting and bold red font. These were included in this submittal.

Please feel free to contact me if you have questions regarding this data.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jeff Lux', is written over a light blue horizontal line.

Jeff Lux, P.E.
Project Manager

cc: Gerald Schlapper, US NRC Region IV

Attachment

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
1314	3/25/2015	ALPHA	0.51	4.6		PCI/L	U	9.48
1314	3/25/2015	BETA	-1	3.29		PCI/L	U	6.62
1314	3/25/2015	Fluoride	0.248			MG/L		0.033
1314	3/25/2015	Nitrogen, Nitrate/Nitrite	1.66			MG/L		0.085
1314	3/25/2015	Uranium	1.24			UG/L		0.067
1314	3/25/2015	Uranium-233/234	0.891	0.576		PCI/L		0.532
1314	3/25/2015	Uranium-235/236	0.204	0.324	1.6	PCI/L	U	0.448
1314	3/25/2015	Uranium-238	0.465	0.422	0.8	PCI/L		0.387
02W06	3/24/2015	ALPHA	24.2	9.42		PCI/L		7.84
02W06	3/24/2015	BETA	2.68	5.72		PCI/L	U	9.83
02W06	3/24/2015	Fluoride	0.31			MG/L		0.033
02W06	3/24/2015	Nitrogen, Nitrate/Nitrite	0.021			MG/L	J	0.017
02W06	3/24/2015	Uranium	35			UG/L		0.067
02W06	3/24/2015	Uranium-233/234	19.4	2.23		PCI/L		0.404
02W06	3/24/2015	Uranium-235/236	0.568	0.44	29.5	PCI/L		0.491
02W06	3/24/2015	Uranium-238	9.5	1.57	2.8	PCI/L		0.49
02W08	3/24/2015	ALPHA	573	39.3		PCI/L		9.76
02W08	3/24/2015	BETA	181	13.1		PCI/L		6.49
02W08	3/24/2015	Fluoride	0.418			MG/L		0.033
02W08	3/24/2015	Nitrogen, Nitrate/Nitrite	0.0325			MG/L	J	0.017
02W08	3/24/2015	Uranium	739			UG/L		0.67
02W08	3/24/2015	Uranium-233/234	328	12.1		PCI/L		0.706
02W08	3/24/2015	Uranium-235/236	21.8	3.14	543.8	PCI/L		0.813
02W08	3/24/2015	Uranium-238	194	9.29	15.6	PCI/L		0.706
02W08DUP	3/24/2015	ALPHA	653	41.5		PCI/L		9.87
02W08DUP	3/24/2015	BETA	188	14.7		PCI/L		7.88
02W08DUP	3/24/2015	Fluoride	0.403			MG/L		0.033
02W08DUP	3/24/2015	Nitrogen, Nitrate/Nitrite	0.029			MG/L	J	0.017
02W08DUP	3/24/2015	Uranium	744			UG/L		0.67
02W08DUP	3/24/2015	Uranium-233/234	313	11.8		PCI/L		1.01
02W08DUP	3/24/2015	Uranium-235/236	20.4	3.04	529.4	PCI/L		0.901
02W08DUP	3/24/2015	Uranium-238	196	9.35	15.4	PCI/L		0.813
02W09	3/25/2015	ALPHA	-2.42	3.77		PCI/L	U	9.61
02W09	3/25/2015	BETA	2.44	4.87		PCI/L	U	8.54
02W09	3/25/2015	Fluoride	0.842			MG/L		0.033
02W09	3/25/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
02W09	3/25/2015	Uranium	2.48			UG/L		0.067
02W09	3/25/2015	Uranium-233/234	0.871	0.581		PCI/L		0.517
02W09	3/25/2015	Uranium-235/236	-0.0251	0.217	1.2	PCI/L	U	0.502
02W09	3/25/2015	Uranium-238	0.403	0.411	0.7	PCI/L	U	0.406

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
02W16	3/24/2015	ALPHA	2.85	5.85		PCI/L	U	9.93
02W16	3/24/2015	BETA	0.772	5.47		PCI/L	U	9.7
02W16	3/24/2015	Fluoride	0.289			MG/L		0.033
02W16	3/24/2015	Nitrogen, Nitrate/Nitrite	0.112			MG/L		0.017
02W16	3/24/2015	Uranium	5.8			UG/L		0.067
02W16	3/24/2015	Uranium-233/234	3.85	1.13		PCI/L		0.539
02W16	3/24/2015	Uranium-235/236	0.289	0.366	6.4	PCI/L	U	0.454
02W16	3/24/2015	Uranium-238	2.25	0.866	1.5	PCI/L		0.453
02W17	3/24/2015	ALPHA	2.23	4.71		PCI/L	U	9.36
02W17	3/24/2015	BETA	6.98	5.54		PCI/L	U	8.74
02W17	3/24/2015	Fluoride	0.388			MG/L		0.033
02W17	3/24/2015	Nitrogen, Nitrate/Nitrite	0.135			MG/L		0.017
02W17	3/24/2015	Uranium	10.5			UG/L		0.067
02W17	3/24/2015	Uranium-233/234	6.59	1.52		PCI/L		0.654
02W17	3/24/2015	Uranium-235/236	0.532	0.462	10.5	PCI/L		0.266
02W17	3/24/2015	Uranium-238	3.36	1.08	1.9	PCI/L		0.265
02W27	3/24/2015	ALPHA	192	24.4		PCI/L		9.88
02W27	3/24/2015	BETA	49.8	9.11		PCI/L		7.3
02W27	3/24/2015	Fluoride	0.419			MG/L		0.033
02W27	3/24/2015	Nitrogen, Nitrate/Nitrite	4.51			MG/L		0.085
02W27	3/24/2015	Uranium	188			UG/L		0.335
02W27	3/24/2015	Uranium-233/234	120	6.1		PCI/L		0.388
02W27	3/24/2015	Uranium-235/236	6.49	1.43	187.7	PCI/L		0.243
02W27	3/24/2015	Uranium-238	61.2	4.37	7.6	PCI/L		0.448
02W28	3/25/2015	ALPHA	320	25.3		PCI/L		8.46
02W28	3/25/2015	BETA	113	11.3		PCI/L		9.97
02W28	3/25/2015	Fluoride	0.609			MG/L		0.033
02W28	3/25/2015	Nitrogen, Nitrate/Nitrite	0.0446			MG/L	J	0.017
02W28	3/25/2015	Uranium	428			UG/L		0.067
02W28	3/25/2015	Uranium-233/234	175	7.74		PCI/L		0.625
02W28	3/25/2015	Uranium-235/236	12	2.04	300.0	PCI/L		0.268
02W28	3/25/2015	Uranium-238	113	6.22	10.1	PCI/L		0.494
02W32	3/24/2015	ALPHA	1110	53		PCI/L		9.8
02W32	3/24/2015	BETA	371	20		PCI/L		8.58
02W32	3/24/2015	Fluoride	0.502			MG/L		0.033
02W32	3/24/2015	Nitrogen, Nitrate/Nitrite	0.0445			MG/L	J	0.017
02W32	3/24/2015	Uranium	1190			UG/L		1.68
02W32	3/24/2015	Uranium-233/234	573	17.5		PCI/L		1.13
02W32	3/24/2015	Uranium-235/236	32	4.16	962.0	PCI/L		0.671
02W32	3/24/2015	Uranium-238	357	13.8	22.7	PCI/L		0.773

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
02W35	3/24/2015	ALPHA	8.22	6.46		PCI/L	U	9.7
02W35	3/24/2015	BETA	7.7	4.42		PCI/L		6.75
02W35	3/24/2015	Fluoride	0.373			MG/L		0.033
02W35	3/24/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
02W35	3/24/2015	Uranium	14.7			UG/L		0.067
02W35	3/24/2015	Uranium-233/234	6.64	1.44		PCI/L		0.877
02W35	3/24/2015	Uranium-235/236	0.43	0.39	12.8	PCI/L		0.358
02W35	3/24/2015	Uranium-238	5.75	1.3	2.0	PCI/L		0.454
02W35DUP	3/24/2015	ALPHA	4.85	5.8		PCI/L	U	9.53
02W35DUP	3/24/2015	BETA	3.67	5.52		PCI/L	U	9.4
02W35DUP	3/24/2015	Fluoride	0.368			MG/L		0.033
02W35DUP	3/24/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
02W35DUP	3/24/2015	Uranium	14			UG/L		0.067
02W35DUP	3/24/2015	Uranium-233/234	6.37	1.28		PCI/L		0.478
02W35DUP	3/24/2015	Uranium-235/236	0.698	0.442	11.0	PCI/L		0.311
02W35DUP	3/24/2015	Uranium-238	3.96	1.01	1.7	PCI/L		0.395
02W42	3/25/2015	ALPHA	531	35.8		PCI/L		9.43
02W42	3/25/2015	BETA	110	11.6		PCI/L		7.8
02W42	3/25/2015	Fluoride	0.443			MG/L		0.033
02W42	3/25/2015	Nitrogen, Nitrate/Nitrite	2.49			MG/L	J+	0.17
02W42	3/25/2015	Uranium	458			UG/L		0.67
02W42	3/25/2015	Uranium-233/234	338	10.9		PCI/L		0.6
02W42	3/25/2015	Uranium-235/236	19.3	2.61	524.3	PCI/L		0.602
02W42	3/25/2015	Uranium-238	167	7.64	13.6	PCI/L		0.273
02W43	3/24/2015	ALPHA	95	21.6		PCI/L		9.78
02W43	3/24/2015	BETA	28.4	7.83		PCI/L		8.2
02W43	3/24/2015	Fluoride	0.352			MG/L		0.033
02W43	3/24/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
02W43	3/24/2015	Uranium	83.5			UG/L		0.067
02W43	3/24/2015	Uranium-233/234	44.4	3.32		PCI/L		0.497
02W43	3/24/2015	Uranium-235/236	2.38	0.79	71.2	PCI/L		0.424
02W43	3/24/2015	Uranium-238	24.4	2.46	4.2	PCI/L		0.308
02W44	3/24/2015	ALPHA	934	66.1		PCI/L		9.72
02W44	3/24/2015	BETA	284	21.1		PCI/L		6.6
02W44	3/24/2015	Fluoride	0.418			MG/L		0.033
02W44	3/24/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
02W44	3/24/2015	Uranium	945			UG/L		1.34
02W44	3/24/2015	Uranium-233/234	557	16.1		PCI/L		0.982
02W44	3/24/2015	Uranium-235/236	26.7	3.55	920.7	PCI/L		0.585
02W44	3/24/2015	Uranium-238	337	12.5	20.7	PCI/L		0.365

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
TMW-08	3/25/2015	ALPHA	528	37.2		PCI/L		9.17
TMW-08	3/25/2015	BETA	148	14.2		PCI/L		7.78
TMW-08	3/25/2015	Fluoride	0.355			MG/L		0.033
TMW-08	3/25/2015	Nitrogen, Nitrate/Nitrite	1.37			MG/L		0.017
TMW-08	3/25/2015	Uranium	679			UG/L		0.067
TMW-08	3/25/2015	Uranium-233/234	293	11.2		PCI/L		0.534
TMW-08	3/25/2015	Uranium-235/236	16.5	2.67	525.5	PCI/L		0.335
TMW-08	3/25/2015	Uranium-238	216	9.61	15.0	PCI/L		0.617
TMW-09	3/25/2015	ALPHA	2140	76.4		PCI/L		9.52
TMW-09	3/25/2015	BETA	678	29		PCI/L		8.81
TMW-09	3/25/2015	Fluoride	0.544			MG/L		0.033
TMW-09	3/25/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
TMW-09	3/25/2015	Uranium	2830			UG/L		0.067
TMW-09	3/25/2015	Uranium-233/234	917	28.1		PCI/L		1.66
TMW-09	3/25/2015	Uranium-235/236	53.1	7.53	1,642.1	PCI/L		0.83
TMW-09	3/25/2015	Uranium-238	672	24	37.7	PCI/L		1.37
TMW-13	3/24/2015	ALPHA	865	49.6		PCI/L		9.83
TMW-13	3/24/2015	BETA	220	15.8		PCI/L		6.43
TMW-13	3/24/2015	Fluoride	0.478			MG/L		0.033
TMW-13	3/24/2015	Nitrogen, Nitrate/Nitrite	0.182			MG/L		0.017
TMW-13	3/24/2015	Uranium	852			UG/L		0.67
TMW-13	3/24/2015	Uranium-233/234	514	18.7		PCI/L		1.37
TMW-13	3/24/2015	Uranium-235/236	32.8	4.76	858.8	PCI/L		0.986
TMW-13	3/24/2015	Uranium-238	312	14.6	24.2	PCI/L		0.532
1351	3/31/2015	ALPHA	39.9	11.8		PCI/L		9.97
1351	3/31/2015	BETA	23.3	7.41		PCI/L		8.83
1351	3/31/2015	Fluoride	0.52			MG/L		0.033
1351	3/31/2015	Nitrogen, Nitrate/Nitrite	46.8			MG/L		0.85
1351	3/31/2015	Uranium	26.6			UG/L		0.067
1351	3/31/2015	Uranium-233/234	25.2	2.59		PCI/L		0.481
1351	3/31/2015	Uranium-235/236	1.49	0.728	34.5	PCI/L		0.47
1351	3/31/2015	Uranium-238	7.76	1.44	3.1	PCI/L		0.452
1352	3/31/2015	ALPHA	37	11.6		PCI/L		9.82
1352	3/31/2015	BETA	17.7	6.63		PCI/L		8.35
1352	3/31/2015	Fluoride	0.377			MG/L		0.033
1352	3/31/2015	Nitrogen, Nitrate/Nitrite	47.8			MG/L		0.85
1352	3/31/2015	Uranium	41			UG/L		0.067
1352	3/31/2015	Uranium-233/234	17.7	2.1		PCI/L		0.423
1352	3/31/2015	Uranium-235/236	0.479	0.448	30.1	PCI/L	U	0.523
1352	3/31/2015	Uranium-238	11.9	1.72	2.8	PCI/L		0.392

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
1354	3/31/2015	ALPHA	-0.852	4.08		PCI/L	U	9.17
1354	3/31/2015	BETA	11.2	5.41		PCI/L		7.72
1354	3/31/2015	Fluoride	0.497			MG/L		0.033
1354	3/31/2015	Nitrogen, Nitrate/Nitrite	45.7			MG/L		1.7
1354	3/31/2015	Uranium	2.93			UG/L		0.067
1354	3/31/2015	Uranium-233/234	1.31	0.63		PCI/L		0.488
1354	3/31/2015	Uranium-235/236	0.217	0.344		PCI/L	U	0.476
1354	3/31/2015	Uranium-238	0.84	0.537	106.1	PCI/L		0.562
1356	3/31/2015	ALPHA	105	15.1	15.1	PCI/L		8.46
1356	3/31/2015	BETA	39.7	8.26		PCI/L		9.57
1356	3/31/2015	Fluoride	0.332			MG/L		0.033
1356	3/31/2015	Nitrogen, Nitrate/Nitrite	13.5			MG/L		0.425
1356	3/31/2015	Uranium	108			UG/L		0.134
1356	3/31/2015	Uranium-233/234	66.3	3.88		PCI/L		0.361
1356	3/31/2015	Uranium-235/236	3.58	1.01	101.8	PCI/L		0.219
1356	3/31/2015	Uranium-238	31.9	2.7	4.8	PCI/L		0.284
MWWA-03	4/2/2015	ALPHA	721	49.3		PCI/L		9.81
MWWA-03	4/2/2015	BETA	252	18.8		PCI/L		10.7
MWWA-03	4/2/2015	Fluoride	4.45			MG/L		0.033
MWWA-03	4/2/2015	Nitrogen, Nitrate/Nitrite	23			MG/L		0.425
MWWA-03	4/2/2015	Uranium	417			UG/L		0.67
MWWA-03	4/2/2015	Uranium-233/234	543	19.5		PCI/L		2.05
MWWA-03	4/2/2015	Uranium-235/236	22.5	4.45	741.5	PCI/L		1.08
MWWA-03	4/2/2015	Uranium-238	176	11.1	22.9	PCI/L		1.35
MWWA-09	4/2/2015	ALPHA	147	17.6		PCI/L		9.54
MWWA-09	4/2/2015	BETA	86.7	9.12		PCI/L		5.59
MWWA-09	4/2/2015	Fluoride	3.27			MG/L		0.033
MWWA-09	4/2/2015	Nitrogen, Nitrate/Nitrite	46.4			MG/L		0.85
MWWA-09	4/2/2015	Uranium	114			UG/L		0.134
MWWA-09	4/2/2015	Uranium-233/234	93.8	7.05		PCI/L		1.53
MWWA-09	4/2/2015	Uranium-235/236	3.63	1.59	141.2	PCI/L		0.934
MWWA-09	4/2/2015	Uranium-238	43.8	4.81	8.7	PCI/L		0.833
T-62	3/27/2015	ALPHA	171	12		PCI/L		7.74
T-62	3/27/2015	BETA	338	9.89		PCI/L		6.23
T-62	3/27/2015	Fluoride	2.83			MG/L		0.033
T-62	3/27/2015	Nitrogen, Nitrate/Nitrite	73.8			MG/L		1.7
T-62	3/27/2015	Uranium	156			UG/L		0.067
T-62	3/27/2015	Uranium-233/234	143	6.98		PCI/L		0.716
T-62	3/27/2015	Uranium-235/236	6.49	1.5	199.5	PCI/L		0.267
T-62	3/27/2015	Uranium-238	50	4.13	8.2	PCI/L		0.491

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
T-64	3/27/2015	ALPHA	38.5	5.41		PCI/L		4.74
T-64	3/27/2015	BETA	11.7	3.58		PCI/L		5.44
T-64	3/27/2015	Fluoride	0.772			MG/L		0.033
T-64	3/27/2015	Nitrogen, Nitrate/Nitrite	3.64			MG/L		0.085
T-64	3/27/2015	Uranium	23.8			UG/L		0.067
T-64	3/27/2015	Uranium-233/234	23.7	3		PCI/L		0.47
T-64	3/27/2015	Uranium-235/236	1.68	0.847	33.1	PCI/L		0.648
T-64	3/27/2015	Uranium-238	7.75	1.73	3.6	PCI/L		0.646
T-70R	3/27/2015	ALPHA	175	15		PCI/L		9.23
T-70R	3/27/2015	BETA	26.7	4.18		PCI/L		5.56
T-70R	3/27/2015	Fluoride	1.07			MG/L		0.033
T-70R	3/27/2015	Nitrogen, Nitrate/Nitrite	3.19			MG/L		0.085
T-70R	3/27/2015	Uranium	66			UG/L		0.067
T-70R	3/27/2015	Uranium-233/234	151	4.94		PCI/L		0.335
T-70R	3/27/2015	Uranium-235/236	8.91	1.34	181.6	PCI/L		0.305
T-70R	3/27/2015	Uranium-238	21.7	1.88	5.5	PCI/L		0.296
T-76	3/27/2015	ALPHA	162	10.5		PCI/L		7.05
T-76	3/27/2015	BETA	86.9	4.85		PCI/L		5.11
T-76	3/27/2015	Fluoride	2.77			MG/L		0.033
T-76	3/27/2015	Nitrogen, Nitrate/Nitrite	21.8			MG/L		0.85
T-76	3/27/2015	Uranium	194			UG/L		0.335
T-76	3/27/2015	Uranium-233/234	144	5.04		PCI/L		0.365
T-76	3/27/2015	Uranium-235/236	8.28	1.35	208.3	PCI/L		0.17
T-76	3/27/2015	Uranium-238	56	3.14	6.1	PCI/L		0.269
T-77	3/27/2015	ALPHA	156	12.2		PCI/L		9.59
T-77	3/27/2015	BETA	33.3	3.66		PCI/L		4.66
T-77	3/27/2015	Fluoride	0.985			MG/L		0.033
T-77	3/27/2015	Nitrogen, Nitrate/Nitrite	0.513			MG/L		0.017
T-77	3/27/2015	Uranium	89.8			UG/L		0.067
T-77	3/27/2015	Uranium-233/234	173	6.28		PCI/L		0.362
T-77	3/27/2015	Uranium-235/236	9.85	1.51	212.7	PCI/L		0.417
T-77	3/27/2015	Uranium-238	29.8	2.61	7.0	PCI/L		0.362
T-79	3/27/2015	ALPHA	71.3	9.88		PCI/L		8.11
T-79	3/27/2015	BETA	16.3	4.57		PCI/L		6.93
T-79	3/27/2015	Fluoride	0.557			MG/L		0.033
T-79	3/27/2015	Nitrogen, Nitrate/Nitrite	0.0779			MG/L		0.017
T-79	3/27/2015	Uranium	40.6			UG/L		0.067
T-79	3/27/2015	Uranium-233/234	64.9	4.71		PCI/L		0.542
T-79	3/27/2015	Uranium-235/236	4.24	1.24	81.8	PCI/L		0.659
T-79	3/27/2015	Uranium-238	12.7	2.09	5.3	PCI/L		0.266

Cimarron Environmental Response Trust
2015 Annual Environmental Monitoring Program Data

Sample No	Coll Date	Parameter	Lab Result	Uncertainty	Total Activity/ Uncertainty	Units	Lab or Data Review Qual	MDL
T-82	3/27/2015	ALPHA	27.3	8.59		PCI/L	J	9.73
T-82	3/27/2015	BETA	8.59	4.14		PCI/L		6.57
T-82	3/27/2015	Fluoride	0.361			MG/L		0.033
T-82	3/27/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
T-82	3/27/2015	Uranium	27.6			UG/L		0.067
T-82	3/27/2015	Uranium-233/234	25.1	2.85		PCI/L		0.512
T-82	3/27/2015	Uranium-235/236	1.03	0.621	34.6	PCI/L		0.513
T-82	3/27/2015	Uranium-238	8.44	1.66	3.4	PCI/L		0.402
T-82DUP	3/27/2015	ALPHA	30.9	8.7		PCI/L		9.57
T-82DUP	3/27/2015	BETA	7.02	4.12		PCI/L		6.65
T-82DUP	3/27/2015	Fluoride	0.378			MG/L		0.033
T-82DUP	3/27/2015	Nitrogen, Nitrate/Nitrite	ND			MG/L	U	0.017
T-82DUP	3/27/2015	Uranium	26.5			UG/L		0.067
T-82DUP	3/27/2015	Uranium-233/234	23	2.7		PCI/L		0.456
T-82DUP	3/27/2015	Uranium-235/236	1.33	0.693	32.2	PCI/L		0.545
T-82DUP	3/27/2015	Uranium-238	7.87	1.59	3.2	PCI/L		0.456
1201	3/27/2015	ALPHA	-53.1	46.9		PCI/L	U	89.8
1201	3/27/2015	BETA	34.7	32.7		PCI/L	U	54.7
1201	3/27/2015	Fluoride	0.562			MG/L		0.066
1201	3/27/2015	Nitrogen, Nitrate/Nitrite	0.0514			MG/L		0.017
1201	3/27/2015	Uranium	5.19			UG/L		0.067
1201	3/27/2015	Uranium-233/234	2.38	0.845		PCI/L		0.508
1201	3/27/2015	Uranium-235/236	-0.0645	0.195	4.1	PCI/L	U	0.547
1201	3/27/2015	Uranium-238	1.76	0.728	1.1	PCI/L		0.443
1202	3/27/2015	ALPHA	-56.8	36		PCI/L	U	74.1
1202	3/27/2015	BETA	-17.9	34.7		PCI/L	U	60.5
1202	3/27/2015	Fluoride	0.212			MG/L	J-	0.066
1202	3/27/2015	Nitrogen, Nitrate/Nitrite	0.0233			MG/L	J	0.017
1202	3/27/2015	Uranium	4.87			UG/L		0.067
1202	3/27/2015	Uranium-233/234	2.52	0.773		PCI/L		0.523
1202	3/27/2015	Uranium-235/236	0.0686	0.202	3.9	PCI/L	U	0.206
1202	3/27/2015	Uranium-238	1.36	0.591	1.0	PCI/L		0.523

	Exceeds Uranium DCGL
	Exceeds Uranium MCL
	Exceeds Applicable Nitrate Limit
	Exceeds Fluoride MCL

Notes: Black font represents information obtained from GEL laboratory.
Red bold font represents calculated value or data review qualifier