

ACCELERATED DOCUMENT DISTRIBUTION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9304020051	DOC. DATE: 93/03/22	NOTARIZED: NO	DOCKET #
FACIL: 50-269 Oconee Nuclear Station, Unit 1, Duke Power Co.			05000269
50-270 Oconee Nuclear Station, Unit 2, Duke Power Co.			05000270
50-287 Oconee Nuclear Station, Unit 3, Duke Power Co.			05000287
50-413 Catawba Nuclear Station, Unit 1, Duke Power Co.			05000413
50-414 Catawba Nuclear Station, Unit 2, Duke Power Co.			05000414

AUTH. NAME	AUTHOR AFFILIATION
TUCKER, H.B.	Duke Power Co.
RECIP. NAME	RECIPIENT AFFILIATION
	Document Control Branch (Document Control Desk)

SUBJECT: Responds to GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
Subj barriers not relied on at facilities to meet 10CF50.48.

DISTRIBUTION CODE: A029D COPIES RECEIVED: LTR 1 ENCL 0 SIZE: 2
TITLE: Generic Letter 92-008 Thermal-Log 330 Fire Barrier

NOTES: ASLB lcy.	05000413
ASLB lcy.	05000414

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL		RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	PD2-3 LA	1 0		PD2-3 PD	1 1
	WIENS, L	1 1		MARTIN, R	1 1
INTERNAL:	NRR/DET/EELB	1 1		NRR/DST/SPLB	2 2
	NRR/PD3-1	1 1		REG FILE 01	1 1
	RGN2 .2 .FILE	1 1			
EXTERNAL:	NRC PDR	1 1		NSIC	1 1
NOTES:		1 1			

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK,
ROOM P1-37 (EXT. 504-2065) TO ELIMINATE YOUR NAME FROM DISTRIBUTION
LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 13 ENCL 12

may

Duke Power Company
P.O. Box 1006
Charlotte, NC 28201-1006

HAL B. TUCKER
Senior Vice President
Nuclear Generation
(704)382-4531



DUKE POWER

March 22, 1993

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D.C. 20555

Subject: Oconee Nuclear Station Units 1, 2, and 3
Docket Nos. 50-269, -270, -287
Catawba Nuclear Station Units 1 and 2
Docket Nos. 50-413, -414
Response to NRC Generic Letter 92-08
Thermo-Lag 330-1 Fire Barriers

Gentlemen:

The purpose of this letter is to submit the responses for Oconee Nuclear Station and Catawba Nuclear Station to NRC Generic Letter 92-08 "Thermo-Lag 330-1 Fire Barriers," dated December 17, 1992. Please refer to our responses to Bulletin 92-01 dated July 22, 1992, and Bulletin 92-01, Supplement 1, dated September 24, 1992, for these stations.

The subject generic letter identified four items that addressees are required to address. Item one requests the licensee to state whether Thermo-Lag 330-1 barriers are relied upon (a) to meet 10 CFR 50.48, to achieve physical independence of electrical systems, (b) to meet a condition of a plant's operating license, or (c) to satisfy a licensing commitment. Item two is limited to those facilities where Thermo-Lag 330-1 barriers are used and requests specific information on tests, configurations, and ampacity derating. Items three and four request further information pertaining to responses given under the item two.

Thermo-Lag 330-1 barriers are not relied upon at Oconee Nuclear Station or Catawba Nuclear Station to meet 10 CFR 50.48 to achieve physical independence of electrical systems, to meet a condition of the plant's operating license, or to satisfy a licensing commitment. Oconee Nuclear Station and Catawba Nuclear Station do not use Thermo-Lag 330-1 fire barrier materials in their facilities and, therefore, these actions do not apply to them and this letter fulfills the reporting requirement of this generic letter.


010021
9304020051-930322
PDR ADDCK 05000269
F PDR

4029 1/6

Document Control Desk
March 22, 1993
Page 2

I declare under penalty of perjury that the statements set forth herein are true and correct to the best of my knowledge.

Very Truly Yours,



Hal B. Tucker
Senior Vice President
Nuclear Generation

rpc

cc: S. D. Ebnetter
Regional Administrator, Region II
U. S. Nuclear Regulatory Commission
101 Marietta Street, NW, Suite 2900
Atlanta, Georgia 30323

L. A. Wiens
Project Manager
Office of Nuclear Reactor Regulation
Mail Stop 14 H25, NRR/PD2-3
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

R. E. Martin
Project Manager
Office of Nuclear Reactor Regulation
Mail Stop 14 H25, NRR/PD2-3
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

P. E. Harmon
NRC Senior Resident Inspector
Oconee Nuclear Station

W. T. Orders
NRC Senior Resident Inspector
Catawba Nuclear Station