

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70, and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Riverton Memorial Hospital, LLC dba SageWest Healthcare 2. P.O. Box 1280 Riverton, Wyoming 82501		In accordance with application dated February 11, 2015 3. License number 49-21004-01 is amended in its entirety to read as follows: 4. Expiration date August 31, 2025 5. Docket No. 030-19652 Reference No.
6. Byproduct, source, and/or special nuclear material A. Any byproduct material permitted by 10 CFR 35.100 B. Any byproduct material permitted by 10 CFR 35.200 C. Any byproduct material permitted by 10 CFR 35.300 D. Any byproduct materials permitted by 10 CFR 31.11	7. Chemical and/or physical form A. Any B. Any C. Any D. Prepackage Kits	8. Maximum amount that licensee may possess at any one time under this license A. As needed B. As needed C. 500 millicuries total D. 50 millicuries total

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
49-21004-01Docket or Reference Number
030-19652

Amendment No. 30

9. Authorized use:

- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
- B. Any imaging and localization study permitted by 10 CFR 35.200.
- C. Any use permitted by 10 CFR 35.300.
- D. In vitro studies.

CONDITIONS

- 10. Licensed material may be used and/or stored only at the licensee's facilities located at 2100 West Sunset Drive, Riverton, Wyoming.
- 11. The Radiation Safety Officer for this license is James R. Taylor, M.D.
- 12. Licensed material is only authorized for use by, or under the supervision of:
 - A. Individuals permitted to work as an authorized user, authorized nuclear pharmacist, and/or authorized medical physicist in accordance with 10 CFR 35.13 and 35.14.
 - B. The following individuals are authorized users for the material and medical uses indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
James R. Taylor, M.D.	35.100; 35.200; 35.300; 31.11
Jason E. Brown, M.D.	35.100; 35.200; oral administration of sodium iodide I-131; 31.11
- 13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing financial assurance for decommissioning.
- 14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
49-21004-01Docket or Reference Number
030-19652

Amendment No. 30

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- | | |
|--|---------------|
| A. Application dated October 7, 2004 | (ML043220649) |
| B. Facsimile dated November 8, 2004 | (ML043220649) |
| C. Letter received on May 11, 2009 | (ML091751068) |
| D. Letter dated April 29, 2010 | (ML101720208) |
| E. Application dated February 11, 2015 | (ML15057A411) |



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/

Date August 16, 2015

By

Jacqueline D. Cook, Senior Health Physicist
Nuclear Materials Safety Branch B
Region IV
Arlington, Texas 76011-4511