



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION III  
2443 WARRENVILLE RD. SUITE 210  
LISLE, IL 60532-4352

AUG 19 2015

Joshua Nepute, M.D.  
Radiation Safety Officer  
Indiana University Health Arnett Hospital  
5166 McCarty Lane  
Lafayette, IN 47905

Dear Dr. Nepute:

Thank you for bringing to our attention an error in amendment no. 11 of your license. The names of two authorized users were inadvertently deleted from the license. We apologize for any inconvenience this error may have caused. Enclosed is a corrected copy of your license.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink, appearing to read "Toye L. Simmons", is written over a horizontal line.

Toye L. Simmons  
Materials Licensing Branch

License No. 13-32535-02  
Docket No. 030-37189

Enclosure: Amendment No. 11 corrected copy