

CATEGORY 1

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9611260065	DOC. DATE: 96/11/14	NOTARIZED: NO	DOCKET #
FACIL: 50-269 Oconee Nuclear Station, Unit 1, Duke Power Co.			05000269
50-270 Oconee Nuclear Station, Unit 2, Duke Power Co.			05000270
50-287 Oconee Nuclear Station, Unit 3, Duke Power Co.			05000287
50-369 William B. McGuire Nuclear Station, Unit 1, Duke Power Co.			05000369
50-370 William B. McGuire Nuclear Station, Unit 2, Duke Power Co.			05000370
50-413 Catawba Nuclear Station, Unit 1, Duke Power Co.			05000413
50-414 Catawba Nuclear Station, Unit 2, Duke Power Co.			05000414

AUTH. NAME	AUTHOR AFFILIATION
TUCKMAN, M.S.	Duke Power Co.
RECIP. NAME	RECIPIENT AFFILIATION
	Document Control Branch (Document Control Desk)

SUBJECT: Submits 60-day response to 960918 GL 96-05, "Periodic Verification of Design-Basis Capability of SR MOVs." DPC intends to implement requested action along w/schedule of implementation & submit written summary description.

DISTRIBUTION CODE: A073D COPIES RECEIVED: LTR 1 ENCL 0 SIZE: 2
 TITLE: GL-96-05 Periodic Verif. of Design Basis Capability of Safety-Related

NOTES:

	RECIPIENT	ID CODE/NAME	COPIES	LTTR	ENCL		RECIPIENT	ID CODE/NAME	COPIES	LTTR	ENCL
		PD2-2 PD	1	1				LABARGE, D	1	1	
		NERSES, V	1	1				TAM, P.	1	1	
INTERNAL:		ACRS	1	1				AEOD/SOD/RAB	1	1	
		<u>FILE CENTER 01</u>	1	1				NRR/DE/EMEB	1	1	
		NRR/DRPM/PECB	1	1				NRR/HANSEN, A	1	1	
		RES/DET/EIB/B	1	1				RES/DST	1	1	
		RES/DST/PRAB	1	1							
EXTERNAL:		NOAC	1	1				NRC PDR	1	1	

NOTE TO ALL "RIDS" RECIPIENTS:
 PLEASE HELP US TO REDUCE WASTE. TO HAVE YOUR NAME OR ORGANIZATION REMOVED FROM DISTRIBUTION LISTS OR REDUCE THE NUMBER OF COPIES RECEIVED BY YOU OR YOUR ORGANIZATION, CONTACT THE DOCUMENT CONTROL DESK (DCD) ON EXTENSION 415-2083

TOTAL NUMBER OF COPIES REQUIRED: LTTR 15 ENCL 0

C
A
T
E
G
O
R
Y

1

D
O
C
U
M
E
N
T

Duke Power Company
P.O. Box 1006
Charlotte, NC 28201-1006

M. S. TUCKMAN
Senior Vice President
Nuclear Generation
(704)382-2200 Office
(704)382-4360 Fax



DUKE POWER

November 14, 1996

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D.C. 20555

Subject: McGuire Nuclear Station Units 1 & 2
Docket Nos. 50 -369,370
Catawba Nuclear Station Units 1 & 2
Docket Nos. 50 -413,414
Oconee Nuclear Station Units 1,2 & 3
Docket Nos. 50 -269,270,287
Response to Generic Letter 96-05: Periodic
Verification of Design-Basis Capability of
Safety-Related Motor-Operated Valves

Generic Letter (GL) 96-05, "Periodic Verification of Design-Basis Capability of Safety-Related Motor-Operated Valves," dated September 18, 1996, requires that certain actions be taken by licensees to verify on a periodic basis the capability of safety-related motor-operated valves (MOV's) to perform their safety functions consistent with the current licensing bases.

The generic letter has two required responses. First, within 60 days, provide the intent of implementation of the requested actions along with a schedule of implementation. Second, within 180 days, the licensee shall submit a written summary description of its MOV periodic verification program.

Duke Power plans to meet the requirements of GL 96-05. We will review our GL 89-10 Periodic Verification Program and determine if any changes are appropriate in light of the information contained in this generic letter. A summary description of our periodic verification program, including any changes, will be submitted in the 180-day response to this

9611260065 961114
PDR ADDCK 05000269
P PDR

Printed on recycled paper

A0731/0

U.S. NRC
November 14, 1996
Page 2

generic letter with appropriate implementation information.

Should you have any questions regarding this submittal, please contact Allison Jones-Young at (704) 382-3154.

Very truly yours,



M.S. Tuckman
Senior Vice President
Nuclear Generation

xc: S.D. Ebnetter
Regional Administrator, Region II

V. Nerses, ONRR

P.S. Tam, ONRR

D.E. Lebarge, ONRR

S.M. Shaeffer
Senior Resident Inspector (MNS)

R.J. Freudenberger
Senior Resident Inspector (CNS)

M.A. Scott
Senior Resident Inspector (ONS)