

**Advisory Committee on Reactor Safeguards  
Digital Instrumentation and Control Systems Subcommittee Meeting  
Rockville, MD  
April 4, 2016, T2- B1**

**- Agenda -**

Cognizant Staff Engineer: Christina Antonescu (301-415-6792), [Christina.Antonescu@nrc.gov](mailto:Christina.Antonescu@nrc.gov))

Topic		Presenter(s)	Time
<b>Monday, April 4</b>			
<b>I</b>	Opening Remarks	Charles Brown, ACRS	1:00 pm - 1:05 pm
<b>II</b>	Introductory Remark on Diablo Canyon PPS System	Mary Jane Ross-Lee, NRR	1:05 pm – 1:15 pm
<b>III</b>	Project Status Update	Mike Waters, NRR	1:15 pm – 1:30pm
<b>IV</b>	Overview of the Diablo Canyon Process Protection System (DCPP) System LAR	Ken Schrader, Licensee	1:30 pm - 2:30pm
	Break		2:30 pm – 2:45m
<b>V</b>	Summary of the Safety Evaluations (SE) Conclusions Topics on: - Diversity Defense-In-Depth (D3) - System Time Response/ Deterministic Performance - Independence - Control of Access	R. Stattel, NRR Rossnyev Alvarado, NRR Samir Darbali, NRR	2:45 pm - 4:00 pm
<b>VI</b>	Lessons Learned on the Digital I&C Licensing Process (ISG-06)	Richard Stattel, NRR	4:00 pm - 4:30 pm
<b>VII</b>	Digital I&C Action Plan Development Activities	John Lubinski, NRR	4:30 pm – 4:45 pm
<b>VIII</b>	Conclusions and Path Forward	Mike Waters, NRR	4:45pm – 4:50pm
<b>IX</b>	Closing Remarks	Charles Brown, ACRS	4:50pm – 5:00pm

**NOTE:**

- During the meeting, 301-415-7360 should be used to contact anyone in the ACRS Office.
- Presentation time should not exceed 50 percent of the total time allocated for a given item. The remaining 50 percent of the time is reserved for discussion.
- Thirty five (35) hard copies of each presentation or handout should be provided to the Designated Federal Official the day before the meeting at Noon.
- One (1) electronic copy of each presentation should be emailed to the Designated Federal Official 1 day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the Designated Federal Official with a CD containing each presentation at least 30 minutes before the meeting.