



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
REGION IV
1600 E. LAMAR BLVD
ARLINGTON TX 76011-4511

March 22, 2016

Mr. Michael Tuomi
Radiation Safety Officer
Liberty Oilfield Services
950 17th Street, Suite 2000
Denver, Colorado 80202

SUBJECT: TERMINATION OF NRC RADIOACTIVE MATERIALS LICENSE NO. 05-35199-01

By letter dated December 17, 2015, you informed the U.S. Nuclear Regulatory Commission (NRC) that you wished to terminate your NRC radioactive materials license. The NRC Form 314 dated December 17, 2015, stated that all radioactive material had been transferred to your general license.

The supporting documentation to the NRC Form 314 also provided a copy of the latest leak test results. The leak test results document that there was no evidence of leakage of radioactive material from the sealed source. The NRC staff has reviewed the supporting documentation to your NRC Form 314. Based on the documentation submitted and a review of your historical file, the staff concluded that paperwork to transfer all specifically licensed radioactive material to General License GL-727112-19 has been filed with the NRC, and the NRC is processing the change. Based on these conclusions, no further remediation or actions with respect to NRC regulated material is required.

Based on the documentation submitted and a review of your historical file, the staff concluded that all specifically licensable radioactive material has been removed from the facility and the facility located at 1200 E. Lincoln St., Gillette, Wyoming, is suitable for unrestricted use in accordance with 10 CFR 20.1402, "Radiological Criteria for Unrestricted Use." Based on these conclusions, no further remediation or actions with respect to NRC regulated material is required.

Please find enclosed Amendment No. 01 to License No. 05-35199-01 authorizing your license termination. An environmental assessment for this action is not required since this action is categorically excluded under 10 CFR 51.22(c)(20)(ii).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

You can contact me at (817) 200 -1547 if you have questions or require clarification on any of the information stated above.

Sincerely,

/RA/

Casey C. Alldredge, Health Physicist
Nuclear Materials Safety Branch B

Docket: 030-38796
License: 05-35199-01
Control: 589745

Enclosure: As stated