

April 8, 2016

E. Roy Hawken, Chair
Administrative Judge
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555-0001

Dr. Michael F. Kennedy
Administrative Judge
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555-0001

Dr. William C. Burnett
Administrative Judge
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555-0001

In the Matter of
Florida Power & Light Company
(Turkey Point Units 6 and 7)
Docket Nos. 52-040 and 52-041

Dear Administrative Judges:

Pursuant to the Licensing Board's Memorandum and Order dated March 30, 2011, as modified by the Licensing Board's Notice dated September 12, 2012, the Staff is providing the Licensing Board and the parties an index identifying additions to the Hearing File required to be disclosed by the Staff pursuant to 10 C.F.R. § 2.336(d). The index includes the ADAMS accession number, date, and title of each listed document so as to make each document readily retrievable from the agency's website, www.nrc.gov, using the ADAMS "Find" function. Additionally, the Staff will add the documents identified in the index to the agency's Electronic Hearing Docket ("EHD") associated with this proceeding entitled "Turkey Point Hearing File." Also attached, as required by 10 C.F.R. § 2.336(c), is the Affidavit of Manny Comar.

In accordance with the Licensing Board's March 30, 2011, Memorandum and Order, relieving all parties from the obligation of producing privilege logs, as otherwise required by 10 C.F.R. §§ 2.336(a)(3) and 2.336(b)(5), the Staff is not now producing privilege logs. In accordance with the March 30, 2011, Order, however, the Staff is required to produce a log of documents withheld as containing proprietary information. In preparing the enclosed Hearing File Index update, the Staff identified the document listed in the attached privilege log (Attachment 2) as containing proprietary information. As directed by the Licensing Board, the Staff is preserving and maintaining all privileged documents during the pendency of this proceeding.

In accordance with the Licensing Board's March 5, 2014, Order, the Staff, in Hearing File Update No. 41, dated September 11, 2014, and Hearing File Update No. 36, dated April 10, 2014, provided best-estimate schedules for issuing the final Safety Evaluation Report ("SER") and final Environmental Impact Statement ("EIS"), respectively. On October 27, 2015, the Staff informed the Applicant of changes to these schedules. See Letter from F. M. Akstulewicz, NRC, to M. K. Nazar, FPL (Staff October 2015 Letter) (ADAMS Accession No. ML15286A109).

The schedule in regard to the EIS is unchanged from the schedule set forth in the Staff letter dated October 27, 2015, and the Staff projects that it will issue the final EIS in October 2016. The Staff, however, will look for opportunities to accelerate the completion of the environmental review.

As indicated in the Staff letter dated October 27, 2015, the final milestone for completing the safety review and issuing the SER is listed as "under review." The Staff letter states that the Staff is engaging with the AP1000 licensees and applicants, as well as Westinghouse, to resolve several design issues. The Staff has indicated to the Applicant that the Staff is working to complete the SER in October, 2016. However, that schedule is subject to resolution of the design issues mentioned above, and could change. When there is greater clarity on the timetable for issuing the final SER, the Staff will set a definite schedule for the completion of the Turkey Point Units 6 and 7 COL safety review.

The Staff will promptly inform the Board when it can provide a definite schedule for issuing the final SER, or if the Staff determines that it can accelerate the schedule for issuing the final EIS.

Respectfully submitted,

/Signed (electronically) by/

Robert M. Weisman
Counsel for the NRC Staff
U.S. Nuclear Regulatory Commission
Mail Stop O-15 D21
Washington, DC 20555-0001
(301) 415-1696
Robert.Weisman@nrc.gov

Enclosures: Attachment 1: Hearing File Index
Attachment 2: Privilege Log
Attachment 3: Affidavit of Manny Comar

Attachment 1

**Turkey Point COL Hearing File and Mandatory Disclosures
Hearing File Index
Update 60 April 8, 2016**

ID#	Accession Number	Document Date	Title
60-1	ML15096A344	01/06/2016	Turkey Point Chapter 08 ASE.
60-2	ML16061A223	02/22/2016	Turkey Point, Units 6 and 7 - Response to NRC Environmental Request for Additional Information Letter 160302 (eRAI 8506) Related to Radioactive Waste Management Systems.
60-3	ML16062A035	02/29/2016	Turkey Point, Units 6 and 7 - Response to NRC Environmental Request for Additional Information Letter 160302 (eRAI 8508) Related to Meteorology and Air Quality.
60-4	ML16095A043	03/07/2016	2016/03/07 Turkey Point COL Hearing - [External_Sender] RE: FPL Letter L-2016-036 Dated 07MAR16: Native Data Table Files for the Partial Response to NRC RAI Letter 150211 (eRAI 8380).
60-5	ML16095A045	03/07/2016	2016/03/07 Turkey Point COL Hearing - [External_Sender] RE: FPL Letter L-2016-036 Dated 07MAR16: Native Data Table Files for the Partial Response to NRC RAI Letter 150211 (eRAI 8380).
60-6	ML16095A056	03/07/2016	2016/03/07 Turkey Point COL Hearing - [External_Sender] Unescorted access for upcoming NRC Audit.
60-7	ML16095A041	03/07/2016	2016/03/07 Turkey Point COL Hearing - FW: FPL Letter L-2016-036 Dated 07MAR16: Native Data Table Files for the Partial Response to NRC RAI Letter 150211 (eRAI 8380).
60-8	ML16095A048	03/07/2016	2016/03/07 Turkey Point COL Hearing - RE: FPL Letter L-2016-036 Dated 07MAR16: Native Data Table Files for the Partial Response to NRC RAI Letter 150211 (eRAI 8380).
60-9	ML16095A051	03/07/2016	2016/03/07 Turkey Point COL Hearing - RE: RE: FPL Letter L-2016-036 Dated 07MAR16: Native Data Table Files for the Partial Response to NRC RAI Letter 150211 (eRAI 8380).
60-10	ML16071A021	03/07/2016	FPL Turkey Point Uprate Monitoring Project December 2014 Quarterly Sampling Event SDG: Qtr 4 2014 GW.

Attachment 1

**Turkey Point COL Hearing File and Mandatory Disclosures
Hearing File Index
Update 60 April 8, 2016**

ID#	Accession Number	Document Date	Title
60-11	ML16071A022	03/07/2016	FPL Turkey Point Uprate Monitoring Project December 2014 Quarterly Sampling Event SDG: Qtr 4 2014 GW.
60-12	ML16071A023	03/07/2016	FPL Turkey Point Uprate Monitoring Project December 2014 Quarterly Sampling Event SDG: Qtr 4 2014 SW.
60-13	ML16071A012	03/07/2016	FPL Turkey Point Uprate Monitoring Project June 2014 Quarterly Sampling Event SDG: Qtr 2 2014 GW.
60-14	ML16071A013	03/07/2016	FPL Turkey Point Uprate Monitoring Project June 2014 Quarterly Sampling Event SDG: Qtr 2 2014 GW.
60-15	ML16071A014	03/07/2016	FPL Turkey Point Uprate Monitoring Project June 2014 Quarterly Sampling Event SDG: Qtr 2 2014 SW.
60-16	ML16071A028	03/07/2016	FPL Turkey Point Uprate Monitoring Project June 2015 Quarterly Sampling Event, SDG: Qtr. 2 2015 GW.
60-17	ML16071A029	03/07/2016	FPL Turkey Point Uprate Monitoring Project June 2015 Quarterly Sampling Event, SDG: Qtr. 2 2015 GW.
60-18	ML16071A030	03/07/2016	FPL Turkey Point Uprate Monitoring Project June 2015 Quarterly Sampling Event, SDG: Qtr. 2 2015 SW.
60-19	ML16071A024	03/07/2016	FPL Turkey Point Uprate Monitoring Project March 2015 Semiannual Sampling Event, SDG: Qtr. 1 2015 GW.
60-20	ML16071A026	03/07/2016	FPL Turkey Point Uprate Monitoring Project March 2015 Semiannual Sampling Event, SDG: Qtr. 1 2015 LG.
60-21	ML16071A027	03/07/2016	FPL Turkey Point Uprate Monitoring Project March 2015 Semiannual Sampling Event,

Attachment 1

**Turkey Point COL Hearing File and Mandatory Disclosures
Hearing File Index
Update 60 April 8, 2016**

ID#	Accession Number	Document Date	Title
			SDG: Qtr. 1 2015 SW.
60-22	ML16071A015	03/07/2016	FPL Turkey Point Uprate Monitoring Project September 2014 Semiannual Sampling Event SDG: Qtr 3 2014 GW.
60-23	ML16071A018	03/07/2016	FPL Turkey Point Uprate Monitoring Project September 2014 Semiannual Sampling Event SDG: Qtr 3 2014 LG.
60-24	ML16071A020	03/07/2016	FPL Turkey Point Uprate Monitoring Project September 2014 Semiannual Sampling Event SDG: Qtr 3 2014 SW.
60-25	ML16071A032	03/07/2016	FPL Turkey Point Uprate Monitoring Project September 2015 Semiannual Sampling Event SDG: Qtr 3 2015 LG.
60-26	ML16071A033	03/07/2016	FPL Turkey Point Uprate Monitoring Project September 2015 Semiannual Sampling Event SDG: Qtr 3 2015 SW.
60-27	ML16071A031	03/07/2016	FPL Turkey Point Uprate Monitoring Project September 2015 Semiannual Sampling Event SDG: Qtr 3 2015GW.
60-28	ML16071A034	03/07/2016	Table 2.1-1 Statistical Summary of Automated Groundwater Specific Conductance (uS/cm) Data.
60-29	ML16071A035	03/07/2016	Table 2.1-2 Statistical Summary of Automated Groundwater Temperature (C) Data.
60-30	ML16071A036	03/07/2016	Table 2.1-3 Statistical Summary of Automated Groundwater Salinity (PSS-78) Data.
60-31	ML16071A038	03/07/2016	Table 2.2-1. Statistical Summary of Automated Surface Water Specific Conductance (s/cm) Data.
60-32	ML16071A037	03/07/2016	Table 2.2-2. Statistical Summary of Automated Surface Water Temperature (C) Data.

Attachment 1

**Turkey Point COL Hearing File and Mandatory Disclosures
Hearing File Index
Update 60 April 8, 2016**

ID#	Accession Number	Document Date	Title
60-33	ML16071A039	03/07/2016	Table 2.2-3. Statistical Summary of Automated Surface Water Salinity (PSS-78) Data.
60-34	ML16071A005	03/07/2016	Turkey Point, Units 6 and 7 - Native Data Table Files for the Partial Response to NRC Environmental Request for Additional Information Letter 150211 (eRAI 8380) Related to Hydrology/Ground Water.
60-35	ML16095A039	03/09/2016	2016/03/09 Turkey Point COL Hearing - [External_Sender] RE: Miami Dade County Report on Biscayne Bay Water Quality Observations.
60-36	ML16074A384	03/10/2016	Turkey Point, Units 6 and 7 - Supplemental Response to NRC Request for Additional Information Letter No. 58 (eRAI 6434) - Concerning Implementation of Fukushima Near-Term Task Force Recommendations.
60-37	ML16074A219	03/15/2016	03/10/2016 Summary of Meeting with Members of the AP1000 Design Center to Discuss AP1000 Design Matters for the Levy Nuclear Plant Units 1 and 2 Combined License Application: AP1000 Generic License Condition Language.
60-38	ML16095A055	03/23/2016	2016/03/23 Turkey Point COL Hearing - RE: FPL Comments on Dr. Chin.
60-39	ML16085A011	03/23/2016	Turkey Point, Units 6 and 7 - 2015-2016 Model Year 10 CFR 50.46 Annual Report for the AP1000 Standard Plant Design.
60-40	ML16095A054	03/24/2016	2016/03/24 Turkey Point COL Hearing - [External_Sender] Escorted access for upcoming NRC Audit.
60-41	ML16095A036	03/30/2016	2016/03/30 Turkey Point COL Hearing - [External_Sender] FW: TP Audit Summary - March 30th, 2016.
60-42	ML16095A057	04/04/2016	2016/04/04 Turkey Point COL Hearing - FW: Unescorted access for upcoming NRC Audit < a e>

Attachment 2**Turkey Point COL Hearing File and Mandatory Disclosures
Privilege Log -- Proprietary Information
Update 60- April 8, 2016**

Certain documents otherwise subject to inclusion in the hearing file and mandatory disclosures for this proceeding have been determined by the NRC Staff to contain trade secrets, privileged or confidential commercial or financial information subject to withholding from public disclosure pursuant to 10 C.F.R. § 2.390. Pursuant to 10 C.F.R. § 2.336(b)(5), the Staff is providing this log to identify the following documents, designated “proprietary,” and subject to protected status under Section 2.390.

PDP No.	Accession Number	Author Name/ Affiliation	Title/Description	Document Date	Document Type	Addressee/ Addressee Affiliation	Comment	Pages
60-01	ML16095A034	Florida Power & Light Co	2016/03/16 Turkey Point COL Hearing - [External_Sender] Proprietary Review of Audit Plan	03/16/2016	Response to Request for Additional Information (RAI)	NRC/Document Control Desk NRC/NRO		3

April 7, 2016

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)	
)	
FLORIDA POWER & LIGHT COMPANY)	Docket Nos. 52-040 & 52-041
)	
(Turkey Point Units 6 and 7))	

AFFIDAVIT OF MANNY COMAR CONCERNING
MANDATORY DISCLOSURE REQUIREMENTS OF 10 C.F.R. §§ 2.336(d) and 2.1203

I, Manny Comar, do hereby state as follows:

1. I am employed as a Senior Project Manager in Licensing Branch 4 of the Division of New Reactor Licensing in the Nuclear Regulatory Commission's ("NRC") Office of New Reactors ("NRO"). I serve as a project manager for the NRC's review of the Combined License Application submitted by the Florida Power & Light Company, at issue in this proceeding.

2. In accordance with the Licensing Board's March 30, 2011, Memorandum and Order, and the Board's September 12, 2012, Notice, I hereby certify that all relevant materials required to be disclosed pursuant to 10 C.F.R. §§ 2.336(d) and 2.1203 in this proceeding have been disclosed and that the disclosures are accurate and complete as of April 1, 2016.

3. I hereby certify under penalty of perjury that the foregoing is true and complete to the best of my knowledge, information, and belief.

Executed in Accord with 10 CFR § 2.304(d)
Manny Comar
Senior Project Manager, Licensing Branch 4
Division of New Reactor Licensing, NRO, NRC
Mail Stop T-6 D-23
Washington, DC 20555-0001
(301) 415-3863
Manny.Comar@nrc.gov

Executed in Rockville, MD
this 7th day of April, 2016

April 8, 2016

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)	
)	
FLORIDA POWER & LIGHT COMPANY)	Docket Nos. 52-040 & 52-041
)	
(Turkey Point Units 6 and 7))	

CERTIFICATE OF SERVICE

I hereby certify that the NRC Staff's Hearing File Update 60 has been filed through the E-Filing system this 8th day of April, 2016.

/Signed (electronically) by/

Robert M. Weisman
Counsel for the NRC Staff
U.S. Nuclear Regulatory
Commission Mail Stop O-15 D21
Washington, DC 20555-0001
(301) 415-1696
Robert.Weisman@nrc.gov