

CATEGORY 1

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9803040092	DOC. DATE: 98/02/24	NOTARIZED: NO	DOCKET #
FACIL: 50-269	Oconee Nuclear Station, Unit 1, Duke Power Co.		05000269
50-270	Oconee Nuclear Station, Unit 2, Duke Power Co.		05000270
50-287	Oconee Nuclear Station, Unit 3, Duke Power Co.		05000287
50-369	William B. McGuire Nuclear Station, Unit 1, Duke Powe		05000369
50-370	William B. McGuire Nuclear Station, Unit 2, Duke Powe		05000370
50-413	Catawba Nuclear Station, Unit 1, Duke Power Co.		05000413
50-414	Catawba Nuclear Station, Unit 2, Duke Power Co.		05000414

AUTH. NAME	AUTHOR AFFILIATION	
TUCKMAN, M.S.	Duke Power Co.	
RECIP. NAME	RECIPIENT AFFILIATION	
	Document Control Branch (Document Control Desk)	

SUBJECT: Forwards FFD program performance data repts for 970701-1230.

DISTRIBUTION CODE: A021D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 14
 TITLE: "Semiannual Fitness for Duty Program Performance Rept/Data" 10CFR26.7

NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	
	PD2-2 PD	1 1	LABARGE, D	1 1	
	RINALDI, F	1 1	TAM, P.	1 1	
INTERNAL:	ACRS	1 1	<u>FILE CENTER 0</u>	1 1	
	NRR/DRCH/HOLB	1 1	NRR/DRPM/PSGB	1 1	
	NUDOCS-ABSTRACT	1 1	RGN2	1 1	
EXTERNAL:	NOAC	1 1	NRC PDR	1 1	

2nd Dist. due TO ONLY 1 side
 OF A 2-Sided doc. Xeroxed.
 Fiche OK

NOTE TO ALL "RIDS" RECIPIENTS:
 PLEASE HELP US TO REDUCE WASTE. TO HAVE YOUR NAME OR ORGANIZATION REMOVED FROM DISTRIBUTION LISTS
 OR REDUCE THE NUMBER OF COPIES RECEIVED BY YOU OR YOUR ORGANIZATION, CONTACT THE DOCUMENT CONTROL
 DESK (DCD) ON EXTENSION 415-2083

TOTAL NUMBER OF COPIES REQUIRED: LTTR 12 ENCL 12



M. S. Tuckman
Executive Vice President
Nuclear Generation

Duke Power Company
A Duke Energy Company

EC07H
526 South Church Street
P.O. Box 1006
Charlotte, NC 28201-1006

(704) 382-2200 OFFICE
(704) 382-4360 FAX

February 24, 1998
~~August 26, 1997~~

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Subject: Fitness-For-Duty Program
Performance Data Reports
Oconee Nuclear Station, Docket Nos. 50-269, -270, -287
McGuire Nuclear Station, Docket Nos. 50-369, -370
Catawba Nuclear Station, Docket Nos. 50-413, -414

Gentlemen:

Pursuant to 10CFR 26.71(d), please find enclosed the subject reports for Duke Power Company's Oconee, McGuire and Catawba Nuclear Stations and the General Office. These reports are being submitted for the time period of July 1, 1997 through December 30, 1997.

Should there be any questions concerning these reports, contact L. A. Keller, Manager, Nuclear Regulatory & Industry Affairs at (704) 382-5826.

Very truly yours,

M. S. Tuckman

M. S. Tuckman

Attachment

9803040092 980224
PDR ADOCK 05000269
R PDR

*Rec'd DCD
3/3/98*



Page 2
U. S. Nuclear Regulatory Commission
February 24, 1998

xc: Mr. L. A. Reyes
U. S. Nuclear Regulatory Commission
Regional Administrator, RII
Atlanta Federal Center
61 Forsyth St., SW, Suite 23T85
Atlanta, Georgia 30303

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

DUKE POWER COMPANY		July 1, 1997 - December 31, 1997
Company Catawba Nuclear Station		6 Months Ending
Location Sheila Lowry-Minor		(803) 831-3881
Contact Name		Phone (include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26		
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml/ 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml/ 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04 _____ /

Testing Results		Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
Average Number with Unescorted Access		1626					348		
Categories		# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive	
Pre-Access		39	NRC	DUKE			247	NRC	DUKE
For Cause	Post accident	0	0	0			0	0	0
	Observed behavior	0	0	0			1	0	0
Random		540	1	0			97	0	0
Follow-up		33	0	0			0	0	0
Other		3	0	0			0	0	0
Total		615	2	0			345	2	1

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

REV. 1/92

Breakdown of Confirmed Positive Tests for Specific Substances

	M ^h arijuana		Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol		Refusal to Test	1	2	3	4	5
	NRC	DUKE					NRC	DUKE						
Licensee Employees	1		1											
Long-Term Contractors	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Short-Term Contractors	1	1	1						2					
Total	2	1	2						2					7

A

Refusal To Test - Shown on Breakdown of Confirmed Positive, but not on numbers on Performance Data.

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

[Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.]

None

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of</u> <u>Event</u>	<u>Position of</u> <u>Individual</u> <u>Involved</u>	<u>How</u> <u>Discovered</u>	<u>Substance</u> <u>Detected</u>	<u>Management</u> <u>Actions Taken</u>
--------------------------------	--	---------------------------------	-------------------------------------	---

None

Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26

FEB 3 1998

DUKE POWER COMPANY		December 31, 1997	
Company		6 Months Ending	
McGuire Nuclear Station			
Location			
Deana A. DeLoach		(704) 875-5781	
Contact Name		Phone (include area code)	
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26			
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines	1000 ng/ml / 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine	25 ng/ml / 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (% BAC)	.04 _____ /

Testing Results		Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
Average Number with Unescorted Access		1840				469	
Categories		# Tested	# Positive *	# Tested	# Positive	# Tested	# Positive *
			NRC DUKE				NRC DUKE
Pre-Access		209	1 2			574	6 5
For Cause	Post accident	1	0 0			0	0 0
	Observed behavior	3	0 0			1	1 0
Random		534	0 0			144	1 0
Follow-up		42	0 0			0	0 0
Other		4	0 0			0	0 0
Total		793	1 2			719	8 5

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

REV. 1/92

Breakdown of Confirmed Positive Tests for Specific Substances

	* Marijuana		Cocaine	Opiates	Ampheta- mines	Phency- clidine	Alcohol		Refusal to Test	1	2	3	4	5	
	NRC	DUKE					NRC	DUKE							
Licensee Employees	0	1	1	0	0	0	0	1	0						
Long-Term Contractors	0	0	0	0	0	0	0	0	0						
Short-Term Contractors	5	5	2	0	0	0	2	0	1						
Total	5	6	3	0	0	0	2	1	1						A 18

* One vendor tested positive for two separate substances.
Vendor tested positive for Cocaine & THC - Both at NRC Levels.

All substances are accounted for on the Breakdown of Confirmed Positive tests for Specific Substances, but it was only counted once on the Performance Data at the NRC Level.

* Refusal To Test - Shown on Breakdown of Confirmed Positive, but not on numbers on Performance Data.

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

NONE

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

NONE

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

FEB 2 1998

DUKE POWER COMPANY		12/31/97
Company		# Months Ending
Oconee Nuclear Station		
Location		
Pauline D. Beatty	864-885-3317	
Contact Name		Phone (include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26		
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04 _____ /

Testing Results		Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel				
Average Number with Unescorted Access		1677					353				
Categories		# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive			
Pre-Access		119	NRC	DUKE			430	NRC	DUKE		
			2	0					10	0	
For Cause	Post accident	0	0	0					0	0	0
	Observed behavior	1	0	0					0	0	0
Random		515	0	0					120	0	0
Follow-up		21	0	0					0	0	0
Other		1	0	0					0	0	0
Total		657	2	0			550	10	0		

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

REV. 1/92

Breakdown of Confirmed Positive Tests for Specific Substances

[illegible]

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

[Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.]

None

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None

✓

Fitness for Duty Program Performance Data Personnel Subject to 10CFR 26

DUKE POWER COMPANY		December 31, 1997
Company		6 Months Ending
Charlotte General Office		
Location		
Lisa L. Stewart	704-382-2030	
Contact Name	Phone (include area code)	
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26		
Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml	/
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml	/
Opiates 300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04	/

Testing Results		Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel		
Average Number with Unescorted Access		794						
Categories		# Tested	# Positive *	# Tested	# Positive	# Tested	# Positive *	
Pre-Access		116	<div style="display: flex; justify-content: space-between;"> NRC DUKE </div>	<div style="font-size: 4em; transform: rotate(45deg); opacity: 0.5;">X</div>		**154	N/A	N/A
For Cause	Post accident	1	<div style="display: flex; justify-content: space-between;"> 0 0 </div>			N/A	N/A	N/A
	Observed behavior	0	<div style="display: flex; justify-content: space-between;"> 0 0 </div>			N/A	N/A	N/A
Random		281	<div style="display: flex; justify-content: space-between;"> 0 0 </div>			N/A	N/A	N/A
Follow-up		7	<div style="display: flex; justify-content: space-between;"> 0 0 </div>			N/A	N/A	N/A
Other		3	<div style="display: flex; justify-content: space-between;"> 0 0 </div>			N/A	N/A	N/A
Total		408	<div style="display: flex; justify-content: space-between;"> 0 0 </div>			**154	N/A	N/A

*The "# Positive" has been split; on the left side recorded confirmed positives.

Breakdown of Confirmed Positive Tests for Specific Substances

[illegible]

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

- ** Duke Power Company approved the Pre-Access Testing Program of Framatome Technologies' Fitness For Duty Program effective January 28, 1991. The 154 Pre-Access screens reported under "Short Term Contractor Personnel" are being reported with Duke Power Company performance data as a result of accepting Framatome Technologies' program.

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
None				