

LAT,

Please have the following documents scanned into a package for

University of Connecticut  
License No. 06-01450-47  
Docket No. 030-10576

This package is to document the license condition that states

“The licensee may dispose of licensed material that meets the requirements in 10 CFR 20.2003 to the University of Connecticut Waste Water Treatment facility.”

This condition has been on the license since September 10, 1998, but none of the documents are available in ADAMS. These documents do not contain any license commitments, so are not listed in the ‘tie-down’ condition. However, they are the basis for allowing the University of Connecticut to dispose of licensed materials in effluent water to the University sewerage system. This sewerage systems is a private sewer but was determined to be equivalent in operations to a publicly owned sewerage treatment facility.

The following documents should be scanned into this package:

1. Letter dated September 10, 1998 from John Kinneman, NRC; Control Nos. 125623 and 125915. This letter is public, non-sensitive, normal release date.
2. Letter dated April 16, 1998 from F. Labato, Director, EH&S, University of Connecticut; control No. 124940, requesting to amend the license to use sanitary sewer discharge limits and discontinue discharge sampling. This letter is public, non-sensitive, normal release date.
3. Letter dated December 23, 1997, from John Kinneman, NRC; Control No. 124940, request for additional information for change in testing of sludge from the sewage treatment plant (and issuing amendment No. 26 to change the mailing address). This letter is public, non-sensitive, normal release date.

Thanks you,  
Betsy

Betsy Ullrich, Senior Health Physicist  
May 27, 2016