

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

| | | |
|---|--|---|
| <p style="text-align: center;">Licensee</p> <p>1. Cardinal Health 414, LLC</p> <p>2. 7000 Cardinal Place Dublin, Ohio 43017</p> | <p>In accordance with letter dated April 7, 2016,</p> <p>3. License number 34-32840-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date October 31, 2022</p> <p>5. Docket No. 030-38511</p> | |
| <p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Carbon-11</p> <p>B. Nitrogen-13</p> <p>C. Oxygen-15</p> <p>D. Fluorine-18</p> <p>E. Any byproduct material with atomic numbers 3 through 83, inclusive</p> <p>F. Sodium-24</p> <p>G. Aluminum-28</p> <p>H. Scandium-48</p> <p>I. Vanadium-47</p> <p>J. Vanadium-48</p> <p>K. Chromium-51</p> <p>L. Manganese-52</p> <p>M. Manganese-52m</p> <p>N. Manganese-54</p> <p>O. Manganese-56</p> <p>P. Cobal-56</p> <p>Q. Cobalt-57</p> <p>R. Cobalt-58</p> <p>S. Cobalt-60</p> <p>T. Cobalt-64</p> <p>U. Copper-60</p> | <p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Any</p> <p>E. Incidentally Activated Products (foils, target body, magnet coils, yoke, vacuum tank, and concrete shield)</p> <p>F. Incidentally Activated Product</p> <p>G. Incidentally Activated Product</p> <p>H. Incidentally Activated Product</p> <p>I. Incidentally Activated Product</p> <p>J. Incidentally Activated Product</p> <p>K. Incidentally Activated Product</p> <p>L. Incidentally Activated Product</p> <p>M. Incidentally Activated Product</p> <p>N. Incidentally Activated Product</p> <p>O. Incidentally Activated Product</p> <p>P. Incidentally Activated Product</p> <p>Q. Incidentally Activated Product</p> <p>R. Incidentally Activated Product</p> <p>S. Incidentally Activated Product</p> <p>T. Incidentally Activated Product</p> <p>U. Incidentally Activated Product</p> | <p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 10 curies</p> <p>B. 10 curies</p> <p>C. 10 curies</p> <p>D. 30 curies</p> <p>E. 200 millicuries per radionuclide and 5 curies total</p> <p>F. 10 millicuries</p> <p>G. 10 millicuries</p> <p>H. 15 millicuries</p> <p>I. 15 millicuries</p> <p>J. 15 millicuries</p> <p>K. 50 millicuries</p> <p>L. 200 millicuries</p> <p>M. 200 millicuries</p> <p>N. 10 millicuries</p> <p>O. 10 millicuries</p> <p>P. 200 millicuries</p> <p>Q. 100 millicuries</p> <p>R. 50 millicuries</p> <p>S. 15 millicuries</p> <p>T. 10 millicuries</p> <p>U. 50 millicuries</p> |

U.S. NUCLEAR REGULATORY COMMISSION

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

34-32840-01

Docket or Reference Number

030-38511

Amendment No. 09

- | 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form | 8. Maximum amount that licensee may possess at any one time under this license |
|---|--|--|
| V. Copper-61 | V. Incidentally Activated Product | V. 25 millicuries |
| W. Zinc-63 | W. Incidentally Activated Product | W. 15 millicuries |
| X. Zinc-65 | X. Incidentally Activated Product | X. 15 millicuries |
| Y. Niobium-93m | Y. Incidentally Activated Product | Y. 15 millicuries |
| Z. Niobium-94m | Z. Incidentally Activated Product | Z. 100 millicuries |
| AA. Molybdenum-93m | AA. Incidentally Activated Product | AA. 100 millicuries |
| BB. Technetium-95m | BB. Incidentally Activated Product | BB. 10 millicuries |
| CC. Technetium-96 | CC. Incidentally Activated Product | CC. 10 millicuries |
| DD. Rhenium-183 | DD. Incidentally Activated Product | DD. 10 millicuries |
| EE. Rhenium-184 | EE. Incidentally Activated Product | EE. 10 millicuries |
| FF. Sodium-22 | FF. Sealed Source (Eckert-Ziegler Model RV-022) | FF. 200 microcuries per source and 400 microcuries total |
| GG. Sodium-22 | GG. Sealed Source (Eckert-Ziegler Model Type R) | GG. 1 microcurie per source and 2 microcuries total |
| HH. Cobalt-57 | HH. Sealed Source (Eckert-Ziegler or IPL-E-vial Model RV-057) | HH. 15 millicuries per source and 30 millicuries total |
| II. Cesium-137 | II. Sealed Source (Eckert-Ziegler or IPL-E-vial Model RV-137) | II. 300 microcuries per source and 400 microcuries total |
| JJ. Barium-133 | JJ. Sealed Source (Eckert-Ziegler or IPL E-vial Model RV-133) | JJ. 300 microcuries per source and 400 microcuries total |
| KK. Technetium-99m | KK. Any | KK. 5 curies |
| LL. Hydrogen-3 | LL. Incidentally Activated Product | LL. 10 millicuries |
9. Authorized use:
A. through D. Production, packaging and distribution of manufactured radiochemicals to persons authorized to receive the licensed material pursuant to the terms and conditions of specific licenses issued by the U.S. Nuclear Regulatory Commission or any Agreement State.

U.S. NUCLEAR REGULATORY COMMISSION

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

34-32840-01

Docket or Reference Number

030-38511

Amendment No. 09

E. through EE, and LL. Possession and storage of byproduct materials incidental to radionuclide production.

FF. through KK. Calibration of the licensee's instruments.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at the Michigan State University Radiology Department Clinical Center, 846 Service Road, East Lansing, Michigan.
11. Licensed material shall be used by, or under the supervision of, Robert Symons, John Taylor Vernon, Robert Nilsson, Ken Moore, Dean Pruitt, John Zhang, Joseph Seckman, Jason Foster, Leonard Popa, Tuan Le, Brian Toth, Adam Fleshner, Thomas Morosky, Gina Wulff, **Corey Damocles**, Michael Gannon Connolly-Ng, Steve Morcos, and Scott Lucas.
12. The Radiation Safety Officer for this license is Jason Foster.
13. This license does not authorize distribution to persons licensed pursuant to 10 CFR 32.72 or 32.74; to persons exempt from licensing; or to general licensees.
14. The licensee shall not use licensed material in or on human beings.
15.
 - A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
 - B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
 - C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.

U.S. NUCLEAR REGULATORY COMMISSION

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

34-32840-01

Docket or Reference Number

030-38511

Amendment No. 09

- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
18. The licensee is authorized to hold byproduct material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal without regard to its radioactivity if the licensee:
- A. Before disposal as ordinary trash, byproduct material shall be surveyed at the container surface with the appropriate survey meter set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.
- B. A record of each disposal permitted under this License Condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.

U.S. NUCLEAR REGULATORY COMMISSION


**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
34-32840-01Docket or Reference Number
030-38511**Amendment No. 09**

19. The licensee shall provide acceptable decommissioning financial assurance (DFA) as required by 10 CFR Part 30, Section 30.35. The licensee shall submit DFA progress reports to the U.S. Nuclear Regulatory Commission, Region III, Attention: Chief, Nuclear Materials Licensing Branch, 2443 Warrenville Road, Suite 210, Lisle, Illinois 60532, to update the NRC on the status of their DFA. The licensee shall submit DFA progress reports every 30 days until such time that DFA is submitted to the NRC for review. If the NRC determines that the DFA is not acceptable, the licensee shall continue to submit DFA progress reports every 30 days until acceptable DFA is provided to the NRC.
20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated October 3, 2011 (ML113420035); and,
- B. Letters dated December 5, 2011 (with attachments) (ML13133A384);
July 23, 2013 (with attachments) (ML13234A394);
October 22, 2013 (with attachments) (ML13296A520);
December 19, 2013 (with attachments) (ML13365A136);
January 10, 2014 (with attachments) (ML14034A270);
January 21, 2014 (with attachments) (ML14034A277);
January 24, 2014 (with attachments) (ML14034A216);
June 30, 2014 (ML14205A237);
October 28, 2014 (ML14308A515); and
May 24, 2016 (ML16152A994)

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date JUN 15 2016

By


Kevin G. Null
Materials Licensing Branch
Region III