

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Veterinary Oncology and Hematology Center, LLC</p> <p>2. 129 Glover Avenue Norwalk, Connecticut 06850</p>	<p>In accordance with the letter dated March 9, 2016</p> <p>3. License number 06-35037-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date April 30, 2023</p> <p>5. Docket No. 030-38609 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Strontium 90</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Source (Amersham Model SIA.20)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 55 millicuries</p>
<p>9. Authorized use:</p> <p>A. Ophthalmic applicator for superficial application, plesiotherapy, for tumors or benign conditions in animals.</p>		

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at Veterinary Cancer Center, 129 Glover Avenue, Norwalk, Connecticut.
11. Licensed material shall be used by, or under the supervision of Kevin Ware, DVM.
12. The Radiation Safety Officer for this license is Kevin Ware, DVM.
13. The licensee shall not use licensed material in or on human beings.
14. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
06-35037-01Docket or Reference Number
030-38609

Amendment No. 2

15. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
16. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
06-35037-01Docket or Reference Number
030-38609

Amendment No. 2

17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated January 21, 2013 [ML13029A655]
- B. Additional information received February 7, 2013 [ML13044A318]
- C. Additional information received by facsimile March 26, 2013 [ML13094A063]
- D. Additional information received by facsimile April 3, 2013 [ML13100A231]



For the U.S. Nuclear Regulatory Commission

Date June 7, 2016

By

Original signed by Héctor Bermúdez

Héctor Bermúdez
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406