



COLUMBUS REGIONAL HOSPITAL

July 28, 2016

U. S. Nuclear Regulatory Commission
Region III
Materials Licensing Section
2443 Warrenville Road, Suite 210
Lisle, Illinois 60532

License Number 13-01631-05

Dear Materials Licensing Section:

This Notification Letter is submitted for compliance with section 35.14 Notifications, noting physicians that have permanently discontinued their duties as Authorized Users under our license and that Columbus Regional Hospital has allowed Dr. Phillips to work as an Authorized User under our NRC license.

Notification 35.14(b)(1) The following physicians have permanently discontinued their duties as Authorized Users under our Materials License and we request that they be removed from our list of Authorized Users:

1. Martha Dwenger, M.D.
2. Newell Pugh, M.D.
3. Peter Garrett, M.D.
4. Robert A. Deweese, M.D.
5. Thomas Dugan, M.D.
6. Maureen L. Hill Watson, M.D.
7. Richard L. Hallett, M.D.

Under 35.13(b), we have allowed William Eugene Phillips, II, M.D., to work under our Materials License as an Authorized User for materials permitted in 10 CFR 35.100, 35.200, and 35.300. For compliance with 35.14(a) we are submitting the documents the RSC/RSO reviewed to grant Dr. Phillips Authorized User status under our license.

A. Copy of an Agreement State Radioactive Material License, issued by the State of South Carolina, to Trident Medical Center, License Number 210, which specifically lists William Eugene Phillips, II, M.D., as an Authorized User for the materials we approved.

B. South Carolina regulatory classifications for radioactive material use and equivalent 10 CFR material use.

C. Copy of online verification that Dr. Phillips is licensed to practice medicine in the State of Indiana.

Please add William Eugene Phillips, II, M.D., to our list of Authorized Users, authorized for any byproduct materials permitted by 10 CFR 35.100, 35.200, and 35.300.

RECEIVED AUG 02 2016



COLUMBUS REGIONAL HOSPITAL

NRC
Page 2

The Radiation Safety Officer and Administration of Columbus Regional Hospital have approved this request.

If you have any questions regarding this notification, please contact me at (812) 376-5550.

Sincerely,

Michael J. Parrott, Ph.D.
Radiation Safety Officer
Attachments



C. Paul Turner, Commissioner

Promoting and protecting the health of the public and the environment.

November 19, 2009

W. Eugene Phillips, II, MD
Radiation Safety Officer
Trident Medical Center, LLC
9330 Medical Plaza Center
North Charleston, SC 29406

Dear Dr. Phillips:

In accordance with your renewal application dated September 28, 2009 your S.C. Radioactive Material License No. 210 has been renewed. The enclosed License Amendment No. 54 extends the expiration date until November 30, 2017 and amends the license in its entirety. This license supersedes the original license and all previous amendments.

If you have any questions regarding your license, please do not hesitate to contact our office at (803) 545-4400.

Sincerely,

James K. Peterson, Director
Division of Radioactive Material
Licensing and Compliance
Bureau of Radiological Health

MWB/rc

Enclosures

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Health Regulation

2600 Bull Street • Columbia, SC 29201 • www.scdhec.gov

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
RADIOACTIVE MATERIAL LICENSE**

Pursuant to the Atomic Energy and Radiation Control Act, Section 13-7-40 et seq. of S.C. Code of Laws of 1976, as amended, and Supplements thereto, and the South Carolina Department of Health and Environmental Control Regulation 61-63, Radioactive Material (Title A), and in reliance on statements and representations heretofore made by the applicant, a license is hereby issued authorizing the licensee to receive, acquire, possess and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules and regulations of the South Carolina Department of Health and Environmental Control now or hereafter in effect and to any conditions specified below.

Amendment No. 54 amends

LICENSEE

3. License Number:

1. Name: Trident Medical Center, LLC
d/b/a Trident Medical Center

210 in its entirety.

2. Address:
9330 Medical Plaza Center
North Charleston, SC 29406

4. Expiration Date:

November 30, 2017

5. Radioactive Material
(Element & Mass No.)

6. Chemical and/or
Physical Form

7. Maximum Radioactivity
and/or quantity of material
which licensee may possess
at any one time.

A. Any radioactive material
identified in RHA 4.35,
Part IV, Department
Regulation 61-63.

A. Any radiopharmaceutical
identified in RHA 4.35,
Department Regulation
61-63.

A. As needed.

B. Any radioactive material
identified in RHA 4.37,
Part IV, Department
Regulation 61-63.

B. Any radiopharmaceutical
identified in RHA 4.37,
Department Regulation
61-63.

B. As needed.

C. Any radioactive material
identified in RHA 4.40,
Part IV, Department
Regulation 61-63.

C. Any radiopharmaceutical
identified in RHA 4.40,
Department Regulation
61-63.

C. As needed.

D. Any radioactive material
identified in RHA 4.46,
Part IV, Department
Regulation 61-63.

D. Any radiopharmaceutical
identified in RHA 4.46,
Department Regulation
61-63.

D. As needed.

E. Any radioactive material
identified in RHA 2.4.3,
Part II, Department
Regulation 61-63.

E. Any radiopharmaceutical
identified in RHA 2.4.3,
Department Regulation
61-63.

E. As needed.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License No. 210
 Amendment No. 54

F. Cobalt 57

P. Sealed source
 (North American
 Scientific Model
 No. MBD-3709)

P. No single source to exceed
 25 millicuries.

G. Strontium 90/Yttrium 90

G. Sealed source
 (ABAT SICW
 series)

G. No single source to exceed
 5 mCi; not to exceed 24
 sources per source train;
 six source trains; (720
 millicuries total).

8. Authorized Use:

- A. Medical use described in RTIA 4.35, Department Regulation 61-63.
 - B. Medical use described in RHA 4.37, Department Regulation 61-63.
 - C. Medical use described in RHA 4.40, Department Regulation 61-63.
 - D. Medical use described in RHA 4.46, Department Regulation 61-63.
 - E. In Vitro studies.
 - F. To be used as a flood source for gamma camera quality control checks.
 - G. To be used in the Novoste Beta-Cath System A1000 series for the treatment of coronary arteries for in-stent restenosis lesions.
-

Conditions

- 9. Unless otherwise specified, the authorized place of use is the licensee's address stated in Item 2 above.
- 10. The licensee shall comply with the provisions of Title A, Department Regulation 61-63; Part I - General Provisions; Part II - Licensing of Radioactive Materials; Part III - Standards for Protection Against Radiation; Part IV - Use of Radionuclides in the Health Professions; and Part VI - Notices, Instructions, and Reports to Workers; Inspections.
- 11. A. Radiation Safety Officer: William Eugene Phillips, II, M.D.
 B. Assistant Radiation Safety Officer: Frank D. Pazik, M.S.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License No. 210
Amendment No. 54

12. Authorized Users:

- A. Carl D. Geier, M.D., for medical uses identified in RIIA 4.35, RHA 4.37, and RIIA 2.4.3, Department Regulation 61-63; and Iodine 131 for diagnosis and treatment of hyperthyroidism and thyroid carcinoma as identified in RHA 4.40 Department Regulation 61-63.
- B. Charles F. Greer, M.D., for medical uses identified in RIIA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3, Department Regulation 61-63.
- C. Chris J. Kennedy, M.D., for cardiology uses only pursuant to RHA 4.37, Department Regulation 61-63.
- D. Harvey D. Friedman, M.D., for medical uses identified in RIIA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3, Department Regulation 61-63.
- E. James D. Taggart, M.D., for medical uses identified in RHA 4.35, RHA 4.37, and RHA 2.4.3, Department Regulation 61-63; and Iodine 131 for diagnosis and treatment of hyperthyroidism, cardiac dysfunction, and thyroid carcinoma as identified in RHA 4.40 Department Regulation 61-63.
- F. Jeffrey K. Short, M.D., for medical uses identified in RIIA 4.35 and RHA 4.37, Department Regulation 61-63.
- G. Jennifer Ruth Cranny, M.D., for medical uses identified in RHA 4.35, and RIIA 4.37, Department Regulation 61-63; and Iodine 131 for the treatment of hyperthyroidism and thyroid carcinoma as identified in RHA 4.40 Department Regulation 61-63.
- H. John G. McGue, M.D., for medical uses identified in RIIA 4.35, RHA 4.37, and RHA 4.40, Department Regulation 61-63.
- I. Joseph I. Gaglione, M.D., for medical uses identified in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
- J. Joseph M. Mullaney, M.D., for medical uses identified in RHA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
- K. Kenneth H. Hanger, Jr., M.D., for medical uses identified in RIIA 4.37, Department Regulation 61-63; for cardiac and blood pool imaging.
- L. Laurie R. Harrell, M.D., for medical uses identified in RHA 4.40 and RIIA 4.46, Department Regulation 61-63.
- M. Margaret T. MacDowell, M.D., for medical uses identified in RHA 4.40 and RIIA 4.46, Department Regulation 61-63.
- N. Mark A. Coker, M.D., for medical uses identified in RHA 4.37, Department Regulation 61-63.
- O. Mark Greenslit, M.D., for medical uses identified in RIIA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
- P. Michael C. Garovich, M.D., for medical uses identified in RIIA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3, Department Regulation 61-63.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License No. 210
Amendment No. 54

-
- Q. Moira Sutton, M.D., for medical uses identified in RHA 4.46, Department Regulation 61-63.
- R. Rand J. Cuthbertson, M.D., for medical uses identified in RHA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3 Department Regulation 61-63.
- S. Ronald Piskowski, M.D., for medical uses identified in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
- T. Steven L. Vogel, M.D., for medical uses identified in RHA 4.35, RHA 4.37, RHA 4.40 and RHA 2.4.3, Department Regulation 61-63.
- U. Thomas Puckette, M.D., for medical uses identified in RHA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
- V. William A. Collins, M.D., for medical uses identified in RHA 4.40 and RHA 4.46, Department Regulation 61-63.
- ★ W. William R. Phillips, M.D., for medical uses identified in RHA 4.35, RHA 4.37 and RHA 4.40, Department Regulation 61-63.
- X. William Sam Smith, M.D., for medical uses in RHA 4.35, RHA 4.37 and RHA 2.4.3, Department Regulation 61-63.
- Y. Christopher K. Moses, M.D., for medical uses in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
- Z. Joshua N. Macatol, M.D., for medical uses in RHA 4.35 and RHA 4.37, Department Regulation 61-63.
- AA. Frank D. Pazik, M.S., as authorized medical physicist.
13. The licensee may hold radioactive material with a physical half-life of less than 120 days for decay-in-storage before disposal in ordinary trash. For radioactive material disposed of in this manner, the licensee shall maintain a record of each disposal for three years. The record must include the date of disposal, the date on which the material was placed in storage, the model and serial number of the survey instrument used, the background exposure rate, the radiation exposure rate measured at the surface of each waste container, and the name of the individual who performed the disposal. This waste shall be held for decay a minimum of ten half lives, and its radioactivity shall be undistinguishable from background radiation levels at the time of disposal.

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Material License
Supplementary Sheet

License No. 210
Amendment No. 54

14. Except as specifically provided otherwise in this license and except as provided by RHA 4.14, Department Regulation 61-63, the licensee shall conduct his program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures listed below. The Department's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Renewal application dated September 28, 2009, signed by Todd Gallati, CEO.
B. Letter with attachments dated November 10, 2009, signed by W. Eugene Phillips, II, M.D.

Date of Issuance: November 19, 2009

For the South Carolina Department
of Health and Environmental Control

By: 

Aaron A. Gantt, Chief
Bureau of Radiological Health

William Eugene Phillips, II, M.D. Specifically listed as an Authorized User on South Carolina RAM License Number 210.

Authorizations for Medical Uses Identified in:

- I. **RHA 4.35 Use of Unsealed Byproduct Material for Uptake, Dilution, and Excretion Studies for Which a Written Directive is not Required.**

Equivalent to: NRC 35.100 material

- II. **RHA 4.37 Use of Unsealed Byproduct Material for Imaging and Localization Studies for Which a Written Directive is not Required.**

Equivalent to: NRC 35.200 material

- III. **RHA 4.40 Use of Unsealed Byproduct Material for Which a Written Directive is Required.**


Equivalent to: NRC 35.300, Full Scope Written Directive Materials

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Regulation 61-63
RADIOACTIVE MATERIALS
(TITLE A)

PROMULGATED PURSUANT TO
SECTION 13-7-40 et. seq.
OF THE 1976 S.C. CODE (as amended)
THE ATOMIC ENERGY AND
RADIATION CONTROL ACT

October 2014 Edition
(Revisions approved by the
South Carolina Board of Health Environmental Control.
Printed in the October 24, 2014 Edition of the State Register).

RHA 4.15. Supervision	281
RHA 4.17. Written Directives.....	282
RHA 4.18. Procedures for Administrations Requiring a Written Directive	283
RHA 4.19. Suppliers for Sealed Sources or Devices for Medical Use	283
RHA 4.20. Training for Radiation Safety Officers	284
RHA 4.21. Training for an Authorized Medical Physicist.....	286
RHA 4.22. Training for an Authorized Nuclear Pharmacist.....	287
RHA 4.23. Training for Experienced Radiation Safety Officer, Teletherapy or Medical Physicist, Authorized User, and Nuclear Pharmacist.....	288
RHA 4.24. Recentness of Training	288
SUBPART C. GENERAL TECHNICAL REQUIREMENTS	289
RHA 4.25. Possession, Use, and Calibration of Instruments Used to Measure the Activity of Unsealed Radioactive Material	289
RHA 4.26. Calibration of Survey Instruments.....	289
RHA 4.27. Determination of Dosages of Unsealed Byproduct Material for Medical Use.....	289
RHA 4.28. Authorization for Calibration, Transmission, and Reference Sources	290
RHA 4.29. Requirements for Possession of Sealed Sources and Brachytherapy Sources.....	290
RHA 4.30. Labeling of Vials and Syringes	291
RHA 4.31. Surveys of Ambient Radiation Exposure Rate	291
RHA 4.32. Release of Individuals Containing Unsealed Radioactive Material or Implants Containing Radioactive Material	292
RHA 4.33. Provision of Mobile Medical Services	292
RHA 4.34. Decay-in-Storage	293
SUBPART D. UNSEALED RADIOACTIVE MATERIAL..WRITTEN DIRECTIVE NOT REQUIRED	293
→ RHA 4.35. Use of Unsealed Byproduct Material for Uptake, Dilution, and Excretion Studies for Which a Written Directive is not Required	293
RHA 4.36. Training for Uptake, Dilution, and Excretion Studies	294
→ RHA 4.37. Use of Unsealed Byproduct Material for Imaging and Localization Studies for Which a Written Directive is not Required	295
RHA 4.38. Permissible Molybdenum-99 Concentration	296
RHA 4.39. Training for Imaging and Localization Studies	296
SUBPART E. UNSEALED BYPRODUCT MATERIAL..WRITTEN DIRECTIVE REQUIRED	297
→ RHA 4.40. Use of Unsealed Byproduct Material for Which a Written Directive is Required	297
RHA 4.41. Safety Instruction.....	298
RHA 4.42. Safety Precautions	298
RHA 4.43. Training for Use of Unsealed Radioactive Material for Which a Written Directive is Required	299
RHA 4.44. Training for the Oral Administration of Sodium Iodide I-131 Requiring a Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries)	302
RHA 4.45. Training for the Oral Administration of Sodium Iodide I-131 Requiring a Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries)	303
SUBPART F. MANUAL BRACHYTHERAPY.....	304
RHA 4.46. Use of Sources for Manual Brachytherapy.....	304
RHA 4.47. Surveys After Source Implant and Removal	305
RHA 4.48. Brachytherapy Sources Accountability	305
RHA 4.49. Safety Instruction.....	305
RHA 4.50. Safety Precautions	305

	
New Search Litigation Documents Digital Certification Medical Board	Person Information
	William Eugene Phillips, II
	Address Information
	Sullivans Island SC 29482
	License Information
	License No: 01069030A
	Profession: Medical Licensing Board
	License Type: Physician
	Obtained By Method: Application
	Issue Date: 12/7/2010
Expiration Date: 10/31/2017	
License Status: Active	
Specialty Information as Reported by Physician	
Radiology - Diagnostic Radiology (DR)	
Radiology - Vascular and Intervent (VIR)	
Previous Action	
Previous Action - None	
Related Licenses	
No Prerequisite Information	
Violations	
No Data Available	

COLUMBUS REGIONAL HOSPITAL

Cancer Center

2400 EAST 17TH STREET
COLUMBUS, INDIANA 47201

M. J. Pawlowski, Ph.D.



7015 1520 0001 0950 6998



U.S. POSTAGE PITNEY BOWES

ZIP 46226 \$007.78⁰
02 1W
0001366298 JUL 29 2016

U.S. Nuclear Regulatory Commission, Region III
Materials Licensing Branch
2443 Warrenville Road, Suite 210
Lisle, IL 60532-4352

RECEIVED AUG 02 2016