

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

BOISE ID FM GROUP
6767 Northview Street
Boise, Idaho 83704-7458

September 15, 2016

Director of FSME
Attn: GLTS
USNRC
Washington, DC 20555-0001

In fulfillment of the requirements of 10 CFR 31.5 (c) 8, we hereby notify you that on September 14, 2016, we transferred the self-luminous exit signs listed on the attached spreadsheet to SRBT, 320 Boundary Rd., Suite 140, Pembroke, Ontario, K8A 6W5, Canada with CNSC License #NSPFOL-13.00/2022. As required, for each sign listed on the spreadsheet, we include the name of the manufacturer, model number, and serial number.

If you should have any questions, please contact Amy Taylor at (208) 377-4034.

Sincerely,



Amy Taylor
Boise ID Facilities Management Group
Church of Jesus Christ of Latter Day Saints

Encl.

SERIAL NUMBER SPREADSHEET

Company Name	Boise ID FM Group	Date	9/1/16
Address 1	6767 Northview Street	Isolite RMA #	12324PA - RMA
Address 2		EWS Order #	59766CA
Address 3		MTS Order #s	FMACQ-195028
City/State	Boise, ID	Contact Name	Amy Taylor
Zip/Post Code	83704	Contact Phone	(208) 377-4034
Country	USA	Contact FAX	(208) 375-9504
		Contact E-mail	A.Taylor@LDSCChurch.org

	Manufacturer Name	Model No.	Serial No.	Manufacture Date		Activity Include "Ci" or "TBq"
				Month	Year	
1	SRB Tech	B100	684895	03	2004	20 Ci
2	Isolite	2040	A58397	08	1995	11.5 Ci
3	Isolite	2040	A58401	08	1995	11.5 Ci
4	SRB Tech	B100	684898	03	2004	20 Ci
5	Isolite	2040	A58403	08	1995	11.5 Ci
6	SRB Tech	B100	684897	03	2004	20 Ci
7	Isolite	2040	A58399	08	1995	11.5 Ci
8	Isolite	2040	A58395	08	1995	11.5 Ci
9	Isolite	2040	A58396	08	1995	11.5 Ci
10	Isolite	2040	A58400	08	1995	11.5 Ci
11	SRB Tech	B100	684896	03	2004	20 Ci
12						
13						
14						
15						

**The above information should be on the signs labels. If any information on the sign is missing please fill in the fields with "missing" or "illegible", etc. Please print clearly. A double sign is counted as "TWO" signs—not "ONE" Please make note of this.*

Once we have received and processed this information an RMA number will be issued.

If you have more signs that this form holds, please copy additional pages and filling all necessary information.

SERIAL NUMBER SPREADSHEET

Company Name	Boise ID FM Group	Date	9/1/16
Address 1	6767 Northview Street	Isolite RMA #	12325PA - RMA
Address 2		EWS Order #	N/A
Address 3		MTS Order #s	FMACQ-196263
City/State	Boise, ID	Contact Name	Amy Taylor
Zip/Post Code	83704	Contact Phone	(208) 377-4034
Country	USA	Contact FAX	(208) 375-9504
		Contact E-mail	A.Taylor@LDSCChurch.org

	Manufacturer Name	Model No.	Serial No.	Manufacture Date		Activity Include "Ci" or "TBq"
				Month	Year	
1	Isolite	2040	A021210	02	2000	11.5 Ci
2	Isolite	2040	A021209	02	2000	11.5 Ci
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						

**The above information should be on the signs labels. If any information on the sign is missing please fill in the fields with "missing" or "illegible", etc. Please print clearly. A double sign is counted as "TWO" signs---not "ONE" Please make note of this.*

Once we have received and processed this information an RMA number will be issued.

If you have more signs that this form holds, please copy additional pages and filling all necessary information.