

B. H. Whitley  
Director  
Regulatory Affairs

Southern Nuclear  
Operating Company, Inc.  
42 Inverness Center Parkway  
Birmingham, AL 35242

Tel 205.992.7079  
Fax 205.992.5296



October 3, 2016

Docket Nos.: 52-025  
52-026

ND-16-1788  
10 CFR 52.97(c)

U.S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, DC 20555-0001

Ms. Jennifer Uhle  
Director, Office of New Reactors  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

Southern Nuclear Operating Company  
Vogtle Electric Generating Plant Units 3 and 4  
Report of UFSAR Chapter 14 Changes to Initial Test Program  
In Accordance with License Condition 2.D.(7)(a)

Ladies and Gentlemen:

In accordance with license condition 2.D.(7)(a) of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4 Combined Licenses, Numbers NPF-91 and NPF-92, respectively, Southern Nuclear Operating Company (SNC) is required to report, within 30 days, a change made to the Initial Test Program described in Final Safety Analysis Report Section 14, in accordance with 10 CFR 50.59(d).

On September 7, 2016, SNC approved Licensing Document Change Request (LDCR) 2016-061, changing the Initial Test Program described in the VEGP Units 3&4 Updated Final Safety Analysis Report (UFSAR) Subsection 14.2.9.1.4. The pre-operational testing requirement, which verified the resistance of the passive containment cooling air flow path, is removed.

On September 22, 2016, SNC approved Licensing Document Change Request (LDCR) 2016-086, changing the Initial Test Program described in the VEGP Units 3&4 Updated Final Safety Analysis Report (UFSAR), Subsection 14.2.9.2.12. This change clarified which tests require a prerequisite for the reactor vessel integrated head package to be in place during testing, removed group selection and interlock function testing since these functions are validated during factory acceptance testing, and clarified the testing of the digital control rod position indication system.

These departures from Tier 2 information in the UFSAR (which includes the plant-specific DCD) were evaluated in accordance with 10 CFR 52 Appendix D Section VIII, and it was determined that these changes did not involve a change to Tier 1 information, Tier 2\* information, or the Technical Specifications. The evaluation also determined that prior NRC approval for these departures was not required.


This letter contains no regulatory commitments.

If you have any questions regarding this letter, please contact Mr. Corey Thomas at (205) 992-5221.

Mr. Brian H. Whitley states that: he is the Regulatory Affairs Director of Southern Nuclear Operating Company; he is authorized to execute this oath on behalf of Southern Nuclear Operating Company; and to the best of his knowledge and belief, the facts set forth in this letter are true.

Respectfully submitted,

SOUTHERN NUCLEAR OPERATING COMPANY



Brian H. Whitley



BHW/BCT/ljs

Sworn to and subscribed before me this 3rd day of October, 2016

Notary Public: Lisa Myrick Spears

My commission expires: June 18, 2019

cc:

Southern Nuclear Operating Company / Georgia Power Company

Mr. S. E. Kuczynski  
Mr. M. D. Rauckhorst  
Mr. D. G. Bost  
Mr. M. D. Meier  
Mr. D. H. Jones  
Ms. K. D. Fili  
Mr. D. L. McKinney  
Mr. T.W. Yelverton  
Mr. B. H. Whitley  
Mr. C. R. Pierce  
Mr. D. L. Fulton  
Mr. M. J. Yox  
Mr. J. C. Haswell  
Mr. T. R. Takats  
Mr. W. A. Sparkman  
Mr. J. P. Redd  
Ms. A. C. Chamberlain  
Document Services RTYPE: VND.LI.L00  
File AR.01.02.06

Nuclear Regulatory Commission

Ms. C. Haney  
Mr. S. Lee  
Mr. L. Burkhardt  
Ms. J. Dixon-Herrity  
Mr. P. Kallan  
Mr. C. Patel  
Mr. W. C. Gleaves  
Mr. B. M. Baval  
Ms. R. Reyes  
Ms. M. A. Sutton  
Mr. M. E. Ernstes  
Mr. G. Khouri  
Mr. J. D. Fuller  
Ms. S. Temple  
Ms. J. Uhle  
Mr. T.E. Chandler  
Ms. P. Braxton  
Mr. T. Brimfield  
Mr. M. Kowal  
Mr. A. Lerch

State of Georgia

Mr. R. Dunn

Oglethorpe Power Corporation

Mr. M. W. Price  
Mr. K. T. Haynes  
Ms. A. Whaley

Municipal Electric Authority of Georgia

Mr. J. E. Fuller  
Mr. S. M. Jackson

Dalton Utilities

Mr. T. Bundros

WECTEC

Ms. K. Stoner  
Mr. C. A. Castell

Westinghouse Electric Company, LLC

Mr. R. Easterling  
Mr. J. W. Crenshaw  
Mr. C. D. Churchman  
Mr. L. Woodcock  
Mr. P. A. Russ  
Mr. A. F. Dohse  
Mr. M. Y. Shaqqo

Other

Mr. J. E. Hesler, Bechtel Power Corporation  
Ms. L. A. Matis, Tetra Tech NUS, Inc.  
Dr. W. R. Jacobs, Jr., Ph.D., GDS Associates, Inc.  
Mr. S. Roetger, Georgia Public Service Commission  
Ms. S. W. Kernizan, Georgia Public Service Commission  
Mr. K. C. Greene, Troutman Sanders  
Mr. S. Blanton, Balch Bingham  
Mr. R. Grumbir, APOG  
Mr. N. R. Kellenberger, South Carolina Electric & Gas Company  
Mr. D. Kersey, South Carolina Electric & Gas Company  
Mr. B. Kitchen, Duke Energy  
Mr. S. Franzone, Florida Power & Light