

**From:** [Linton, Ron](#)  
**To:** [Scott Schierman \(USA - Casper\)](#)  
**Subject:** RE: RE: Spill Mine Unit 74  
**Date:** Thursday, October 20, 2016 12:10:00 PM  
**Attachments:** [image001.jpg](#)

---

Scott:

Thanks for clarifying. I received both of your verbal spill notifications via voice mail and one via a follow-up e-mail. Please follow up with the written reports for both spills.

Ron

---

**From:** Scott Schierman (USA - Casper) [<mailto:Scott.Schierman@uranium1.com>]  
**Sent:** Thursday, October 20, 2016 11:47 AM  
**To:** Linton, Ron <[Ron.Linton@nrc.gov](mailto:Ron.Linton@nrc.gov)>  
**Subject:** [External\_Sender] RE: Spill Mine Unit 74

Ron

Two Separate Spills. If you need to get in contact with me for any reason I am out at the Willow Creek site. If you call (307) 696-8100 someone will find me.

Scott

---

**From:** Linton, Ron [<mailto:Ron.Linton@nrc.gov>]  
**Sent:** Thursday, October 20, 2016 8:47 AM  
**To:** Scott Schierman (USA - Casper)  
**Subject:** RE: Spill Mine Unit 74

Scott:

Received your e-mail and two voice mail (VM) messages. One VM stated approximately 1405 or 1705 gallon spill (I can't remember which) from well 71-319, second VM stated 3500 gallons from Mod 74. Is this the same spill, just with updated numbers, or two different spills? Please clarify.

I'm glad you stated in your e-mail you called me. Apparently, my light that alerts to new VM is not functioning on my phone, and I had no idea you had left a message, along with several others.

Thanks.

Ron

---

**From:** Scott Schierman (USA - Casper) [<mailto:Scott.Schierman@uranium1.com>]  
**Sent:** Tuesday, October 18, 2016 4:48 PM  
**To:** Linton, Ron <[Ron.Linton@nrc.gov](mailto:Ron.Linton@nrc.gov)>  
**Subject:** [External\_Sender] Spill Mine Unit 74

Ron

I left you a voice message that Willow Creek had a reportable spill on Monday, October 17, 2016.

The spill was estimated to be approximately 3500 gallons in Module 74. The voice mail and this email are intended to serve as the 24 hour notification.

Uranium One will follow-up with a written report and is currently evaluating the cause of the spill.

If you have questions please let me know. I can be reached by email at [scott.schierman@uranium1.com](mailto:scott.schierman@uranium1.com) or call at (307) 686-8116.

Regards

**Scott Schierman** | HSE Manager  
Uranium One Americas, Inc. (U1 Americas)  
907 N Poplar | Suite 260 | Casper, WY 82601 | USA  
Office: [307.234.8235 ext 330](tel:307.234.8235) | Cell: [307.840.1157](tel:307.840.1157)  
[scott.schierman@uranium1.com](mailto:scott.schierman@uranium1.com)  
[www.Uranium1.com](http://www.Uranium1.com)



This email, including any attachments, is confidential and may be privileged. Please check any attachments for viruses before opening them. If you are not the intended recipient, then any disclosure, copying, distribution or use of this email or any attachment, other than to or by the sender, is prohibited. If you received this email in error, please notify us immediately by returning it to the sender and delete this copy from your system.