

## SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

## 1. LICENSEE/LOCATION INSPECTED:

Center for Diagnostic Imaging  
11900 North Pennsylvania Street, Suite 100  
Carmel, IN 46032

REPORT NUMBER(S) 2016001

## 2. NRC/REGIONAL OFFICE

Region III  
U. S. Nuclear Regulatory Commission  
2443 Warrenville Road, Suite 210  
Lisle, IL 60532-4352

## 3. DOCKET NUMBER(S)

030-35142

## 4. LICENSE NUMBER(S)

13-32194-01

## 5. DATE(S) OF INSPECTION

October 28, 2016

## LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:



- ☒ 1. Based on the inspection findings, no violations were identified.
- ☐ 2. Previous violation(s) closed.
- ☐ 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, to exercise discretion, were satisfied.

Non-cited violation(s) were discussed involving the following requirement(s):

- ☐ 4. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited in accordance with NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.  
(Violations and Corrective Actions)

## Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE	DATE
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Luis Nieves Folch		10/28/16
BRANCH CHIEF	Aaron T. McCraw		11/8/16

*Docket File Information*

**SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION**

1. LICENSEE/LOCATION INSPECTED:  Center for Diagnostic Imaging 11900 North Pennsylvania Street, Suite 100 Carmel, IN 46032  REPORT NUMBER(S) 2016001		2. NRC/REGIONAL OFFICE  Region III U. S. Nuclear Regulatory Commission 2443 Warrenville Road, Suite 210 Lisle, IL 60532-4352	
3. DOCKET NUMBER(S)  030-35142	4. LICENSE NUMBER(S)  13-32194-01	5. DATE(S) OF INSPECTION  October 27, 2016	
6. INSPECTION PROCEDURES USED  87131	7. INSPECTION FOCUS AREAS  03.01-03.07		

**SUPPLEMENTAL INSPECTION INFORMATION**

1. PROGRAM CODE(S)  02120	2. PRIORITY  3	3. LICENSEE CONTACT  Andrea Carpenter, CNMT, RSO	4. TELEPHONE NUMBER  (317) 846-0717
<input checked="" type="checkbox"/> Main Office Inspection      Next Inspection Date: <u>October 27, 2019</u>			
<input type="checkbox"/> Field Office Inspection _____			
<input type="checkbox"/> Temporary Job Site Inspection _____			

**PROGRAM SCOPE**

This was an unannounced routine inspection of a nuclear medicine clinic authorized by its NRC license to use unsealed byproduct material for diagnostic and therapeutic procedures under 10 CFR 35.100, 35.200, and 35.300 at its facility in Carmel, IN. A local radiopharmacy delivered unit doses to the hospital for a variety of diagnostic procedures. The clinic employed one full-time nuclear medicine technologist who staffed the department Monday to Friday. The licensee performed approximately four diagnostic studies per day and one therapeutic administration per month. The licensee retained the services of a medical physics consultant to perform instrument calibrations, leak tests, and quarterly audits of the radiation safety program.

**PERFORMANCE OBSERVATIONS**

The inspector toured the nuclear medicine department and hot lab to evaluate the licensee's measures for materials security, hazard communication, and exposure control. The licensee demonstrated procedures for administering the material, surveys, spill cleanup, and receiving packages, as there were no patient injections to observe at the time of the inspection. The inspector performed independent surveys of the hot lab and other areas of the nuclear medicine department and found no contamination or exposures to members of the public distinguishable from background. The nuclear medicine technologist demonstrated adequate knowledge of radiation safety principles and practices through interviews. The inspector reviewed quarterly audit reports, spill reports, and documentation of package receipt, area surveys, instrument quality control, waste disposal, and employee training. The inspector also reviewed monthly dosimetry reports, which indicated annual whole-body and extremity doses below regulatory limits.

No violations of NRC requirements were identified as a result of this inspection.