

Hanson, Latischa

From: George Doggett <George.Doggett@casedhole-solutions.com>
Sent: Friday, November 18, 2016 2:39 PM
To: Hanson, Latischa
Cc: Steve Finnan; Jeremy Kinslow; Tim Wallace
Subject: [External_Sender] Casper
Attachments: Letter to rescind Casper location.pdf

Latischa,

As per our conversation, please find correspondence rescinding Company request to add a storage location in Casper.

Regards



**Casedhole
Solutions**

George Doggett
Sr. Director QHSE Drilling & Completions
Casedhole Solutions
3990 Rogerdale
Houston, TX 77042
Ph: 713-325-6053
Cell: 832-954-8914
Fax: 713-325-5921
cjenergy.com

This communication is the property of C&J Energy Services and may contain confidential or privileged information. Unauthorized use of this communication is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify the sender by reply e-mail and destroy all copies of the communication and any attachments.

PUBLIC

- ☐ Immediate Release
☒ Normal Release

NON-PUBLIC

- ☐ A.3 Sensitive-Security Related
☐ A.7 Sensitive Internal
☐ Other:

Reviewer: Rmt Date: 11/21/16

42-35277-01
030-38877
591849



C & J ENERGY SERVICES

Corporate Office

3990 Rogerdale • Houston, TX 77042

Phone: (713) 325-6000 • Fax: (713) 325-5910

C&J Energy Services

November 18, 2016

U.S. Nuclear Regulatory Commission, Region IV

ATTN: DNMS Licensing Assistant

1600 East Lamar Boulevard

Arlington, Texas 76011-4511

Reference: Radioactive Materials License No.: 42-35277-01; Docket No.: 030-38877

The Company wishes to rescind its request to add a storage location in Casper, WY. The office will be closing and there is no need to add a storage location at this time.

Please do not hesitate to contact me if there is any additional information you need.

Sincerely,

George M. Doggett

Radiation Safety Officer

Senior QHSE Director Drilling & Completions

C&J Energy Services

(832) 954-8914 cell

www.cjenergy.com



Google Earth

feet 400
meters 100



2425 Coleman Circle
Casper, WY 82601