





Facility: Dresden Generating Station		Date of Exam: 08/08/16		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>		
Item Description	Initial					
	a	b*	c#			
1. Questions and answers are technically accurate and applicable to the facility.	<input checked="" type="checkbox"/>	BSP	BP			
2. a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available.	<input checked="" type="checkbox"/>	BSP	BP			
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401	<input checked="" type="checkbox"/>	BSP	BP			
4. The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).	<input checked="" type="checkbox"/>	BSP	BP			
5. Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate ___ The audit exam was systematically and randomly developed; or <input checked="" type="checkbox"/> the audit exam was completed before the license exam was started; or ___ the examinations were developed independently; or ___ the licensee certifies that there is no duplication; or ___ other (explain)	<input checked="" type="checkbox"/>	BSP	BP			
6. Bank use meets limits (no more than 75 percent from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right	Bank 26/11	Modified 0/1	New 49/13	<input checked="" type="checkbox"/>	BSP	BP
7. Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/ analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.	Memory 33/6	C/A 42/19		<input checked="" type="checkbox"/>	BSP	BP
8. References/handouts provided do not give away answers or aid in the elimination of distractors.	<input checked="" type="checkbox"/>	BSP	BP			
9. Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.	<input checked="" type="checkbox"/>	BSP	BP			
10. Question psychometric quality and format meet the guidelines in ES Appendix B.	<input checked="" type="checkbox"/>	BSP	BP			
11. The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.	<input checked="" type="checkbox"/>	BSP	BP			
Printed Name / Signature				Date		
a. Author				6-9-16		
b. Facility Reviewer (*)				6-10-16		
c. NRC Chief Examiner (#)	Bruce Palagi / 			8-2-16		
d. NRC Regional Supervisor				8/5/2016		
Note: * The facility reviewer's initials or signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initials items in Column "c"; chief examiner concurrence required.						