

Security Related Information  
Figure Withheld Under 10 CFR 2.390


REVISION 4 (02/90)

Waterford Steam Electric Station #3

**SECONDARY SYSTEM  
PRESSURE RELIEF**

FIGURE 5.2-1


REF DWG. L00-1001-0-110 SH 1 (REV. 80)





LOUISIANA  
 POWER & LIGHT CO.  
 Waterford Steam  
 Electric Station

CHARPY TEST RESULTS  
 INTERMEDIATE SHELL PLATE M-1003-1

Figure  
 5.2-2









LOUISIANA  
 POWER & LIGHT CO.  
 Waterford Steam  
 Electric Station


CHARPY TEST RESULTS  
 UPPER SHELL PLATE M-1002-1

Figure

5.2-5








LOUISIANA  
 POWER & LIGHT CO.  
 Waterford Steam  
 Electric Station

CHARPY TEST RESULTS  
 BOTTOM HEAD TORUS M-1007-1

Figure

5.2-8






→(EC-1020, R307)

FIGURE 5.2-10 HAS BEEN INTENTIONALLY DELETED.

←(EC-1020, R307)





LOUISIANA  
POWER & LIGHT CO.  
Waterford Steam  
Electric Station

CHARPY TEST RESULTS  
LOWER SHELL PLATE M-1004-1

Figure

5.2-1 1





LOUISIANA  
 POWER & LIGHT CO.  
 Waterford Steam  
 Electric Station

CHARPY TEST RESULTS  
 LOWER SHELL PLATE M-1004-3

Figure  
 5.2-13

→(EC-1020, R307)


FIGURE 5.2-14 HAS BEEN INTENTIONALLY DELETED.

←(EC-1020, R307)


→(EC-1020, R307)


FIGURE 5.2-15 HAS BEEN INTENTIONALLY DELETED.

←(EC-1020, R307)









LOUISIANA  
 POWER & LIGHT CO.  
 Waterford Steam  
 Electric Station

CHARPY TEST RESULTS  
 INLET NOZZLE SAFE END M-1013-3

Figure  
 5.2-18

