



| | | | | | | | |
|---|---|---|--|--|---------------------------------------|---|--|
| NRC FORM 314 (02-2014) 10 CFR 30.36(k)(1); 40.42(k)(1); 70.38(k)(1); and 72.54(k)(5)(1)(i) |  | U.S. NUCLEAR REGULATORY COMMISSION CERTIFICATE OF DISPOSITION OF MATERIALS | APPROVED BY OMB: NO. 3150-0028 <small>Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Privacy, and Information Collections Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by Internet e-mail to info@nrc.gov. Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOS-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a message used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.</small> | | | | |
| LICENSEE NAME AND ADDRESS ROZELL TESTING LABORATORIES, LLC 2404 STATE HIGHWAY 248 SUITE 4 BRANSON, MO 65616 | | | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">LICENSE NUMBER 24-32438-01</td> <td style="width:50%;">DOCKET NUMBER 030-36189</td> </tr> <tr> <td colspan="2">LICENSE EXPIRATION DATE AUGUST 31, 2023</td> </tr> </table> | LICENSE NUMBER 24-32438-01 | DOCKET NUMBER 030-36189 | LICENSE EXPIRATION DATE AUGUST 31, 2023 | |
| LICENSE NUMBER 24-32438-01 | DOCKET NUMBER 030-36189 | | | | | | |
| LICENSE EXPIRATION DATE AUGUST 31, 2023 | | | | | | | |
| A. LICENSE STATUS (Check the appropriate box) | | | | | | | |
| <input type="checkbox"/> This license has expired. <input checked="" type="checkbox"/> This license has not yet expired; please terminate it. | | | | | | | |
| B. DISPOSAL OF RADIOACTIVE MATERIAL <small>(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)</small> | | | | | | | |
| The licensee, or any individual executing this certificate on behalf of the licensee, certifies that: | | | | | | | |
| <input type="checkbox"/> 1. No radioactive materials have ever been procured or possessed by the licensee under this license. | | | | | | | |
| <input checked="" type="checkbox"/> 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner: | | | | | | | |
| <input checked="" type="checkbox"/> a. Transfer of radioactive materials to the licensee listed below: 12/19/16 (417)864-6000 PALMERTON & PARRISH, INC, 4168 W. KEARNEY STREET, SPRINGFIELD, MO; LIC NO 24-25998-01 | | | | | | | |
| <input type="checkbox"/> b. Disposal of radioactive materials: | | | | | | | |
| <input type="checkbox"/> 1. Directly by the licensee: | | | | | | | |
| <input type="checkbox"/> 2. By licensed disposal site: | | | | | | | |
| <input type="checkbox"/> 3. By waste contractor: | | | | | | | |
| <input type="checkbox"/> c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA. | | | | | | | |
| C. SURVEYS PERFORMED AND REPORTED | | | | | | | |
| <input type="checkbox"/> 1. A radiation survey was conducted by the licensee. The survey confirms: | | | | | | | |
| <input type="checkbox"/> a. the absence of licensed radioactive materials | | | | | | | |
| <input type="checkbox"/> b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA. | | | | | | | |
| <input type="checkbox"/> 2. A copy of the radiation survey results: | | | | | | | |
| <input type="checkbox"/> a. is attached; or <input type="checkbox"/> b. is not attached (Provide explanation); or <input type="checkbox"/> c. was forwarded to NRC on: _____ Date: _____ | | | | | | | |
| <input checked="" type="checkbox"/> 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and | | | | | | | |
| <input checked="" type="checkbox"/> a. The results of the latest leak test are attached; and/or <input checked="" type="checkbox"/> b. No leaking sources have ever been identified. | | | | | | | |
| The person to be contacted regarding the information provided on this form: | | | | | | | |
| NAME ERIC HODGE | TITLE CO-OWNER AND RSO | TELEPHONE (Include Area Code) 417-334-4141 | E-MAIL ADDRESS ehodge@rozellgroup.net | | | | |
| Mail all future correspondence regarding this license to: 2404 STATE HIGHWAY 248, SUITE 4, BRANSON, MO 65616 | | | | | | | |
| C. CERTIFYING OFFICIAL I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT | | | | | | | |
| PRINTED NAME AND TITLE ERIC HODGE CO-OWNER AND RSO | | SIGNATURE  | DATE 12/22/2016 | | | | |
| WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION. | | | | | | | |



PALMERTON & PARRISH, INC.

GEOTECHNICAL, CIVIL, & MATERIALS ENGINEERS
MATERIALS TESTING LABORATORIES
ENVIRONMENTAL SERVICES4168 W. Kearney St.
Springfield, MO 65803
PH: (417) 864-6000
www.ppimo.com

TRANSFER / RECEIPT RECORD

Date: December 19, 2016
Licensee: Rozell Testing Laboratories, LLC
2404 State Highway 248
Suite 4
Branson, Missouri 65616

License No: 24-32438-01
Expiration Date: August 31, 2023

Signature: Eric HodgePrint (Name & Title): Eric Hodge Co-owner

In accordance with the U.S. Nuclear Regulatory Commission and its regulations, on this date, licensee Palmerton & Parrish, Inc. purchased/received the following nuclear gauge:

Device: Troxler 3440
Serial No: 35833

Sealed Sources: Cs-137 S/N 77-2938 8 mCi
Am-241/Be S/N 78-810 40 mCi

New Licensee: Palmerton & Parrish, Inc.
4168 W. Kearney Street
Springfield, MO 65803

License No: 24-25998-01
Expiration Date: August 31, 2024

Signature: Michael FoleyPrint (Name & Title): MICHAEL FOLEY - RSO



3315 Maggie Blvd, Suite 1000
Orlando, FL 32811
Phone: 800-569-8950
Fax: 407-246-6518
www.AtlanticSupply.com

CERTIFICATE OF LEAK TEST

Rozell Testing Laboratories
Attn: Eric Hodge
2404 St. Hwy. 248, Suite 4
Branson, MO 65616

Date Sample Taken: 11/18/16
Date Test Performed: 11/28/16
Licensed Test Interval: 6 Months
Next Test Due Date: 5/18/17
ADS License Number: 2830-1

This certificate certifies that the leak test on the indicated source(s) was conducted on 11/28/16 and that the results shown below represent the level of removable contamination.

Gauge Manufacturer/Model Number: Troxler 3440
Gauge Serial Number: 35833

| <u>Isotope</u> | <u>Activity</u> | <u>Source S/N or Date</u> | <u>Removable Contamination** (in Microcuries)</u> |
|----------------|-----------------|-------------------------------|---|
| Am-241/Be | 40 mCi | 78-810 | <0.005 |
| Cs-137 | 8 mCi | 77-2938 | <0.005 |

**0.005 Microcuries (185Bq) or greater is indicative of a leaking source.

Test Device: Ludlum Model 2200 Scaler Ratemeter monitoring signals from a Model 243
Shielded Well Scintillator.

Representative sample was obtained by the gauge owner. Sample has been evaluated for leakage.

This source: May remain in use.

Performed by: Christian Perez
ADS Nuclear Technician

Reviewed by: Sam Sanchez
ADS Radiation Safety Officer

Customer RSO Review: E. Hodge

* N/S = Information not supplied on form by customer.

NRC FORM 374

PAGE 1 OF 4 PAGES

U.S. NUCLEAR REGULATORY COMMISSION

Amendment No. 12

MATERIALS LICENSE

...pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

| | | |
|---|---|---|
| <p style="text-align: center;">Licensee</p> <p>1. Palmerton & Parrish, Inc.</p> <p>2. 4168 W. Kearney Springfield, MO 65803</p> | <p>In accordance with the application dated April 7, 2014 (received July 13, 2014),</p> <p>3. License number 24-25998-01 is renewed in its entirety to read as follows:</p> <p>4. Expiration date August 31, 2024</p> <p>5. Docket No. 030-30927 Reference No.</p> | |
| <p>6. Byproduct, source, and/or special nuclear material</p> | <p>7. Chemical and/or physical form</p> | <p>8. Maximum amount that licensee may possess at any one time under this license</p> |
| <p>A. Cesium-137</p> | <p>A. Sealed sources registered either with NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible gauging device as specified in Item 9 of this license.</p> | <p>A. No single source to exceed 10 millicuries each. Total activity not to exceed 187 millicuries</p> |
| <p>B. Americium-241</p> | <p>B. Sealed sources registered either with NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible gauging device as specified in Item 9 of this license.</p> | <p>B. No single source to exceed 50 millicuries each. Total activity not to exceed 850 millicuries</p> |
| <p>C. Americium-241</p> | <p>C. Sealed sources registered either with NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible gauging device as specified in Item 9 of this license.</p> | <p>C. No single source to exceed 110 millicuries each. Total activity not to exceed 220 millicuries</p> |

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

24-25998-01

Docket or Reference Number

030-30927

Amendment No. 12

D. Cesium-137

D. Sealed sources registered either with NRC under 10 CFR 32.210 or with an Agreement State and incorporated in a compatible gauging device as specified in Item 9 of this license.

D. No single source to exceed 9 millicuries. Total activity not to exceed 9 millicuries.

9. Authorized use:

A. and B. To be used in Troxler Model 3400 Series and Humblot Scientific Model 5001 Series moisture/density gauges for measuring physical properties of materials.

C. To be used in Troxler Model 3241 Series gauges to measure asphalt content of construction materials.

D. To be used in Troxler Model 4640 Series density gauges for measuring physical properties of materials.

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at:

4168 W. Kearney Street
Springfield, Missouri

3500 East 13th Street
Joplin, Missouri

10000 Highway 160
Walnut Shade, Missouri

and may be used at temporary job sites of the licensee anywhere in the United States where the U. S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

11. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application dated April 7, 2014 (received July 13, 2014).

12. A. The Radiation Safety Officer (RSO) for this license is Michael Foley.

B. The Assistant Radiation Safety Officer is Ronald Piper.

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing financial assurance for decommissioning.

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

24-25998-01

Docket or Reference Number

030-30927

Amendment No. 12

14. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis; analysis of leak samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
- F. Records of leak tests results shall be kept in units of microcuries and shall be maintained for 3 years.
15. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license.
17. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
18. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport. A minimum of two independent physical controls that form tangible barriers to secure portable gauges from unauthorized removal whenever the portable gauge is not under the control and constant surveillance of the licensee are required.

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 4 of 4 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

24-25998-01

Docket or Reference Number

030-30927

Amendment No. 12

19. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
20. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.


Application dated April 7, 2014 (received July 13, 2014).

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date

JUL 21 2014

By

William P. Reichhold
Materials Licensing Branch
Region III

FACSIMILE

DATE: 12/23/16

TO: Materials Licensing Section, U.S. NRC Region III

FROM: Rozell Testing Laboratories, LLC
License No. 24-32438-01
(417)334-4141 (office)
(417)334-4181 (fax)

RE: Submittal of Form 314 to Terminate License

PAGES: 8 (including cover sheet)